



## legrand 752384A Connected Switch Instruction Manual

[Home](#) » [Legrand](#) » legrand 752384A Connected Switch Instruction Manual 





**Connected switch (with dimmer option) without neutral**  
**7 521 84A – 7 522 84A – 7 523 84A – 7 563 84A**

This pack is a connected accessory which requires you to buy and install the Valena Life with Netatmo connected starter pack first.

### Contents

- [1 Pack contents](#)
- [2 Characteristics](#)
- [3 Existing wiring](#)
- [4 Safety instructions](#)
- [5 Documents / Resources](#)
  - [5.1 References](#)
- [6 Related Posts](#)










### Pack contents



Connected switch (with dimmer option) + bleeder  
 Site protection  
 Frequency bands: 2.4 – 2.4835 GHz  
 Power level: < 100 mW

## Characteristics

In default mode (on/off ), this switch works with the following types of bulb :

 50/60 Hz	 2 x 1,5 mm <sup>2</sup> 1 x 2,5 mm <sup>2</sup>		(*) <b>LED</b> 	 + 
				
240 V~	Max.	125 W	125 VA	125 VA
	Min.	5 W	5 VA	5 VA
110 V~	Max.	75 W	75 VA	75 VA
	Min.	5 W	5 VA	5 VA

(\*) or 10 bulbs max. For comfortable lighting, we recommend using bulbs of the same type and manufacturer.

Product NOT COMPATIBLE with ferromagnetic transformer



Risk of product breaking







In dimmer option operating mode (which can be activated via the App), only with dimmable bulbs (identifiable by the logo on packaging).


**The bleeder ref 040149 have to be used systematically to :**

-avoid flash ghost effects when the load is OFF.



this switch functions

			
110-240 V~	50/60 Hz	11 mA max.	- 5° C + 55° C




Only one bleeder per circuit

**Before starting : wiring precautions**

If you plan to install two-way light switches or switched power outlets, read the following precautions:

To control a light with two or more switches, only use the products:



Connected switch without neutral (with dimmer option) + bleeder  
Wireless light switches for all other controls (not included in this pack)



**Do not use:** two connected switches (with dimmer option) to control the same lighting point.

1. Mandatory safety precautions

**OFF**




OFF Switch off the power at the main circuit breaker



Make sure that the power is off before continuing with the installation.


2. Install the connected switch (with dimmer option)

1




Uninstall the old switch

3



2 Wire the connected switch



To ensure that your connected switch (with dimmer option) works correctly, you must wire the bleeder provided as close to the load as possible and put a bulb in before turning the power on.


- N (neutral) = blue
- L (Live) = all except blue and green/yellow
- ■ ■ ■ Earth = green/yellow




The connected switch (with dimmer option) works with standard bulbs or dimmable bulbs including LEDs over 5 W. Using dimmable LEDs is mandatory when dimmer mode is activated.




Existing wiring



Replacement of an existing 2-way switch by a connected switch + wireless light switch  
 Previous switch replaced by the wireless light switch  
 Wireless switch + wired connected switch



Use a connector to connect all 3 wires together (travellers 1 and 2 and lamp return wire). Use a dedicated connector to insulate the neutral wire (if present)  
 Replacement of a 2-way switch by a connected switch + mechanical push-button.  
 Previous switch replaced by the mechanical push button  
 Mechanical push button + connected wired switch



To add a connected product to your connected installation, you should follow the instructions:

- in the Legrand Home + Control application (Settings/Add a new product section)
- or consult the user manual on [legrand.com](http://legrand.com)



[www.legrand.com](http://www.legrand.com)

LEGRAND – Pro and Consumer Service – BP 30076  
87002 LIMOGES CEDEX FRANCE • [www.legrand.com](http://www.legrand.com)



## Safety instructions

This product should be installed in compliance with installation rules, preferably by a qualified electrician. Incorrect installation and/or incorrect use can lead to risk of electric shock or fire. Before carrying out the installation, read the instructions and take account of the product's specific mounting location. Do not open up, dismantle, alter or modify the device except where specifically required to do so by the instructions. All Legrand products must be opened and repaired exclusively by personnel trained and approved by Legrand. Any unauthorised opening or repair completely cancels all liabilities and the rights to replacement and guarantees. Use only Legrand brand accessories.


### SIMPLIFIED EU DECLARATION OF CONFORMITY

The undersigned,  
Legrand

declares that the radio-electric equipment referred to in these instructions  
complies with directive 2014/53/EU. The full text of the EU declaration of  
conformity is available on the following website :

[www.legrandoc.com](http://www.legrandoc.com)




## Documents / Resources



[legrand 752384A Connected Switch](#) [pdf] Instruction Manual

752384A, 3414972316286, 7 521 84A, 7 522 84A, 7 523 84A, 7 563 84A, 752384A Connected Switch, Connected Switch, Switch

## References

-  [Welcome to Legrand - Legrand](#)
-  [Welcome to Legrand - Legrand](#)
-  [legrandoc](#)