

LeLIT Bianca PL162T Espresso Machine User Guide

Home » LeLIT » LeLIT Bianca PL162T Espresso Machine User Guide 🖫

Contents

- 1 LeLIT Bianca PL162T Espresso
- Machine
- **2 TECHNICAL FEATURES**
- **3 DELIVERED WITH**
- **4 PRODUCT SPECIFICATION**
- **5 POWER INPUT**
- 6 Documents / Resources
 - **6.1 References**
- 7 Related Posts



LeLIT Bianca PL162T Espresso Machine



COFFEE MACHINE WITH L58E GROUP AND MANUAL CONTROL OF THE WATER FLOW. THE DUAL BOILER ENSURES AN EXCELLENT THERMAL STABILITY. IT IS DESIGNED FOR THE REAL HOME BARISTA THAT WANTS TO GET THE BEST FROM EACH COFFEE.

TECHNICAL FEATURES

- L58E group, paddle system with patented design, compatible with LELIT58 barista tools
- Professional water/steam taps with spring closure LCC with high-resolution OLED graphic display
- · Lack of water in the tank and "Reserve mode" graphic indicator
- Possibility to activate pre infusion and stand-by times Possibility of disabling the steam boiler
- Partial and total doses counter
- · Coffee delivery timer
- Temperature displayed in Celsius or Fahrenheit degrees
- Double manometer for pump/steam pressure
- · L58E group manometer for coffee pressure
- · Water supply and direct discharge
- Pump calibration via external adjustment screw
- Polished stainless steel appliance body with cup warmer rack and drip tray with wire grate
- · Walnut wood knobs, lever, paddle and feet
- I/O stainless steel back-lit switch
- · Anti-burn multi directional steam and hot water wands Mug friendly
- Water tank place able on the three sides of the machine

DELIVERED WITH

- LELIT58 bottomless filter holder with walnut wooden handle
- LELIT58 2-ways filter holder with walnut wooden handle and Coffee Slide spout
- LELIT58 1 dose filter (9-11 g), IMS
- LELIT58 2 doses filter (14-18 g), IMS

- LELIT58 2 doses PLUS (18-21 g), IMS
- LELIT58 blind filter, IMS
- LELIT58 stainless steel tamper with aluminium handle Spoon for coffee powder
- Cup rack
- 70 I water softener filter
- · Small brush with nylon bristles
- · LELIT microfiber cloth
- Optional 4-holes steam wand nozzle

PRODUCT SPECIFICATION

AISI316L Stainless steel steam boiler: 1.5 |
 AISI316L Stainless steel coffee boiler: 800 ml

• Water tank: 2.5 |

• Dimensions LxDxH: 29×48.5×40 cm

• Weight: 26.5 kg

POWER INPUT

PL162T: 230 V 50 Hz | Plug Type E+F
PL162T-AUS: 240 V 50 Hz | Plug Type I
PL162T-120: 120 V 60 Hz | Plug Type B
PL162T-100: 100 V 50/60 Hz | Plug Type B

WEBSITE: LELIT.COM

Documents / Resources



LeLIT Bianca PL162T Espresso Machine [pdf] User Guide Bianca PL162T, Espresso Machine, Bianca PL162T Espresso Machine

References

 Coffee machines and ironing systems | LELIT