

# Lemokey M55 Mechanical Keyboard and Mouse Set User Guide

Home » Lemokey » Lemokey M55 Mechanical Keyboard and Mouse Set User Guide 🖫

#### **Contents**

- 1 Lemokey M55 Mechanical Keyboard and Mouse Set
- 2 IN THE BOX
- 3 Keyboard Quick Start Guide
- **4 Factory Reset**
- **5 X2 MECHANICAL KEYBOARD SPECIFICATIONS**
- **6 X2 MECHANICAL KEYBOARD OVERVIEW**
- **7 KEY DESCRIPTION**
- **8 Safety Precaution**
- 9 Mouse Quick User Guide
- 10 DPI indicator
- 11 Light effects
- 12 Mouse specification
- 13 Documents / Resources
  - 13.1 References
- **14 Related Posts**



Lemokey M55 Mechanical Keyboard and Mouse Set



## Lemokey

X2 Mechanical Keyboard and Mouse Set


## **IN THE BOX**

- Lemokey X2
- Mechanical Keyboard x 1
- MSS Mousex 1
- Type-C Cable x 1
- Keycap-Switch Puller x1
- Extra Keycaps Set x 1
- Manual x 1

## **Keyboard Quick Start Guide**

1. The keyboard's default layout is configured for Windows. To use it with MacOS, please remap it using VIA.

## Windows



## The VIA Key Remapping Software

Please visit usevia.app to use the online

VIA software to remap the keys.

If the VIA cannot recognize your keyboard, please reach our support to get the instruction.



- The online VIA software can only run on the latest version of Chrome, Edge, and Opera browsers yet.
- VIA only works when the keyboard is connected by wire to the computer.

## The Backlight

Press FN + Q to change the lighting effect



Press FN + TAB to turn the backlight on/off



## **Adjust The Backlight Brightness**

Press FN + W to increase the backlight brightness



Press FN + S to decrease the backlight brightness



## The Key Rollover

- 6-key rollover: the keyboard can detect up to 6 simultaneous key inputs.
- N-key rollover: the keyboard can detect all key inputs without limit to the number of key presses.
- The keyboard enables N-key rollover by default.




## **Factory Reset**

## Troubleshooting? Don1t know what's going on with the keyboard?

- 1. Download the right firmware and QMK Toolbox from our website.
- 2. Unplug the power cable and remove the space bar keycap to find the reset button on the PCB.
- 3. Hold the reset key first, then plug in the power cable. Release the reset key, and the keyboard will now enter DFU mode.
- 4. Flash the firmware with the QMK Toolbox.
- 5. Factory reset the keyboard by pressing FN + J + Z (for 4 seconds).

The step-by-step guide can be found on our website.



#### X2 MECHANICAL KEYBOARD SPECIFICATIONS


## **Specifications**

- · Layout Full Sized
- · Switch type Mechanical
- Width 128.6 mm
- Length 437.7mm
- Front height
- 16.5 mm (without keycaps)
- 33.2 mm (with keycaps installed)
- 20 mm (without keycaps)
- Back height 37.4 mm (with keycaps installed)
- Keyboard feet height 1.3mm
- Angle 2/7 degree

#### X2 MECHANICAL KEYBOARD OVERVIEW


- 1. Caps Lock Indicator
- 2. Windows Lock Indicator
- 3. Num Lock Indicator
- 4. Scroll Lock Indicator
- 5. T ype-C Port






## **DEFAULT KEY LAYOUT:**

LAYER 0: This is the default layer.




LWin= Left Windows LAIt= Left Alt RAIt= Right Alt RApp= Right App RCtl= Right Ctrl

LAYER 1: This layer will be activated when you press the FN/MO(I) key.



LAYER 2/LAYER 3: This is a blank layer.



**KEY DESCRIPTION** 

Key Description	
Ser-	Screen Brightness Decrease
Ser+	Screen Brightness Increase
BL-	Backlight Decrease
BL+	Backlight Increase
Prvs	Previous
Play	Play/Pause
Next	Next
Mute	Mute
Vol-	Volume Decrease
Vol+	Volume Increase
NKRO	N-key rollover

Key Description	
BL Toggle	Turn Backlight on/off
BL Cycle	Backlight Cycle
M0(1)	Layer 1 will be activated when holding this key
M0(2)	Layer 2 will be activated when holding this key
M0(3)	Layer 3 will be activated when holding this key
M0(4)	layer 4 will be activated when holding this key

## Third-party input tools are not compatible with the keyboard.

Due to compatibility, versions, brands and drivers of Windows/Android OS, functions of third-party input tools may be affected while using the keyboard. Please make sure your operating system and drivers are up to date. Certain multimedia keys or function keys do not work.

Functions of certain multimedia keys may be disabled due to compatibility, versions, brands, and drivers of devices.




## **Safety Precaution**

- Keep the product, accessories and packaging parts out of the reach of children to prevent any accidents and choking hazards.
- Always keep the product dry to avoid corrosion.
- Do not expose the product to extreme temperatures below -10°C (S° F) or above 50°C (131 ° F) to preserve the lifespan of the keyboard and battery.

#### **Mouse Quick User Guide**

- 1. Left button
- 2. Right button
- 3. Middle wheel button
- 4. DPI+ button
- 5. DPI- button
- 6. Forward button
- 7. Backward button



#### **DPI** indicator


First level	800 DPI
Second level	1600 DPI ( default )
Third level	2400 DPI
Fourth level	4000 DPI

## **Light effects**

- Next light effect: Left button + Forward button
- Previous light effect: Left button + Backward button
- 'The MSS mouse offers a choice of 8 lighting effects.

## How to factory reset

Hold down the "DPI + button", "Left button" and "Forward button" simultaneously for 4 seconds, and all the LED lights on the mouse will blink. It will blink three times to indicate that the factory reset is successful.



## Mouse specification

• Weight: 110 ± 5 g

Size: 116.7 x 64 x 38.6 mmConnectivity: Type-A wired

Report rate (polling rate): 125 Hz – 250 Hz – 500 Hz – 1000 Hz (default)

'The default polling rate is 1000 Hz, which can be modified through the driver.

## Lemokey

- Find us at: https://www.lemokey.com
- Support@lemokey.com
- · @lemokey
- @lemokey.keyboard
- @ lemokey.com

- Designed by Lemokey
- · Made in China

## **Documents / Resources**

Lemokey
X2 Mechanical Keyboard and Mouse Set

Lemokey M55 Mechanical Keyboard and Mouse Set [pdf] User Guide

M55, M55 Mechanical Keyboard and Mouse Set, Mechanical Keyboard and Mouse Set, Keyboard and Mouse Set, Mouse Set, Set

## References

• User Manual

#### Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.