



LENNOX Rooftop Unit to the CORE Service App Instructions

[Home](#) » [Lennox](#) » LENNOX Rooftop Unit to the CORE Service App Instructions 

Contents

- [1 LENNOX Rooftop Unit to the CORE Service App](#)
- [2 Product Information](#)
- [3 Product Usage Instructions](#)
- [4 App Instructions](#)
- [5 Required Tools](#)
- [6 Documents / Resources](#)
 - [6.1 References](#)



LENNOX Rooftop Unit to the CORE Service App



Product Information

Commercial Training Toolbox Tips

The Commercial Training Toolbox Tips is a product that helps in pairing the Model L Rooftop Unit to the Lennox CORE Service App. It is applicable for Lennox Model L and Enlight Rooftop Units 3-25 tons. The product provides various helpful resources such as installation and service literature downloads, CORE Service App Reference Guide, online CORE Service Curriculum, and Lennox Model L and CORE Control System videos on YouTube. The product requires the CORE Service App to be downloaded on mobile devices to pair with the Lennox CORE Control System for performing most setup, startup, or troubleshooting processes.

Product Usage Instructions

1. Download the CORE Service App on your mobile device by scanning the QR codes provided.
2. Open the CORE Service App on your device.
3. Press the Pair button on the CORE Control System for 5 seconds.
4. Refer to the CORE Service App Reference Guide for complete instructions on pairing your device with the Lennox CORE Control System.
5. Once paired, you can use the device to perform setup, startup, or troubleshooting processes.
6. For technical support, click on the black logos provided to download the apps or register for technical training webinars.

App Instructions

Applies to Lennox Model L and Enlight Rooftop Units 3-25 tons

Helpful Resources

1. Download installation and service literature from LennoxCommercial.com or LennoxPros.com.
2. CORE Service App Reference Guide takes you step-by-step through the startup and commissioning procedures.
3. Log in to LennoxPros.com to start the online CORE Service Curriculum.
4. View Lennox Model L and CORE Control System videos on YouTube.

Required Tools



1. Download the CORE Service App to your mobile devices by scanning these QR codes.

You will need to pair your device to the Lennox CORE Control System to perform most setup, startup, or troubleshooting processes. Open the CORE Service App on your device. Press the Pair button on the CORE Control System for 5 seconds. See the excerpt from the CORE Service App Reference Guide below. Complete instructions are included in the guide.



1. This screen is displayed while the app is pairing to the unit.

- Tap Next.
- If prompted to allow the app to enable Bluetooth on your device, choose Accept.




2. Select the Proper RTU in the list shown to complete pairing to your device.



3. Once connected, the screen shown is a reading of the CORE controller's information.

- Tap the Finish button to continue.

4. Congratulations! The unit and CORE Service App have been successfully paired!



- The next screen is the unit operation overview screen.
- Tap the Menu button. (3 lines in the upper left of the screen) to open the menu.

Self-Service Technical Support with No Wait Times



Click on the black logos below to download these apps

- Download all Training Toolbox Tips
- Register for Technical Training Webinars

Documents / Resources

| | |
|--|--|
| | <p>LENNOX Rooftop Unit to the CORE Service App [pdf] Instructions Model L, Enlight Rooftop Units 3-25 tons, Rooftop Unit to the CORE Service App, Rooftop Unit, CORE Service App, CORE App, Service App, App</p> |
|--|--|

References

- [Commercial Air Conditioning & Heating Units | Lennox Commercial](#)
- [LennoxPros - HVAC Lennox Supplier | LennoxPROs.com](#)