

# **LENTION USB C to Dual HDMI Adapter User Manual**

Home » LENTION » LENTION USB C to Dual HDMI Adapter User Manual





**User Manual** Type-C to HDMI Adapter **Dual HOMI Interface Output** 

#### **Contents**

- 1 Introduction
- 2 Features
- 3 Specififations
- 4 Documents /

**Resources** 

- 4.1 References
- **5 Related Posts**

# Introduction



Type-C to 4K HDMI adapter, can be connected to notebook and mobile phone with Type-C port, to realize mirroring of what is displayed on your device screen including apps, presentations, websites, slideshows, and more — to your Ultra HD HOMI display, projector, or other compatible display in up to 4K Ultra HD.

#### **Features**

- Supported Resolution up to 4K°2K output.
- Compatibility: New MacBook/Pro 2015, 2016, 2017, 2018

ChromeBook Pixel

Microsoft Surface Pro 4

Asus Zen AiO

HP Pavilion x2

Lumia 950/ 950XL

Samsung \$8/9 Galaxy Note8/9 Galaxy S8+

Huawei Mate 10/20 P 20

Dell XPS12 XPS13 XPS15

Acer Aspire R13 / V15, S5-391-6419 Nitro / V17 Nitro, Predator 15 / 17,


ASUS ROG G752VL / GT752VT / GT752VY / GXT00VO / ZenBook Pro UX501VW,

Clevo P750DM / PT70DM / P870DM, Lenovo ThinkPad P50 / P70, MSI GS40 /

GS60 / GT72 / GT80 / Vortex! WS60 / WS72, VAIO S11 Or more Type-C Port devices

- Easy to used, plug in play, no external software drivers needed.
- Compatible the 8-10 . 11 version for iOS systems and Windows. Android. Linux system.

**Note:** This product is not supported, such as mobile phones or computers with USB3.0 protocol! only under HUAWEI interface.



Connect your notebook or another compatible device with Type-C port;

HDMI port Connect to TV. project and so on, the HDMI! channel connected must be consistent with the device set channel .

Video has been shared to TV, End.

# **Specififations**

Connector	
Power supply	Bus,Powered and Self-Powersd (via TYRE- C port)
Output	HDMI female x 2
Input	type-C xI,
Cable Length	100mm
Product body Colors	Silver, Gray
Environmental	
Operating Temperature	0°C to + 45°C
Operating Humidity	113% to as % RH. (no condensation)
Storage Temperature	– 10º to *55º C
Storage Humidity	5% to 90 % R'H (no condensation)
Electrical	
Power supply NA	



## **Documents / Resources**



**LENTION USB C to Dual HDMI Adapter** [pdf] User Manual USB C to Dual HDMI Adapter, USB C, to Dual HDMI Adapter, Dual HDMI Adapter, HDMI Adapter, Adapter

## References

• User Manual

Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.