



Leuchten Direkt E0040027 Handling via remote control Instruction Manual

[Home](#) » [Leuchten Direkt](#) » Leuchten Direkt E0040027 Handling via remote control Instruction Manual 

Contents


- [1 Leuchten Direkt E0040027 Handling via remote control](#)
- [2 Handling via remote control](#)
- [3 Handling via wall switch](#)
- [4 Technical data](#)
- [5 Documents / Resources](#)
- [6 Related Posts](#)

Leuchten**Direkt**

Leuchten Direkt E0040027 Handling via remote control



Handling via remote control



1. ON
2. OFF
3. Press the button for long time, you can increase the brightness of the lamp continuously (up to 100%). Press the button shortly, you can increase the brightness of the lamp stepwise.
4. Nightlight (approx. 10% of the brightness)
5. Press the button for long time, you can change the color temperature of the light slowly from warm white to cold white. Press the button shortly, you can change the color temperature of the light stepwise from warm white to cold white.
6. Press the button for long time, you can change the color temperature of the light slowly from cold white to warm white. Press the button shortly, you can change the color temperature of the light stepwise from cold white to warm white.
7. Press the button for long time, you can reduce the brightness slowly (to 10%). Press the button for shortly, you can reduce the brightness stepwise.
8. All lights in the infrared range of the remote control will be set to the same color temperature which was selected lastly with the remote control.
9. 3-Steps color temperature (3000 Kelvin / 4000 Kelvin / 5000 Kelvin)

10. Timer function (The light turns off after 30 seconds.)

Handling via wall switch

1. **Memory function:** If you turn off the light via wall switch and turn on after >3 seconds the light lights up in the last mode (color temperature, brightness).
2. **CCT:** The color temperature can be changed in 3 steps by switching on / off several times quickly: 3000 Kelvin / 4000 Kelvin / 5000 Kelvin.

Technical data

- **Operation voltage:** 3V

Battery: 2x 1,5V AAA

Range of the remote control: approx. 6m

Documents / Resources

E0040027  LeuchtenDirekt Chancen im Licht	Leuchten Direkt E0040027 Handling via remote control [pdf] Instruction Manual E0040027 Handling via remote control, E0040027, Handling via remote control, via remote control, remote control, control
---	--