



**Bluetooth Transmitter Receiver
with Wireless Microphone System
User Manual
Model Name: H2/H2a**

Contents [[hide](#)]

- [1 Usage Steps](#)
- [2 Front View](#)
- [3 Remote Control](#)
- [4 Microphone](#)
- [5 Device Connection](#)
- [6 Product Warranty](#)
- [7 FCC WARNING](#)
- [8 Documents / Resources](#)
 - [8.1 References](#)

Usage Steps


1. First insert the power amplifier and speaker equipment connection cables to be used

into the identification function interface


2. Plug in the DC power adapter
3. Long press the power switch to turn on
4. Connect the Bluetooth, Firstly find BT name (LDX-H2) to be connected from mobile phone
5. Insert the USB flash drive to automatically identify and play songs
6. High-quality USB playback format MP3/SBC/AAC/WMA/WAV/FLAC /APE

Front View

H2a Bluetooth version



H2 Microphone Version



- 1: Power button (Press for 3s to turn on/off)
2. Power light (the power light stays on)
- 3: Remote control receiver
- 5: Pause/play
- 4: Short press to previous song/long press to rewind
- 6: Short press to next song/long press to fast forward
- 7/8: Long press to adjust microphone volume/short press to switch functions
- 9/10: Microphone indicator light (light stays on when connected)
- 11: Remote control operating indicator light (light flashes when triggered/light stays on)

for 3 seconds when adjusting to maximum or minimum)


12: USB indicator light (light stays on when not reading/light flashes when reading)

13: AUX indicator light COA indicator light

14: Bluetooth indicator light (light flashes when not connected/light stays on when connected)

15: Volume adjustment knob

Back View



1:Fiber optic output

2:COA coaxial output

3/4:AUX left and right outputs


5:COA coaxial input

6/7:AUX left and right inputs

8:USB input

9:DC-5V power port

Remote Control



1. Standby button
2. Mute button
3. USB function button
4. AUX function button
5. COA function button
6. Microphone reverb +/- button
7. Bluetooth button
8. Dodge button
9. Microphone volume +/- button
10. Volume + button
11. Volume – button
12. Short press to play the previous song/Long press to fast-forward
13. Short press to play the next song/Long press to fast-forward
14. Pause/play
15. Microphone bass +/- button
16. Microphone scene sound effect button
17. Microphone treble +/- button


Microphone



HI- Connectivity Receiver MIC2

L0- Connectivity Receiver MIC1

Device Connection



Product Warranty

Model Name: H2/H2a

Inspector: 001

Inspection Conclusion: Qualified

MAC Code:.....

Warranty description:

1. The warranty period of this product is 1 year from the date of sale.
2. The company will provide you with high-quality after-sales service.
3. If the product is damaged due to human factors, the company will charge a repair fee when repairing.
4. Please keep this warranty card properly.

The company will use the MAC code as the basis.

Sold by Ldxtechs

Contact us: webestservices@outlook.com

FCC WARNING

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment

generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception,


which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

To maintain compliance with FCC’s RF Exposure guidelines, This equipment should be installed and operated with minimum 20cm distance between the radiator and your body: Use only the supplied antenna.

Lidaxun

Documents / Resources

	Lidaxun H2 DSP Bluetooth Transmitter Receiver [pdf] User Manual H2, H2 DSP Bluetooth Transmitter Receiver, DSP Bluetooth Transmitter Receiver, Bluetooth Transmitter Receiver, Transmitter Receiver, Receiver
---	--

References

- [User Manual](#)

📁 Lidaxun

💎 Bluetooth Transmitter Receiver, DSP Bluetooth Transmitter Receiver, H2, H2 DSP Bluetooth Transmitter Receiver, Lidaxun, Receiver, Transmitter Receiver



Leave a comment

Your email address will not be published. Required fields are marked *

Comment *

Name

Email

Website

☐ Save my name, email, and website in this browser for the next time I comment.

Post Comment

Search:

e.g. whirlpool wrf535swhz

Search

[Manuals+](#) | [Upload](#) | [Deep Search](#) | [Privacy Policy](#) | [@manuals.plus](#) | [YouTube](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.