



LIGHT5 ONE V2 Torch Light Instruction Manual

[Home](#) » [LIGHT5 ONE](#) » LIGHT5 ONE V2 Torch Light Instruction Manual 

Contents

- 1 [LIGHT5 ONE V2 Torch Light](#)
- 2 [Caution](#)
- 3 [Technical information](#)
- 4 [Operating instructions](#)
- 5 [Documents / Resources](#)
 - 5.1 [References](#)
- 6 [Related Posts](#)

LIGHT5 ONE


LIGHT5 ONE V2 Torch Light



Caution

- DO NOT stare into the light
- DO NOT cover the light
- DO NOT submerge the light into liquids
- DO NOT try to disassemble the light or attempt to change the battery
- DO NOT keep the battery empty
- Charging the light will turn it off
- While driving on rough roads and charging, the flashlight might flash

Technical information




- Size: Ø27.5 x 101.5mm
- Weight: 89 grams (with battery)
- Max. output: High 320 lm; Low 60 lm
- Max. beam distance: High 150 m; Low 65 m
- Burn time: High 3.3 h; Low 7.5 h
- Dustproof and waterproof grade: IP45
- Shockproof: From a height of one meter

Operating instructions

Charging


This flashlight is charged using the vehicles' 12V or 24V power/cigarette lighter socket



Sliding Optical Focus

This flashlight is equipped with a sliding optical focus system (figure 2) that allows you to choose between a long


or wide beam. To adjust this, slide the head collar until you are satisfied with the beam width.



Additional information

- www.valostore.fi
- www.valostore.se
- www.valostore.no

Documents / Resources



[LIGHT5 ONE V2 Torch Light](#) [pdf] Instruction Manual
V2 Torch Light, V2, Torch Light

References

- [VS EKSTRALYS - HODELYKTER - LOMMELYKTER - VALOSTORE.NO](#)
- [VS EXTRALJUS, PANNLAMPOR, FICKLAMPOR - VALOSTORE.SE](#)