



## LINDY 36700 Rallonge USB 2.0 type A Anthra Line 0.2m User Manual

[Home](#) » [LINDY](#) » LINDY 36700 Rallonge USB 2.0 type A Anthra Line 0.2m User Manual



**CONNECTION PERFECTION**

USB 2.0 Type A Extension Cable, Anthra Line, 0.2m

No.: 36700

USB type A male to A female



## Contents [ [hide](#)

### [1 Description](#)

### [2 Technical details](#)

### [3 Specifications](#)

### [4 Commercial information](#)

### [5 Documents / Resources](#)

#### [5.1 References](#)

### [6 Related Posts](#)

## Description

- Professional choice USB 2.0 Type A extender for high-performance AV and computing installations
- Supports data transfers up to 480Mbit/s
- Rugged PVC case with nickel connectors and gold plated contacts
- Cable with double shielding, corrosion resistant tinned copper conductors
- USB 2.0, 480Mbit/s; 10 year warranty

Part of the Line connectivity concept developed by Lindy, the Anthra Line USB 2.0 Type A extension cables are a professional choice for high-performance connections in AV and IT installations.

Anthra Line USB 2.0 cables offer premium quality connections with double shielding and Tinned copper conductors for superior performance and corrosion resistance. connectors and 24k gold-plated contacts maintain signal integrity and reliability.

Transfer rates of 480Mbit/s are supported for fast and effortless transmission of large volumes of data.

Available in lengths of 0.2m, 0.5m, 1m, 2m, 3m, and 5m

## Technical details

### Connectors

- Connector A: USB 2.0 type A male
- Connector B: USB 2.0 type A female
- Case material: PVC
- Connector Coating: Nickel
- Pins Material: Copper
- Pin Coating: Gold
- Dimensions (approx.) LxWxH:
- A(M): 15.5x35x7.8mm (0.61×1.38×0.31in)
- A(F): 17x35x9.8mm (0.67×1.38×0.39in)

### Cable details

- Length: 0.2m (0.66ft)
- Standard: USB 2.0
- Black color
- Type: Round
- Sheath Diameter: 4.4mm (0.17in)

- Sheath material: PVC
- Conductor Material: Tinned Copper
- Conductor section: 26/28AWG
- Shielding: Aluminum Magnesium Braid

## Specifications

- Supported Bandwidth: 480Mbit/s
- Maximum resolution: Attenuation nominal:
- 5.8db/km Ray of curvature minimum: 16mm (0.63in)
- Temperature of functioning: 0°C – 60°C (32°F- 140°F)
- The temperature of storage: 0°C -60°C (32°F- 140°F)
- Tested by ATC:

## Manual

- Type of packaging: Individual bag
- Warranty (years): 10
- Certified: RoHS, REACH & UL

## Commercial information


- No.: 36700
- EAN: 4002888367004

This product is also available in other lengths

- 36700 – 0.2m (0.66ft)
- 36701 – 0.5m (1.64ft)
- 36702 – 1m (3.28ft)
- 36703 – 2m (6.56ft)
- 36704 – 3m (9.84ft)
- 36705 – 5m (16.44ft)

© LINDY 2022

## Documents / Resources

	<p><a href="#">LINDY 36700 Rallonge USB 2.0 type A Anthra Line 0.2m</a> [pdf] User Manual  36700 Rallonge USB 2.0 type A Anthra Line 0.2m, 36700, Rallonge USB 2.0 type A Anthra Line 0.2m</p>
---	--

## References

-  [Accessoires et périphériques USB, HDMI, réseau, audio, vidéo | LINDY France - LINDY France](#)