

LINKSYS

LINKSYS Velop
Pro WiFi 6E
True Tri-Band
System



LINKSYS Velop Pro WiFi 6E True Tri-Band System User Guide

[Home](#) » [Linksys](#) » LINKSYS Velop Pro WiFi 6E True Tri-Band System User Guide 

Contents

- [1 LINKSYS Velop Pro WiFi 6E True Tri-Band System](#)
- [2 Product Overview](#)
- [3 What you'll need](#)
- [4 Devices](#)
- [5 Wi-Fi Settings](#)
- [6 Advanced Settings](#)
- [7 Connect Directly To Velop](#)
- [8 Specifications](#)
- [9 FAQs](#)
- [10 Documents / Resources](#)
 - [10.1 References](#)
- [11 Related Posts](#)


LINKSYS

LINKSYS Velop Pro WiFi 6E True Tri-Band System



Product Overview


Front/top view



The light on the top of your node gives you information about the node's operation.

Light description	Status
Blinking blue	Node is starting up
Solid blue	Node is working great
Blinking purple	Node is paired with phone for setup
Solid purple	Node is ready for setup
Blinking red	Node has lost connection to primary node
Solid red	Node has lost connection to the internet
Solid yellow	Node is too far from another node connected to your V elop system

Bottom view



1. Reset button—Press and hold until the light on top of the node turns red, fades and flashes bright red again to reset the node to its factory defaults.
2. Ethernet ports—Connect Ethernet cables to these Gigabit Ethernet (10/100/1000) ports and to other wired

devices on your network. If you have more than one node in your Velop system, use one of these ports to connect to your modem or modem router.


Note—For best performance, use a CAT5e or higher rated cable on the Ethernet port.

3. Power switch—Press | (on) to power on the node.
4. Power port—Connect the included AC power adapter to this port.

Help

Where to find more help

- [Linksys.com/support/Velop](https://linksys.com/support/Velop)
- Linksys app help (launch the app and click Help in the main navigation menu)



Note—Licenses and notices for third party software used in this product may be viewed on <http://support.linksys.com/en-us/license>. Please contact <http://support.linksys.com/en-us/gplcodecenter> for questions or GPL source code requests.

Set Up

Download the Linksys app. You need this app to set up Velop. Go to the app store for your device and search for Linksys.

Install the app, open it and follow the instructions.

Note—The app works with iOS 8.x and later, and Android 4.0.3 and later.




During setup you will create a Linksys Smart Wi-Fi account so you can use the app to view or change your Velop system settings from anywhere you have an internet connection.

Among the many things you can do with Linksys Smart Wi-Fi:


- Change your Wi-Fi name and password
- Set up guest access
- Connect devices to Wi-Fi with WPS
- Block internet with parental controls
- Test your internet connection speed

Note—During setup we'll send a verification email. From your home network, click the link in the email. Other than plugging in the power and the ethernet cable, the app-based setup process does the work for you. Once connected, use the app to personalize your Wi-Fi by giving it a name and password. You also can give nodes names based on where they are so you can identify them in the rare case where things need attention.


What you'll need



Find a power source near to your modem or modem router. Connect to your first node.



If you have more than one node, they can be set up anywhere within range of another working node. Only one node has to be wired to the modem or modem router. Don't worry, the app will help you place your nodes.



Print this page, then record your Wi-Fi and account settings in the table as a reference. Store your notes in a safe place.


- Wi-Fi Name
- Wi-Fi Password
- Admin Password
- Guest Network Name
- Guest Network
- Password
- Linksys Smart Wi- Fi Username
- Linksys Smart Wi-
- Fi Password

Velop System Settings

Using your Linksys app, you can view or change Velop system settings to make your Wi-Fi more secure or to work better with a device or game. You can access settings from anywhere in the world if you have an internet connection, but you can also access your Velop system directly from your home network if you are not online.

Log in to your Linksys Smart Wi-Fi cloud account

1. Open the Linksys app.

The image shows a mobile app login screen for Linksys. At the top, the 'LINKSYS' logo is centered in white on a dark blue background. In the top right corner, there is a small white circle containing an 'i' icon. Below the logo, there are two input fields: 'Email Address' and 'Password', both with white text labels and white underlines. To the right of the 'Password' field, there is a link that says 'Forgot Password?'. Below these fields is a large blue button with the text 'Log In' in white. Underneath the button, the word 'OR' is centered between two horizontal white lines. Below the 'OR' separator, there is a link that says 'Log in with router password'. At the very bottom of the screen, there is a link that says 'Don't have an account? Sign Up', where 'Sign Up' is in a lighter blue color.

2. Enter the email address you used when creating your account.
3. Enter your account password.
4. Tap Log in.

Dashboard

Dashboard is a snapshot of your Wi-Fi. See how many devices are connected to your Velop system. Share Wi-Fi password and allow guest access to your Wi-Fi. Dashboard also shows you if any devices have parental controls on them or have been prioritized for Wi-Fi access.



Dashboard



Devices

Conne



Wi-Fi Settings



Guest Access



Speed Test



Parental Controls

Offline



Device Prioritization



Notifications



Velop Administration



Advanced Settings



My Account



Help



Feedback




Set Up a New Product



Velop





Devices

View and change details for all devices connected to your Wi-Fi. You can view devices on your main network and your guest network, or display information about each device.

 Dashboard

 **Devices**

 Wi-Fi Settings

 Guest Access

 Speed Test

 Parental Controls

 Device Prioritization

 Notifications

 Velop Administration

 Advanced Settings

 My Account

 Help


 Feedback

 Set Up a New Product



Velop





To view or change device details

From the Devices screen you can edit device names and change the device icons. You also can prioritize devices, set parental controls, and see Wi-Fi details. Tap on any device to see details.

Belkin

10:19 AM

100%

←

Mikah's Laptop



Change Icon

Mikah's Laptop

MyHomeWiFi

Office Node

Device Prioritization
On

Parental Controls
Off

Wi-Fi

IP Address

192.168.1.169

Reserve DHCP

MAC Address

70:48:0F:83:EB:1

IPv6

fe80:0000:0000:0000:4425:48f0:5bd8:5c93

Channel

11

Wired

IP Address

192.168.1.169

Reserve DHCP

MAC Address


70:48:0F:83:EB:1


IPv6

fe80:0000:0000:0000:4425:48f0:5bd8:5c93

Wi-Fi Settings


View or change your Wi-Fi name and password and connect devices using Wi-Fi Protected Setup™.






Advanced Settings

Advanced users can change the default security type and Wi-Fi mode. Do not change these unless you have a lot of experience with Wi-Fi networks. Channel Finder will search for the most-open Wi-Fi channels in your area to ensure you get the best performance from your Velop system. If you have more than one node in your Velop system, Channel Finder will find the best channel for each node.



Connect a Device with WPS

Wi-Fi Protected Setup allows you to easily connect wireless devices to your Wi-Fi without manually entering security settings.



Guest Access

Use your Guest Access to allow guests to get online while restricting their access to other resources connected to your Wi-Fi. Send the password by text message or email.

 Dashboard

 Devices

 Wi-Fi Settings

 **Guest Access**

 Speed Test

 Parental Controls

 Device Prioritization

 Notifications

 Velop Administration

 Advanced Settings

 My Account


 Help

 Feedback

 Set Up a New Product

 Velop





Speed Test

Run a speed test to make sure you are getting the speeds you are paying for. Speed test also helps in Device Prioritization because results determine how Wi-Fi is distributed to the prioritized devices.

 Dashboard

 Devices

 Wi-Fi Settings

 Guest Access

 **Speed Test**

 Parental Controls

 Device Prioritization


 Notifications

 Velop Administration

 Advanced Settings

 My Account


 Help

 Feedback

 Set Up a New Product

 Velop





- Download speed is the rate at which internet content is transferred to your Velop system.
- Upload speed is the rate at which you can upload content to the internet.

Note—Internet connection speeds are determined by a variety of factors, including ISP account type, local and worldwide internet traffic, and number of devices in your home that are sharing the internet connection.

Parental Controls

Parental controls allow you to control when your kids are online and what they're doing there. Block internet to specific devices, or block specific websites.

 Dashboard

 Devices

 Wi-Fi Settings

 Guest Access

 Speed Test

 **Parental Controls**

 Device Prioritization

 Notifications

 Velop Administration

 Advanced Settings

 My Account


 Help

 Feedback

 Set Up a New Product

 Velop





Device Prioritization

Choose up to three devices for priority usage of your internet connection. Those devices — wired and/or wireless — always will have the best access when connected. Velop runs a speed test to determine how to best distribute Wi-Fi to prioritized devices. Other devices will share the leftover capacity. Prioritized devices appear on Dashboard.

 Dashboard

 Devices

 Wi-Fi Settings

 Guest Access

 Speed Test

 Parental Controls

 **Device Prioritization**

 Notifications

 Velop Administration

 Advanced Settings

 My Account


 Help

 Feedback

 Set Up a New Product

 Velop





Notifications

Velop can notify you when nodes in your system go offline. You can also ask Velop to alert you when a node is connected with an Ethernet cable to another node and is ready for setup. You have to turn on notifications in your mobile device settings to allow Velop to notify you.

 Dashboard

 Devices

 Wi-Fi Settings

 Guest Access

 Speed Test

 Parental Controls

 Device Prioritization

 **Notifications**

 Velop Administration

 Advanced Settings

 My Account


 Help

 Feedback

 Set Up a New Product

 Velop





Velop Administration

Use the Velop Administration screen to change the admin password and hint, and check various identifiers (model number, serial number, and IP details) for all nodes in your Wi-Fi.

 Dashboard

 Devices

 Wi-Fi Settings

 Guest Access

 Speed Test

 Parental Controls

 Device Prioritization

 Notifications

 **Velop Administration**

 Advanced Settings

 My Account


 Help

 Feedback

 Set Up a New Product

 Velop





Opt in to automatically report crashes to Linksys and contribute to improving the Wi-Fi experience. You also can manually report specific issues to Linksys.


The following information will be sent with your description of the issue:

<ul style="list-style-type: none"> • App version 	<ul style="list-style-type: none"> • Login Type (cloud: show email address associated, local: display “Velop admin”)
<ul style="list-style-type: none"> • Device model 	<ul style="list-style-type: none"> • WAN Connection type (display Wi-Fi or Ethernet)
<ul style="list-style-type: none"> • Device OS version 	<ul style="list-style-type: none"> • Time: date (mo/day/year, time, time zone)

Advanced Settings

Internet Settings

You can choose how your Velop system connects to the internet. The default is Automatic Configuration – DHCP. Other connection types depend on your internet service provider or how you plan to use your Velop system. Advanced users can use Additional Settings to clone MAC addresses and set MTU (maximum transmission unit).



Dashboard



Devices

Connected



Wi-Fi Settings



Guest Access



Speed Test



Parental Controls

Offline



Device Prioritization



Notifications



Velop Administration



Advanced Settings

Internet Settings

Port Settings

Wi-Fi MAC Filters



My Account



Help



Feedback




Set Up a New Product




Velop





Port Settings

Port forwarding—for a single port, multiple ports or a range of ports—sends traffic inbound on a specific port or ports to a specific device or port on your Wi-Fi. In port range triggering, Velop watches outgoing data for specific port numbers. Velop remembers the IP address of the device that requests the data so that when the requested data returns, it is routed back to the proper device.





Wi-Fi MAC Filters

Every network device has a unique 12-digit MAC (media access control) address. You can create a list of MAC addresses, and then allow or deny those devices on your Wi-Fi.



Dashboard



Devices

Conne



Wi-Fi Settings



Guest Access



Speed Test



Parental Controls

Offline



Device Prioritization



Notifications



Velop Administration



Advanced Settings

Internet Settings

Port Settings

Wi-Fi MAC Filters



My Account



Help



Feedback




Set Up a New Product



Velop





My Account

Change your Linksys account password and opt in to receive the latest news and deals from Linksys.

 Dashboard

 Devices

 Wi-Fi Settings

 Guest Access

 Speed Test

 Parental Controls

 Device Prioritization


 Notifications

 Velop Administration

 Advanced Settings

 **My Account**

 Help

 Feedback

 Set Up a New Product

 Velop



Belkin 10:19 AM 100%

☰ My Account Save

Email
Jakefarm@email.com

Password
●●●●●●●●

First Name
Jake

Last Name
Farm


Newsletter ☒
Be the first to know about exclusive deals
& news.

Log Out

Close Account


Help

Having trouble with the app? Just need a little more information about a feature? Tap Help for an explanation.



Feedback

Here's your chance to tell us what you think. Rate the app at your app store, send us a suggestion, or report an issue that's keeping you from a great experience.



Connect Directly To Velop

If you are not connected to the internet you still can access your Velop system. Connect to your Wi-Fi name, launch the Linksys app and tap Log in with Admin Password toward the bottom of the screen. You will not be able to access your Linksys Wi-Fi account when not online.

LINKSYS



Email Address

Password


[Forgot Password?](#)

Log In

OR


[Log in with router password](#)

Don't have an account? [Sign Up](#)




Velop admin password

We created a secure Velop admin password during setup. To change it, tap Velop Administration and Change Admin Password and Hint.



To keep your Velop system secure, we'll send you an email if someone changes the admin password.




How to restore factory defaults

You should never need to factory reset your Velop—a very disruptive process. A factory reset restores your Velop system to the state it was when you took it out of its box, requiring you to go through the setup process again. All settings you have customized in setup and since — things such as Wi-Fi name, passwords, security type — will be erased. All wireless devices will disconnect from your Wi-Fi.

To reset Velop:

With your node connected to power and turned on, press and hold the Reset button on the bottom. The light on top of the node will turn red and fade in pulses. Do not release the button until the light goes out and then turns bright red.



Note—If you have more than one node in your Velop system, you might need to reset them all to factory default settings. You can do that by resetting the main node; all other nodes will reset automatically.

Specifications**Linksys Velop**

- Model Name Velop
- Model Number WHW03
- Switch Port Speed 10/100/1000 Mbps
- Radio Frequency 2.4 GHz and 5 GHz
- # of Antennas 6
- Ports Power, ethernet
- Buttons Power, Reset
- LEDs One, multicolored light for power and status
- Security Features WPA2-Personal, WPA2-Enterprise
- Security Key Bits Up to 128-bit encryption

Environmental

- Dimensions 3.07" x 3.07" x 7.28" (78 x 78 x 185mm)
- Unit Weight 17 oz (485 g)
- Power 12V, 2A
- Certifications FCC, IC, CE, Wi-Fi (IEEE 802.11a/b/g/n/ac),

- Windows 7, Windows 8, DLNA
- Operating Temp. 32° to 104° F (0 to 40° C)
- Storage Temp. -4° to 140° F (-20 to 60° C)
- Operating Humidity 10% to 80% relative humidity, non-condensing
- Storage Humidity 5% to 90% non-condensing

Notes:

- For regulatory, warranty, and safety information, go to Linksys.com/support/Velop. Specifications are subject to change without notice.

Maximum performance derived from IEEE Standard 802.11 specifications. Actual performance can vary, including lower wireless network capacity, data throughput rate, range and coverage. Performance depends on many factors, conditions and variables, including distance from the access point, volume of network traffic, building materials and construction, operating system used, mix of wireless products used, interference and other adverse conditions. Visit linksys.com/support/Velop for award-winning technical support.

BELKIN, LINKSYS and many product names and logos are trademarks of the Belkin group of companies. Third-party trademarks mentioned are the property of their respective owners. © 2017 Belkin International, Inc. and/or its affiliates. All rights reserved.

LNKPG-00433 Rev A00

Downloaded from thelostmanual.org

FAQs

- **Q: How do I change Wi-Fi settings on my Velop system?**

A: To change Wi-Fi settings, access the Wi-Fi Settings section in your Dashboard and modify the configurations as needed.


- **Q: What should I do if my node's light is blinking red?**

A: If the node's light is blinking red, it indicates a lost connection to the internet. Check your network connections and restart the node if needed.


- **Q: Can I use any Ethernet cable with Velop?**

A: For best performance, it is recommended to use CAT5e or higher rated cables with the Ethernet ports on Velop.

Documents / Resources

	<p>LINKSYS Velop Pro WiFi 6E True Tri-Band System [pdf] User Guide Velop Pro WiFi 6E True Tri Band System, WiFi 6E True Tri Band System, Tri Band System</p>
---	--

References

-  [One moment, please...](#)
- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.