

# LINQ LQ48016 7-in-1 Pro Multiport Hub User Manual

Home » LINQ » LINQ LQ48016 7-in-1 Pro Multiport Hub User Manual



#### **Contents**

- 1 LINQ LQ48016 7-in-1 Pro Multiport
- **2 Product Specifications**
- 3 Overview
- 4 How to use
- 5 Troubleshooting
- **6 Compatibilities**
- 7 Documents / Resources
  - 7.1 References
- **8 Related Posts**




# LINQ LQ48016 7-in-1 Pro Multiport Hub



Thank you for purchasing our 7 in 1 Pro Multiport Hub.

Please read this user manual carefully and keep it in a safe place for future reference. If you need any assistance, please contact our support team with your product model number and order number of the relevant sales channels.

# **Product Specifications**



#### **System Requirements:**


Laptop with an available USB-C Port Windows 7/8/10, MacOSX v10.0 or above operating systems, USB 3.0/3.1/3.2

Plug and play: Yes

## 7 in 1 Pro Multiport Hub Model #: LQ48016 Product Manual

Package Contents
USB-C Pro Multiport Hub x1, User Manual x1
www.LINQbyELEMENTS.dk

## Overview



#### Notes:

1. Only one hub is included, power adapters, SD/TF memory cards, cables or other accessories are not included.

- 2. The up to 100W charging speed can only be achieved when used with a 100W rated USB-C PD cable in combination of a 100W Type-C PD Power Adapter.
- 3. The USB SuperSpeed Ports of this product supports Max. 5V 900mAh total charging output.
- 4. For a more stable connection when using high-power devices, connect a PD Power Adaptor to the USB-C PD port.
- 5. The USB-C PD port of this product is only for charging USB-C laptops whose USB-C Port supports USB Power Delivery (PD). The USB-C PD port of this product does not support data transfer.
- The USB-C SuperSpeed port of this product is only for data transfer. The USB-C SuperSpeed port of this product does not support charging.
- 7. A 4K capable display and a 4K capable HDMI cable are required to achieve 3840 x 2160 resolution.
- 8. HDMI 1.4 cables only support 30Hz, HDMI 2.0 cables support 4K up to 60Hz.
- 9. 4K 60Hz Compatibility requires a DP 1.4 compatible Type-C port on your device.

## How to use

- USB-C Power Delivery: Charge your laptop by plugging the USB-C Charger to the Multiport Hub USB-C Female Power Delivery (PD) port.
- 2. HDMI Output: Connect to your UHDTV or projector with an HDMI 2.0 cable via the HDMI output port and watch videos from your USB-C laptop on your TV or other HDMI-enabled devices.
- 3. USB-C Super Speed: Connect your smartphone, tablet, hard drive or other USB-C peripherals via the USB-C3.2 Port and transfer data between your computer and connected device.
- 4. USB-A SuperSpeed: Connect your smartphone, tablet, mouse, keyboard, hard drive or other USB peripherals via the USB-A 3.2 ports and transfer data between your computer and connected device.
- 5. SD/TF Card Reader: Insert your memory card into the SD/TF Card Slot to directly access files stored in the SD/TF card on your USB-C laptop. SD/TF memory cards can be used on the hub simultaneously.

### **Troubleshooting**

if you experience any issues or have any questions regarding the hub, please visit the support and FAQ page on our website for the most up-to-date information.

• LINQ | Support <a href="https://linqbyelements.dk/support.html">https://linqbyelements.dk/support.html</a>

## Compatibilities

Details regarding the compatibility of devices can be found on our website or consult your device's manual,

 $visit: www. \underline{\textbf{LINQbyELEMENTS.dk}}$ 

#### **Documents / Resources**



# References

- Q LINQ byELEMENTS | Extend connectivity without compromises! LINQbyELEMENTS
- Q <u>Downloads LINQbyELEMENTS</u>

Manuals+,