

LIQUID STANDS MS1089 Adjustable Keyboard Bench Seat With Backrest



LIQUID STANDS MS1089 Adjustable Keyboard Bench Seat With Backrest User Manual

[Home](#) » [LIQUID STANDS](#) » LIQUID STANDS MS1089 Adjustable Keyboard Bench Seat With Backrest User Manual 

Contents

- [1 LIQUID STANDS MS1089 Adjustable Keyboard Bench Seat With Backrest](#)
- [2 ASSEMBLY TIME](#)
- [3 PARTS INCLUDED](#)
- [4 Check out more items](#)
- [5 More Information](#)
- [6 WARRANTY](#)
- [7 Documents / Resources](#)
 - [7.1 References](#)



LIQUID STANDS MS1089 Adjustable Keyboard Bench Seat With Backrest



ASSEMBLY TIME



1. Use the Small Allen Wrench (A9) to screw legs into the Seat (A4). The holes for the braces should be facing inward while the holes for the knobs should be facing the same direction.
2. Use the Small Allen Wrench (A9) to screw the Braces (A5) into the Seat (A4) and into the Legs (A2). Screw the Backrest Connection (B4) into the Seat (A3) as well.
3. Attach the Crossbeam (A3) with the Big Allen Screws (A8) by using the Big Allen Wrench (A9), Make sure it is tight and secure on both ends.
4. Insert the Base (A1) into each Leg (A2). The holes for the knobs on the legs and the holes on the base must line up on the same side.
5. Screw the Adjustable Pull-knob (A6) into each leg to secure the Base (A1). The Pull-knobs (A6) are spring-loaded so you can adjust the height of the Base (A1) by pulling the knob.



6. The rubber feet that cover the end of the Base (A1) can be rotated to eliminate wobble that occurs on uneven surfaces.
7. Assemble items B1, B2 and B3 Secure the Backrest (B1) with Allen Screws (A7), and the T-shape Telescoping Bar (B3) with the Adjustable Pull-knob (A6).



PARTS INCLUDED

A1 BASE x2		A8 ALLEN SCREW WITH WASHER x2	
A2 LEG x2		A9 BIG & SMALL ALLEN WRENCH x2	
A3 CROSSBEAM x1		B1 BACKREST X1	
A4 SEAT x1		B2 VERTICAL TELESCOPING BAR X1	
A5 BRACE x2		B3 T-SHAPE TELESCOPING BAR X1	
A6 ADJUSTABLE PULL-KNOB x4		B4 BACKREST CONNECTION X1	
A7 ALLEN SCREW WITH SPRING WASHER x20			

- Insert the Backrest (B1, B2 and B3) at the Backrest Connection (B4) and secure it with an Adjustable Pull-knob (A6).

Check out more items



More Information

Have any questions or feedback?

We engineered our seat to work for YOU – whether you are at home, in the studio or gigging out. Do you have an idea to make this seat better?

WE ARE LISTENING

- Shoot us an email at: featurerequest@liquidstands.com
- If our team adds your request to our seat, you will receive a free seat that includes the new feature and you will be mentioned with our other customers below!

Customer Feature Requests Used to Improve Our Seat

Waiting for your request!



WARRANTY

FULL 10-YEAR WARRANTY



- against any damages or defects.
- Visit [LiquidStands.com](https://www.liquidstands.com) to register and get exclusive coupons!

CONTACT INFO

customercare@liquidstands.com

Text or call us: 813-304-2224

Documents / Resources



[LIQUID STANDS MS1089 Adjustable Keyboard Bench Seat With Backrest](#) [pdf] User Manual

MS1089 Adjustable Keyboard Bench Seat With Backrest, MS1089, Adjustable Keyboard Bench Seat With Backrest, Keyboard Bench Seat With Backrest, Bench Seat With Backrest, Seat With Backrest, Backrest

References

- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.