

LITETRONICS SFSAS01 Strip Elbow with 3 Wires for Pluggable Sensor Installation Guide

Home » Litetronics » LITETRONICS SFSAS01 Strip Elbow with 3 Wires for Pluggable Sensor Installation Guide




Contents

- 1 LITETRONICS SFSAS01 Strip Elbow with 3 Wires for Pluggable Sensor
- **2 Product Information**
- **3 Product Usage Instructions**
- **4 Installation Instructions**
- **5 WHAT COMES IN THE BOX**
- **6 WIRING INSTRUCTIONS**
- 7 DIMENSIONS/SIZE
- 8 Documents / Resources
 - 8.1 References
- 9 Related Posts



LITETRONICS SFSAS01 Strip Elbow with 3 Wires for Pluggable Sensor



Product Information

• Product Name: Strip Elbow with 3 Wires for Pluggable Sensor (SFSAS01)

• Manufacturer: Litetronics

• Address: 6969 W. 73rd Street Bedford Park, IL 60638

• Website: www.litetronics.com

• Email: customerservice@litetronics.com

• Contact Number: 1-800-860-3392

• Date of Printing: 1/16/23

Version: V1

Product Usage Instructions

WIRING INSTRUCTIONS:

- 1. Before installation, always turn off the power supply from the main circuit breaker first!
- 2. Open the fixture and remove knockout.
- 3. Remove lock nut.
- 4. Attach the elbow to the knockout and replace the lock nut. Tighten it securely.
- 5. Follow the wiring diagram for connections (refer to Figure 1).
- 6. Close the fixture.
- 7. Turn on the power.

WHAT COMES IN THE BOX:

- Elbow
- · Installation Instructions

DIMENSIONS/SIZE:


No specific dimensions or size information provided in the extract.

SAFETY INSTRUCTIONS AND WARNINGS:

No specific safety instructions or warnings provided in the extract. Please refer to the complete user manual for detailed safety information. If you have any further questions or need specific product details, please contact Litetronics at 1-800-860-3392 or via email at customerservice@litetronics.com.

To check for an updated version of these instructions, please visit www.litetronics.com.

Installation Instructions



WHAT COMES IN THE BOX

- Elbow
- · Installation Instructions

SAFETY INSTRUCTIONS AND WARNINGS

- When using electrical equipment, basic safety precautions should always be observed
- This product must be installed in accordance with the applicable installation code by a person familiar with the construction and operation of the product and the hazards involved
- Installation should only be conducted by a qualified electrician in accordance with NEC and any relevant local building codes.
- Be certain electrical power is OFF before and during installation and maintenance.
- To prevent wiring damage or abrasion, do not expose wiring to edges of sheet metal or sharp objects.

WIRING INSTRUCTIONS

- 1. Before installation, always turn off the power supply form main circuit breaker first!
- 2. Open the fixture, remove knockout.
- 3. Remove lock nut, attach elbow to knockout, replace lock nut and tighten.
- 4. Follow wiring diagram for connections (Figure 1).





Figure 1

5. Close the fixture.

6. Turn on the power.

DIMENSIONS/SIZE



Thank you for choosing

6969 W. 73rd Street Bedford Park, IL 60638 <u>WWW.LITETRONICS.COM</u> <u>CustomerService@Litetronics.com</u> or 1-800-860-3392



The information and product specifications contained in these instructions are based upon data believed to be accurate at the time of printing. This information is subject to change without notice and without incurring liability. If you have questions regarding specific product details, please contact us at 800-860-3392 or via email at customerservice@litetronics.com. To check for an updated version of these instructions, please visit www.litetronics.com.

1/16/23-V1

Documents / Resources



<u>LITETRONICS SFSAS01 Strip Elbow with 3 Wires for Pluggable Sensor</u> [pdf] Installation G uide

SFSAS01, SFSAS01 Strip Elbow with 3 Wires for Pluggable Sensor, Strip Elbow with 3 Wires for Pluggable Sensor, Elbow with 3 Wires for Pluggable Sensor, 3 Wires for Pluggable Sensor, Pluggable Sensor, Sensor

References

• Commercial Lighting Company | LED Lighting Solutions

Manuals+,