

LITHEAUDIO TECH4 4 Inch Bluetooth Ceiling Speaker



LITHEAUDIO TECH4 4 Inch Bluetooth Ceiling Speaker User Guide

[Home](#) » [LITHEAUDIO](#) » LITHEAUDIO TECH4 4 Inch Bluetooth Ceiling Speaker User Guide 

Contents

- 1 LITHEAUDIO TECH4 4 Inch Bluetooth Ceiling Speaker
- 2 Product Usage Instructions
- 3 INSTRUCTION
- 4 CONNECTIONS DIAGRAM
- 5 SPECIFICATIONS / FEATURES
- 6 What's in the box
- 7 SKU Codes
- 8 Frequently Asked Questions (FAQ)
- 9 Documents / Resources
 - 9.1 References

LITHEAUDIO®

LITHEAUDIO TECH4 4 Inch Bluetooth Ceiling Speaker



Specifications

- Bluetooth Version: 5.0
- Woofer Cone: 4 Inch PP
- Tweeter: 0.75 Inch Silk
- RMS Power: 25W RMS
- Impedance: 8 Ohms
- THD+N: 0.009%
- Frequency Response: 70Hz – 20kHz
- Sensitivity: 88dB (1W/1M)
- Audio Sample Rate: 48Khz
- Water Resistance: IP44 Rated
- Power Input Supply: 100 – 240V~ 50/60Hz
- Transformer Output Supply: DC24V / 2.5A
- Dimensions: (H X W) 186 X 83mm (7.3 x 3.3 inch)

Product Usage Instructions

Installation

To install the Lithe 4 Bluetooth Ceiling Speaker, follow these steps:

1. Ensure the power driver is connected to an existing lighting circuit or junction box with a live feed.
2. Connect the passive speaker using the included speaker cable.
3. Set a password and speaker name via the setup app.
4. Connect any device with audio output via the 3.5mm jack.

Usage

To use the Lithe 4 Bluetooth Ceiling Speaker:

1. Wirelessly connect to any Bluetooth device within a range of up to 30 meters.
2. Control the audio volume with the volume capping feature.
3. Rename each speaker using the Lithe setup app for easy identification.
4. Enjoy high-quality audio with superb sound clarity.



4" ALL-IN-ONE BLUETOOTH CEILING SPEAKER

COMPACT SIZE . BIG IMPACT.

INSTRUCTION





POWER IT. SYNC IT. PLAY IT.

The Lithe 4" Bluetooth Ceiling Speaker has a compact, sleek and unobtrusive design which blends seamlessly into any decor while delivering outstanding sound that will elevate any room and listening experience. This cutting-edge all-in-one audio solution is perfect for adding audio to bathrooms, bedrooms, hotels and holiday lodges, with features such as volume capping, password protection and unique speaker naming.



CONNECTIONS DIAGRAM



 <p>OPEN YOUR PHONE CAMERA & SCAN THE QR CODE FOR AUGMENTED REALITY</p>  <p>S 13+ iPadOS 13+ or Android with ARCore 1.9+ required</p>	 <p>SUITABLE FOR BATHROOMS Water resitant as standard</p>
<p>PERFECT FOR</p> <p>Bathrooms</p> <p>Bedrooms</p> <p>Garden rooms</p> <p>Home office</p> <p>Hotel rooms</p> <p>Holiday lodges</p>	 <p>VOLUME CAPPING For areas you want to ensure volume is not turned up</p>
	 <p>PASSWORD PROTECTED Ensure your neighbours cannot connect to your speaker</p>
	 <p>RENAME EACH SPEAKER Give each speaker an intuitive name to make identifying the speaker</p>
	 <p>AMPLIFIER BUILT IN Just add power. Everything else you need is built in.</p>

SPECIFICATIONS / FEATURES

Features

- Full Room Connectivity
Latest Bluetooth 5.0 technology built-in
- All-In-One Solution
Amplifier & Bluetooth built-in, so all you need is power
- Designed for smaller rooms and hospitality
Perfect for Bathrooms, bedrooms, hotels and holiday
- Amplifier Built-In
Powerful 25W RMS Class D Amplifier
- Volume Cap 50%
Control your audio with the volume capping feature
- Rename Speaker

Use the Lithe setup app to configure your speakers

- Pin Change
Password Protected
- IP44 Rated for Bathrooms
Water-resistant, making them ideal for bathrooms
- High-Quality Audio
Delivering superb sound quality with pin sharp clarity
- Connect to TV
3.5mm Jack Input
- Easy Installation
Connect to plug socket or existing lighting circuit
- Frameless Protective Metal Grille
Magnetically attached to the speaker

Master Speaker Spec

- 4" Inch PP Woofer Cone
- 0.75 Inch Silk Tweeter
- RMS Power: 25W RMS
- Sound Quality: 70Hz-20kHz
- Impedance: 8 Ohms
- Sound Quality: THD+N 0.009%, 70Hz – 20kHz
- Sensitivity (1W/1M): 88dB
- Audio Sample Rate: 48Khz
- Bluetooth 5.0
- 3.5mm Line-In
- 50% Volume Capping Switch
- Stereo / Mono Switch
- USB For Firmware Updates
- Power Input Supply : 100 – 240V~ 50/60Hz
- Transformer Output Supply : DC24V / 2.5A
- Operating Temperature: 0° to 40°C
- Storage Temperature: -20° to 70°C
- IP44 Rated as standard
- Dimensions: (H X W) 186 X 83mm (7.3 x 3.3 inch)
- Hole cut out: 165mm diameter
- Weight 1.0kg (2.2 lbs)

Connectivity

- Works with any Bluetooth device
- Wireless Range: Up to 30 metres (Bluetooth V5.0 devices)
- Works with Ok Google
- Works with Alexa

- Line in (AUX input)
- Output for additional Passive Speaker
- Bluetooth Setup App for Android and IOS
- Lithe Sub (via Alexa)

What's in the box

- 4" Bluetooth Ceiling Speaker
- Power Supply
- Cutting Template
- Instruction Manual
- Pair kit also includes:
- 4" Passive Ceiling Speaker
- 5m Speaker Cable

SKU Codes

- **03250** 4" Master Bluetooth Ceiling Speaker
- **03255** 4" Passive Ceiling Speaker
- **03260** 4" Bluetooth & Passive Ceiling Speaker Bundle (Pair kit inc 5M speaker cable)

Frequently Asked Questions (FAQ)

Can the Lithe 4 Bluetooth Ceiling Speaker be used in bathrooms?

Yes, the speaker is IP44 rated, making it water-resistant and suitable for bathrooms.

How can I ensure my speaker is password-protected?

You can set a password for your speaker via the setup app to prevent unauthorized connections.

What is the wireless range of the Bluetooth connection?

The Bluetooth connection has a range of up to 30 meters for Bluetooth V5.0 devices.

litheaudio.com/bluetooth-4inch



[LITHEAUDIO TECH4 4 Inch Bluetooth Ceiling Speaker](#) [pdf] User Guide
TECH4, TECH4 4 Inch Bluetooth Ceiling Speaker, 4 Inch Bluetooth Ceiling Speaker, Bluetooth
Ceiling Speaker, Ceiling Speaker, Speaker

References

- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.