



LOGIC CONTROLS
LDX9000 Pole
Display



LOGIC CONTROLS LDX9000 Pole Display Instruction Manual

[Home](#) » [logic controls](#) » LOGIC CONTROLS LDX9000 Pole Display Instruction Manual 

Contents

- [1 LOGIC CONTROLS LDX9000 Pole Display](#)
- [2 Product Usage Instructions](#)
- [3 External Power Supply Accessory Options](#)
- [4 Documents / Resources](#)
 - [4.1 References](#)
- [5 Related Posts](#)



LOGIC CONTROLS LDX9000 Pole Display



Specifications

- Model: LDX9000 Pole Display
- Display Type: Customer Pole Display
- Display Size: 2 lines by 20 characters
- Compatibility: Widely compatible with most register setups
- Part Number: LDX9000 UP

Product Usage Instructions

1. Unbox the package and verify the contents:
 - Single-sided pole display with mini din 10 female chord
 - USB/Mini din 10 male cable
 - Screws
2. Ensure that all parts are included and undamaged.
3. Install the pole display by following the provided installation instructions.
4. If using external power supply accessory options, choose the appropriate option based on your setup.
5. Connect the USB/Mini din 10 male cable to the pole display for power.
6. Mount the pole display securely in your desired location.

FAQ

1. Q: What should I do if any parts are missing from the package?

A: If any parts are missing or damaged, please contact our customer support for assistance.

2. Q: Can I use the LDX9000 Pole Display with any register setup?

A: The LDX9000 Pole Display is widely compatible but it's recommended to check compatibility with your specific register setup.

3. Q: How do I power the pole display using external power supply options?

A: Follow the instructions provided with the external power supply accessory options to connect and power the pole display.

LDX9000 Pole Display Buyers Guide

Our industry-leading, 2 by 20-line customer pole display is widely compatible to easily accommodate most register setups. Use this guide when ordering to ensure you receive the correct product.

All LDX9000 pole displays should be ordered using part number LDX9000 UP.

In the box:



1. Single sided pole display with mini din 10 female chord.
2. USB/Mini din 10 male cable
3. Screws

All single sided LDX9000 pole displays parts will need to be ordered using these options, including:

- LDX9000U-GY 980003
- LDX9000UPGY 970010
- LDX9000-GY 980005
- LDX9000-PT-GY
- LDX9000T-GY
- LDX9000UP-GY

External Power Supply Accessory Options

1 Part number LDX9000 PK (LDX 90000 Power Kit)

Includes:



- USB/Mini din 10 male/external power port (980013)



- Power adapter 110-220VAC to 7.5VDC 2.0A ROHS (748773)

Part number 980014 and Part number 748773



- Part No. 980014 LDX9 RS232 External AC Powered cable (CB-DX-RS232)



- Part No. 748773 Power adapter 110-220VAC to 7.5VDC 2.0A ROHS

Documents / Resources

	LOGIC CONTROLS LDX9000 Pole Display [pdf] Instruction Manual LDX9000U-GY, LDX9000UPGY, LDX9000-GY, LDX9000-PT-GY, LDX9000T-GY, LDX9000UP-GY, LDX9000 Pole Display, LDX9000, Pole Display, Display
--	--

References

- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.