

LOGIC F6 Flip Phone User Guide

Home » Logic » LOGIC F6 Flip Phone User Guide



Makes sense
LOGIC F6 2G FLIP PHONE
4.1
ACCESSORIES:
QUICK GUIDE / USER MANUAL


Contents

- 1 F6 Flip Phone
- 2 Charge for 24 hours before using.
- 3 Install SIM card /memory card.
- 4 Get to know your Logic phone
- 5 Connect your Logic phone to the computer using a USB cable (not included).
- 6 Copy music files from your computer to your Logic phone.
- **7 FCC Statement**
- 8 Documents / Resources
- 9 Related Posts


F6 Flip Phone

Thank you for purchasing this innovative LOGIC device The specifications in this document are subject to change without prior notice LOGIC and the LOGIC logo are registered trademarks of Swagtek, Inc Other trademarks are the property of their respective owners.


Charge for 24 hours before using.



Install SIM card /memory card.




Get to know your Logic phone



Connect your Logic phone to the computer using a USB cable (not included).



Copy music files from your computer to your Logic phone.



FCC Statement

- 1. This device complies with Part 15 of the FCC Rules Operation is subject to the following two conditions
 - (1) This device may not cause harmful interference
 - (2) This device must accept any interference received, including interference that may cause undesired operation
- 2. Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment

NOTE

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules These limits are designed to provide reasonable protection against harmful interference in a residential installation This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications However, there is no guarantee that interference will not occur in a particular installation If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures

- Reorient or relocate the receiving antenna
- Increase the separation between the equipment and receiver
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected
- Consult the dealer or an experienced radio/TV technician for help

SAR Information Statement

Your wireless phone is a radio transmitter and receiver It is designed and manufactured not to exceed the emission limits for exposure to radiofrequency (RF) energy set by the Federal Communications Commission of the U S Government These limits are part of comprehensive guidelines and establish permitted levels of RF energy for the general population The guidelines are based on standards that were developed by independent scientific organizations through periodic and thorough evaluation of scientific studies The standards include a substantial safety margin designed to assure the safety of all persons, regardless of age and health The exposure standard for wireless mobile phones employs a unit of measurement known as the Specific Absorption Rate, or SAR The SAR limit set by the FCC is 16 W/kg * Tests for SAR are conducted with the phone transmitting at its highest certified power level in all tested frequency bands Although the SAR is determined at the highest certified power level, the actual SAR level of the phone while operating can be well below the maximum value This is because the phone is designed to operate at multiple power levels so as to use only the power required to reach the network In general, the closer you are to a wireless base station antenna, the lower the power output Before a phone model is available for sale to the public, it must be tested and certified to the FCC that it does not exceed the limit established by the government adopted requirement for safe exposure The tests are performed in positions and locations (e.g. at the ear and worn on the body) as required by the FCC for each model The highest SAR value for this model phone when tested for use at the ear is 0465W/Kg and when worn on the body. as described in this user guide, is 0 829W/Kg(Body-worn measurements differ among phone models, depending upon available accessories and FCC requirements)

While there may be differences between the SAR levels of various phones and at various positions, they all meet the government requirement for safe exposure The FCC has granted an Equipment Authorization for this model phone with all reported SAR levels evaluated as in compliance with the FCC RFexposure guidelines SAR information on this model phone is on file with the FCC and can be found under the Display Grant section of http://www.fcc.gov/oet/fccid after searching on FCC ID 065181922 Additional information on Specific Absorption Rates (SAR) can be found on the Cellular Telecommunications Industry Asso-ciation (CTIA) web-site at http://wwwwow-com.com ' In the United States and Canada, the SAR limit for mobile phones used by the public is 16 watts/kg (W/kg) averaged over one gram of tissue The standard incorporates a sub-stantial margin of safety to give additional protection for the public and to account for any variations in measurements

This device was tested for typical body-worn operations To comply with RF exposure requirements, a minimum separation distance of 10mm must be maintained between the user's body and the handset, including the antenna Third-party belt-clips, holsters, and similar accessories used by this device should not contain any metallic components Body-worn accessories that do not meet these requirements may not comply with RF exposure requirements and should be avoided Use only the supplied or an approved antenna

Warranty Certificate Terms and Conditions

LOGIC warrants that their Products will be free from defects in material and workmanship The warranty period is one (1) year for the products and three (3) months for the accessories which are part of the original package including the battery The warranty period begins the date of purchase by the End-User who shall present an invoice or a purchase receipt when requiring warranty service otherwise the warranty period will begin from the date of manufacture of the product LOGIC will repair a product without cost to the customer if it presents a manufacturing defect or defect in workmanship during the warranty period and if the defect occurred under normal conditions of use in accordance with the instructions and specifications stated in the user's manual

For additional information about the terms and conditions of LOGIC's Limited Warranty or to obtain warranty service information, please visit the support section at logic mobility com.

logicmobility.com

Made in China



Copyright Swagtek, Inc. 2022

Documents / Resources



LOGIC F6 Flip Phone [pdf] User Guide F6 Flip Phone, F6, Flip Phone, Phone

Manuals+