



LogiLink BP0159 TV Ceiling Mount with Remote and Tuya Control User Manual

[Home](#) » [LogiLink](#) » LogiLink BP0159 TV Ceiling Mount with Remote and Tuya Control User Manual 

Contents

- [1 LogiLink BP0159 TV Ceiling Mount with Remote and Tuya Contro](#)
- [2 Product Information:](#)
- [3 Product Usage:](#)
- [4 Specifications:](#)
- [5 Assembly](#)
- [6 Product Specifications:](#)
- [7 Package Contents:](#)
- [8 Package Information:](#)
- [9 Documents / Resources](#)
- [10 Related Posts](#)

LogiLink®

LogiLink BP0159 TV Ceiling Mount with Remote and Tuya Contro



Product Information:

The TV Ceiling Mount with Remote & Tuya Control (Art. No.:BP0159) is a motorized mount suitable for 32-70 inch monitors. It offers tilt and level adjustments, cable management, and the ability to create a streamlined look while saving space. The mount comes with Smart Life/Megos Smart Home apps that can be used to remotely operate the TV from anywhere. The mount is ideal for flat or angled surfaces at home or in the office. The mount has a well-balanced and powerful motor with an extremely stable and durable mechanism that prevents shaking, resulting in smooth and fluid movements. High-strength steel construction with stability legs is available for TVs up to 70 or a maximum load of 35 kg. The mount has a keyhole design and various control choices, including remote control, and can be controlled via an existing Wi-Fi network through Smart Life and Megos Smart Home apps.

Product Usage:

1. Search for Smart Life or Megos Smart Home on the App store or Google Play store.
2. Hang the mount on the ceiling with either hole 1 or hole 2, ensuring that the distance between the top of TV and ceiling is at least 25 mm.
3. Select the desired height before mounting the TV.
4. Place the TV on the mount and secure it according to the compatible VESA wall clearance.
5. Use the Smart Life or Megos Smart Home app to control the viewing angles and store the TV.

Specifications:

- Wireless Standard: WIFI 2.4GHz
- Frequency Range: N/A
- Max. Transmission Power: N/A
- Rated Voltage: N/A
- Max. Power: N/A

- Fit Screen Size: 32-70 inches
- Weight Capacity: up to 35 kg
- Compatible VESA: various options available (min108mm~max200mm, min100mm~max238mm, min108mm~max290mm, min100mm~max328mm)
- Wall Clearance: various options available (min108mm~max200mm, min100mm~max238mm, min108mm~max290mm, min100mm~max328mm)
- Strength Tested Tilt: Yes
- Screen Level: Yes
- Remote Control: Yes
- Battery for Remote: N/A
- Distance of Open Area RF Range: N/A
- Degree of Protection: N/A
- Working Temperature: N/A
- Working Humidity: N/A
- Color: N/A
- Dimensions: N/A
- Weight: N/A
- Support APP: Smart Life/Megos Smart Home

Note: All specifications and pictures are subject to change without prior notice. All trade names referenced are the registered trademarks of their respective owners.

Create a Streamlined Look While Saving Space

Remotely operate your TV by using Smart Life/Megos Smart Home apps wherever you are. Save space and store your TV out of view until you're ready to use it. Great for flat or angled surfaces at home or the office.





Smart Life




Megos Smart Home

Search [Smart Life](#) or [Megos Smart Home](#)
on the App store or Google Play store



- The specifications and pictures are subject to change without prior notice.
- All trade names referenced are the registered trademarks of their respective owners.

Assembly








flat surface



angled surface

High-Strength Steel Construction with Stability Legs



For TVs up to 70" or a maximum load of 35 kg; legs provide added stability and safety during retraction.



*The distance between the top of TV and ceiling must be at least 25 mm.

Well-Balanced & Powerful Motor

An extremely stable and durable mechanism that prevents shaking, resulting in smooth and fluid movements.





Keyhole Design

Easily adjust for the desired height before mounting the TV.



Various Control Choices

The ceiling TV mount can be controlled through remote control or your existing Wi-Fi network via two free Smart Life and Megos Smart Home Apps. Easily control viewing angles and store your TV.



Product Specifications:


Wireless Standard	IEEE 802.11b/g/n
Frequency Range	2400 MHz
Max. Transmission Power	1000 mW
Rated Voltage	Input: AC 100–240 V, 50/60 Hz; Output: DC 24 V, 1,5 A
Max. Power	30 W
Fit Screen Size	32–70"
Weight Capacity	35 kg
Compatible VESA	200x100, 200x200, 200x400, 300x200, 300x300, 400x200, 400x300, 400x400, 600x400
Wall Clearance	108 mm
Strength Tested	3 Times
Tilt	-75°–0°
Screen Level	-2°–2°
Remote Control	Yes
Battery for Remote	No
Distance of Open Area RF Range	20 m
Degree of Protection	IP20
Working Temperature	-10–50°C
Working Humidity	20–80% RH (no condensation)
Color	Black
Dimensions	71x66,4x51,6 cm
Weight	2164 g
Support APP	Tuya Smart Home

Package Contents:


- 1x TV Ceiling Mount
- 1x Remote Control
- 1x Screw Package
- 1x User Manual

Package Information:

- Packing Dimension: 740x298x162 mm
- Packing Weight: 10,36 kg
- Carton Dimension: 760x318x345 mm
- Carton Q'ty: 2 pcs
- Carton Weight: 21,64kg



Documents / Resources

	<p>LogiLink BP0159 TV Ceiling Mount with Remote and Tuya Control [pdf] User Manual BP0159, BP0159 TV Ceiling Mount with Remote and Tuya Control, TV Ceiling Mount with Remote and Tuya Control, BP0159 TV Ceiling Mount, TV Ceiling Mount, Ceiling Mount</p>
-------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------