

logitech Rally Bar Huddle and Tap IP Video Conferencing **System Instructions**

Home » Logitech » logitech Rally Bar Huddle and Tap IP Video Conferencing System Instructions 12



Contents

- 1 Logitech Rally Bar Huddle and Tap IP Video Conferencing **System**
- **2 Product Information**
- **3 Product Usage Instructions**
- **4 INSTALLATION INSTRUCTION**
- **5 Additional requirements**
- 6 Set up your equipment
- 7 Documents / Resources
 - 7.1 References



Logitech Rally Bar Huddle and Tap IP Video Conferencing System



Logitech Rally Bar Huddle & Tap IP

Product Information

The Logitech Rally Bar Huddle & Tap IP is a video conferencing system designed for small meeting rooms. It includes a camera, speakers, and microphone to provide high-quality audio and video for remote meetings. The system has a 4K camera with a 120-degree field of view and 15x zoom, allowing for clear video conferencing even in small spaces. The speakers and microphone are designed to provide clear audio, even in noisy environments. The system is compatible with popular video conferencing platforms like Zoom, Microsoft Teams, and Google Meet.

Product Usage Instructions

Set-Up

Unpack the Logitech Rally Bar Huddle & Tap IP and check that all components are included. 2. Connect the camera to the main unit using the provided cable. 3. Connect the speakers and microphone to the main unit using the provided cables. 4. Connect the main unit to your computer or display using an HDMI cable. 5. Connect the power supply to the main unit and plug it into an electrical outlet. 6. Turn on the Logitech Rally Bar Huddle & Tap IP and follow the on-screen instructions to complete the setup.

Using the System

Start your video conferencing platform of choice (e.g. Zoom, Microsoft Teams, Google Meet). 2. Select the Logitech Rally Bar Huddle & Tap IP as your audio and video input/output device. 3. Adjust the camera angle and zoom as needed to ensure all participants are visible. 4. Use the microphone mute button on the Tap IP to mute and unmute your microphone as needed during the meeting. 5. Use the volume buttons on the Tap IP to adjust the speaker volume as needed during the meeting. 6. When the meeting is over, turn off the Logitech Rally Bar Huddle & Tap IP and disconnect all cables.

INSTALLATION INSTRUCTION

Logitech Rally Bar Huddle & Tap IP (Set up)

- Logitech Rally Bar Webcam and audio device to broadcast room and audio.
- 5' (1.5m) power cable and adapters
- 7' (2m) HDMI cable
- 7.2' (2.2m) USB cable
- · Lens cap for the main camera and Al Viewfinder
- Logitech Tap Mini display to start and join meetings and manage in-session features.
- 9.5' (2.5m) power cable and adapters
- 32' (10m) Logitech Strong USB cable to connect to the Rally Bar
- 7' (2m) HDMI cable
- Wall mounting screws (optional)
- Logitech remote control Device to control camera (pan, tilt, zoom) functions during meetings.

Additional requirements

• Two display screens (monitor or television) capable of 1920×1080 resolution or one display up to 4K



Set up your equipment

- 1. Plug the Rally Bar into an outlet.
- 2. Use the included HDMI cable to connect the Rally Bar to the conference room display.
 - **Note:** If you need to connect your computer to share your screen or join a 3rd party meeting, use the included USB cable to connect the Rally Bar to your computer.
- 3. Plug the Logitech Tap into an outlet.
- 4. Use the included Logitech Strong USB cable to connect the Logitech Tap to the Rally Bar.
- 5. Hold the Power button behind the Rally Bar to turn the system on.

Documents / Resources



References

- logitech Rally Bar All-In-One Video Conferencing System
- Isolatech Rally Bar Huddle All-In-One Video Conferencing System

Manuals+,