

LOMTAP LPUS010 Backdrop Support System And 65W 5500K Softbox Umbrellas Light Kit User Manual

Home » LOMTAP × LOMTAP LPUS010 Backdrop Support System And 65W 5500K Softbox Umbrellas Light Kit User Manual 🖫

Contents

- 1 LOMTAP LPUS010 Backdrop Support System And 65W 5500K Softbox Umbrellas Light Kit
- **2 SAFETY PRECAUTIONS**
- **3 HOW TO REMOVE POLYESTER CREASES**
- **4 PRODUCT LIST**
- **5 Installation Instruction**
- 6 Documents / Resources
 - **6.1 References**



LOMTAP LPUS010 Backdrop Support System And 65W 5500K Softbox Umbrellas Light Kit




SAFETY PRECAUTIONS


- 1. Become thoroughly familiar with this product before use. Run through at least one practice assembly and breakdown before you schedule a shoot.
- 2. Never leave the lighting unsupervised when in use. Keep children or incompetent persons away from lighting equipment.
- 3. If the power cords show signs of wear or damage, they should be replaced or repaired by a qualified electrician before use.
- 4. Wait until the bulbs are completely cool before touching or removing them.
- 5. Never use it in a wet environment. Never let the product touch the water.
- 6. Never touch the product when your hands are wet.
- 7. Never move the appliance by pulling the cord. Make sure the cords do not come in contact with bulbs. Do not wind the cord around the appliance.
- 8. Place stands/tripods on a flat surface to prevent toppling.
- 9. Do not touch the metal parts near the bulbs while in use, these parts may become very hot.
- 10. Do not let the umbrella touch the light bulb when in use. Light bulbs will get hot and can ruin the softbox or start a fire.
- 11. Remember to turn off the power switch before replacing the lamp.


HOW TO REMOVE POLYESTER CREASES

- Firstly, place the polyester fabric on the flat and hard stuff, and spread it flat.
- **Tips:** Usually, this processing method is for the hydrophilic polyester fabric.

- Secondly, find a wet towel and wipe the fabric gently.
- Note: Do not make the towel too wet, wipe the winkles several times with the towel.
- Thirdly, find something that sizes almost like the polyester fabric, such as a bed sheet, and press it on the fabric.
- **Tips:** You can put all hydrophilic polyester fabrics together to save time and effort. It might need to press one day or half a day.
- **Note:** It is not recommended that you wash the fabric, the colour will not be as bright as before after washing. Do not iron the polyester fabric, it may scorch.
- 5* 2m light stand(A) 2* 33inch white umbrella(B) 2* 60cm octagonal single box(C)
- 2* single light head(D) 5* 65W bulb(E) 1* 33inch black silver umbrella(F)
- 2* 33inch black gold umbrella(F) 1* 2X3m background G+J) 3* 1.6X3m fabric backdrop (H)
- 6* clamps(I) 1* carry bag(K) 1*60cm 5 in 1 reflector (L) 1* bracket barM) 1* reel(N)
- 1* 60cm octagonal single box) 1* sandbag(P)







PRODUCT LIST







2* 60CM Octagonal Single Light Box



1* 33inch black silver umbrella



2* 33inch black gold umbrella









2* single light head



2* 33inch white umbrella

1*60cm 5 in 1 reflector



1* 2X3m background (4 cross)



3* 1.6X3m fabric backdrop (black, white,green)




1* carry bag





6* clamps (black)



1* 60cm octagonal single box

Installation Instruction

Reflecting umbrella installation steps

- 1. Extend the stand to a suitable height.
- 2. Lose the lock and raise the pole.
- 3. Install the light head on the light stand holder.







- 4. Install the bulb on the lamp holder.
- 5. Place the umbrella between the lamp holders.
- 6. Finish







Installation Instruction

Light stand and soft box's installation steps:

- 1. Extend the stand to a suitable height.
- 2. Lose the lock and raise the pole.
- 3. Lose the second lock and raise the pole.







- 4. Install the softbox on the light stand holder.
- 5. Open the softbox, and push the attachment with the interface to the end.
- 6. Install the bulb on the lamp holder.







- 7. Put the soft cloth outside of the box
- 8. Finish





Installation Instruction

Cantilever mounting steps:

- 1. Extend the stand to a suitable height.
- 2. Lose the lock and raise the pole.
- 3. Lose the second lock and raise the pole.







- 4. Put the wheel on the stand.
- 5. Release the wheel button.
- 6. Choose the right hole and put the bar into the wheel.



- 7. Release the wheel and adjust the length of the bar.
- 8. Fasten the softbox on the bar.



2X3m background installation steps

- 1. Extend the stand to a suitable height
- 2. Lose the lock and raise the pole
- 3. Lose the second lock and raise the pole







4. Press the button and align orientation, then connect each other





- 5. Unscrew the knob of the stand
- 6. put the pole with holes to the top of the stand
- 7. Fasten the knob



8. Use the clamp to fix the backdrop at the crossbar



9. Finish

Documents / Resources



LOMTAP LPUS010 Backdrop Support System And 65W 5500K Softbox Umbrellas Light K it [pdf] User Manual

LPUS010 Backdrop Support System And 65W 5500K Softbox Umbrellas Light Kit, LPUS010, B ackdrop Support System And 65W 5500K Softbox Umbrellas Light Kit, Support System And 65 W 5500K Softbox Umbrellas Light Kit, 65W 5500K Softbox Umbrellas Light Kit, Softbox Umbrell as Light Kit, Light Kit, Kit

References

User Manual

Manuals+, Privacy Policy