



LongShine PHASPBT Remote Control User Manual

[Home](#) » [LongShine](#) » LongShine PHASPBT Remote Control User Manual 

Contents

- [1 LongShine PHASPBT Remote Control](#)
- [2 OVERVIEW](#)
- [3 Power Button](#)
- [4 FCC STATEMENT](#)
- [5 Documents / Resources](#)
- [6 Related Posts](#)















LongShine PHASPBT Remote Control



OVERVIEW



Power Button

-  • Short touch to turn on/off lamp. Press and hold power button for pairing within 20 seconds after power on, the pairing is successful when the light flashes.
-  • Timer Button, The timing function of the product can be defined according to the requirements.
-  • The button to increase brightness ,can be defined according to the requirements.
-  • The button to decrease brightness , can be defined according to the requirements.
-  • short cut button, brightness and color temperature can be defined according to the requirements.
-  • The button to decrease color temperature can be defined according to the requirements.
-  • The button to increase color temperature can be defined according to the requirements.
-  • **Working mode:** short cut button for working mode, brightness and color temperature can be defined according to the requirements.
-  • **Relaxing mode: shortcut** button for relaxing mode, brightness and color temperature can be defined according to the requirements.
-  • **Breast-feeding mode:** short cut button for Breast-feeding mode, brightness and color temperature can be defined according to the requirements.
-  • **Reading mode:** short cut button for reading mode, brightness and color temperature can be defined according to the requirements.
-  • **Night light mode:** short cut button for night light mode, brightness and color temperature can be defined

according to the requirements.


FCC STATEMENT

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Any Changes or modifications not expressly approved by the party responsible for compliance could void the user’s authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Documents / Resources

	<p>LongShine PHASPBT Remote Control [pdf] User Manual</p> <p>PHASPBT, 2A9J5-PHASPBT, 2A9J5PHASPBT, PHASPBT Remote Control, PHASPBT, Remote Control, Control</p>
---	---