





lorelli Moonlight 2 Layers Plus Instruction Manual

[Home](#) » [lorelli](#) » lorelli Moonlight 2 Layers Plus Instruction Manual 



**Moonlight 2 Layers Plus
Instruction Manual**



Contents


- 1 Moonlight 2 Layers Plus
- 2 SAFETY REQUIREMENTS
- 3 MAINTENANCE AND CARE
- 4 PARTS
- 5 ASSEMBLING OF THE COT
- 6 ASSEMBLING THE SECOND LEVEL OF THE COT
- 7 DISMANTLING OF THE COT
- 8 Documents / Resources
 - 8.1 References
- 9 Related Posts

Moonlight 2 Layers Plus



https://lorelli.eu/media/documents/products/Baby%20Cots/MOONLIGHT%202%20Layers%20Plus_Manual%20Instruction.pdf

Scan the QR code to get more product information and manual instruction in more languages. Download QR Scanner App onto your device.



②



③



④




⑤




⑥



⑦



⑧




⑧.1




⑨








25



26




IMPORTANT! RETAIN FOR FUTURE REFERENCE: READ CAREFULLY!

SAFETY REQUIREMENTS



1. WARNING! Do not leave the child unattended.
2. WARNING! Be aware of the risk of open fire and other sources of strong heat, such as electric bar fires, gas fires, etc. in the near vicinity of the cot and of the changing unit.
3. WARNING ! Do not use the cot if any part is broken, torn or missing and use only spare parts approved by the manufacturer.
4. WARNING! Do not leave anything in the cot or place the cot close to another product which could provide a foothold or present a danger of suffocation or strangulation, e.g. strings, blind/curtain cords etc.!
5. WARNING ! Do not use more than one mattress in the cot!



6. WARNING! Only use the mattress sold with this cot, do not add a second mattress on this one, suffocation hazards!
7. WARNING! The cot is ready for use, only when the locking mechanisms are engaged and check carefully that they are fully engaged before using the folding cot.
8. WARNING! The lowest position is the safest and the base should always be used in that position as soon as the baby is old enough to sit up.
9. WARNING ! It is from essential to remove the detachable support rails before the cot is used in it's lowest

position.

10. **WARNING !** All assembly fittings should always be tightened properly, should be checked regularly and retightened as necessary.
11. **WARNING !** To prevent injury from falls when the child is able to climb out of the cot, the cot shall no longer be used for that child.
12. **WARNING !** The diaper changing table is intoned for children with a maximum age of 12 months and with a maximum weight up to 11 kg.
13. **WARNING!** Any additional or replacement parts shall only be obtained from the manufacturer or distributor.



EN 716-1:2017+AC:2019, EN 716-2:2017, EN12221-1,2 EN 71

MAINTENANCE AND CARE

ATTENTION! If you use the cot outdoors, please clean all parts thoroughly after each use.

Cleaning. To clean use soapy water or soft cleaning detergent. Handwash the bag with soapy water. Do not iron. Do not bleach.

ATTENTION! Do not put bulk objects in the cot that can help the baby to jump out from the cot. Do not place the cot near heating devices because it will damage the plastic and fabrics.

ATTENTION! Use the cot regarding to these instructions!

PARTS

Picture 1

1. Cot -1 pc.
2. Mattress – 1 pc.
3. Second level of the cot – 1 pc.
4. Metal pipes of second level of the cot – 4 pc. 5. Diapers changing table – 1 pc.
- 5.1. Short pipe of changing mat – 2 pc
- 5.2. Long pipe of changing mat – 2 pc.
6. Bag – 1 pc.
7. Auxiliary supports – 2 pc.
8. Canopy with toys- 1 pc.
9. Wheels – 2 pc.

ASSEMBLING OF THE COT

1. Take out the cot from the bag. Picture 2
 2. Put away the mattress which is placed around the cot by unsticking the three soft bands. Picture 3
 3. Unfold the cot at half. Catch the middle part of the short upper tubes and lift it up till the mechanism situated in the middle of the tube is locked. Picture 4 In the same time the vertical tubes (baby cot legs) should be close to each other at its lower end and the middle part of the cot should stay at upper position. This provides the easy locking of mechanisms!
- Repeat the same procedure with the rest of the upper tubes. Picture 5 Check if the lockers of each one are well locked by slightly pressing downwards the middle part of the tube.

4. Press downwards the middle part of the cot till the lower tubes are straightened and locked. Picture 6 Then the all sides are straightened and stabled. Unfold the mattress and put it on the bottom of your cot. Picture 7 Insert the velcro strips in the two openings at both sides of the bottom. Picture 8. Stick the velcro strips tightly. Picture 8.1. Your cot is ready for use.

ASSEMBLING THE SECOND LEVEL OF THE COT

WARNING! The second level is designed for babies from 0 to 6 months!

1. Take off the mattress from the bottom of the cot.
2. Install the second level in the inside of the baby cot with the zipper over the entire inner length, and then close the lid. Pic. 9 position 1;2;3;4
3. Fit the tubes together. Picture 10
4. Pass the velcro strips of the one side of the mattress through the openings of second level. Picture 11
5. Open the zipper of second level and attach the velcro strips under the level. Picture 12. Close the zipper.
6. Unfold the mattress and pass the velcro strips through the openings on the other side of the cot. Picture 13
7. Open the zipper of the side opening and attach the velcro strips for bottom of second level. Picture 14

ASSEMBLING THE DIAPER CHANGING TABLE OF THE COT

1. Pass the both long and both short pipes through the opening of the diaper changing table . Picture 15;16
Note: The plastic clips of short tubes should be positioned to the inward of the changing mat ! Picture 17
2. Assemble the tubes of diaper changing table. Push the button „A“ Picture 17 and insert the pipe „B“. Installation is successfully completed when the spring leaf extend out.
3. The correctly assembled changing mat should looks like on pictures 18;19
4. Attach the changing table for the long tubes of the cot. (Picture 20)
5. Attach the buttons of the fabric cover for both long sides of the cot (Picture 21) and on the middle of the short side (Picture 22)

Note: Make sure that all the assembly fittings are tightened properly when it is ready to use.

Waning! Please take the diaper changing table away when finishing using it.

Waning! Do not leave the child unattended when it is placed on the changing mat!

ASSEMBLING THE CANOPY OF THE COT

1. Fix the canopy with clips on the two long rail of the cot and stretch the fabric over the both corners (Picture 23)
Attach the both buttons of the canopy for short side of the cot. Picture 24

DISMANTLING OF THE COT

1. Take out the mattress and pull the center band up to higher. (Picture 25)
2. Release the button up on rails center, make it droop as “V”. (Picture 26) Please, pull the center band up more, if not be completely droopy, then press again. Secure the bulge fully up and push four legs together.
3. Wrap it into the mattress and clip tightly. (Picture 3)
4. Put the whole wrap in the carry bag for travel. (Picture 2)

ATTENTION!

For easier unlock of the mechanism by pressing the buttons you need to lift the tube up. (Picture 26)
The hard pushing of the tube downward with locked mechanism leads to serious damage!

www.lorelli.eu



Find us on

Didis Ltd.


Bulgaria, Shumen, 6 Trakia-iztok Street

Phone: +359 54 850 830

e-mails: home.market@didis-ltd.com;

export@didis-ltd.com

Documents / Resources

 <p>MOONLIGHT 2 layers plus BABY COT</p> <p>MANUAL INSTRUCTION</p>	<p>lorelli Moonlight 2 Layers Plus [pdf] Instruction Manual Moonlight 2 Layers Plus, Moonlight 2, Layers Plus</p>
---	---

References

- [SaaS | | ; ,APP ,SCRM , !](#)
- [🐜 Lorelli - Baby and children products with proven quality](#)