




Contents [[hide](#)]

- [1 Luceplan J-us LED Sospensione](#)
- [2 OVERVIEW](#)
- [3 A09-A Installation:](#)
- [4 SYMBOL LEGEND](#)
- [5 Specifications](#)
- [6 FAQ \(Frequently Asked Questions\)](#)
 - [6.1 Q: What is the maximum weight capacity of the fixture?](#)
 - [6.2 Q: Can I use LED bulbs with this fixture?](#)
- [7 Documents / Resources](#)
 - [7.1 References](#)
- [8 Related Posts](#)

Luceplan J-us LED Sospensione




USER GUIDE


MODEL: A09-A

OVERVIEW


A09/1T
A09/2T




A09/1D
A09/2D



ECODESIGN




A09-A



A09/1D - A09/1T + A09C16W


kg 1,53kg **lb** 3,37lbs

1x




A09/1D - A09/1T

6x



A09C16W


A09-B



A09/1D - A09/1T + 2xA09C12W + A09C22W


kg 1,69kg **lb** 3,37lbs

1x




A09/1D - A09/1T

2x




A09C22W

4x




2x A09C12W


A09-C



A09/2D - A09/2T + A09C12W + A09C22W kg 1,73kg lb 3,37lbs




A09-D



A09/2D - A09/2T + 2x A09C23W


kg 2,21kg lb 4,87lbs

1x




A09/2D - A09/2T

6x




2x A09C23W

A09-E




A09/2D - A09/2T + 2x A09C12W + A09C16W kg 2,05kg lb 4,52lbs

1x




A09/2D - A09/2T

6x




A09C16W

4x



2x A09C12W


A09-F



A09/2D - A09/2T + A09C16W + A09C23W


kg 2,21kg **lb** 4,87lbs

1x




A09/2D - A09/2T

3x




A09C23W

6x




A09C16W

A09-G




A09/2D - A09/2T + A09C16W + 2x A09C23W **kg** 2,69kg **lb** 5,93lbs

1x




A09/2D - A09/2T

6x



2x A09C23W

6x




A09C16W


A09-A Installation:

1. Mount the fixture on the ceiling using appropriate hardware.
2. Connect the electrical wiring following standard procedures.
3. Insert the recommended bulbs (A09C16W).
4. Turn on the power and enjoy the lighting.





1





1.1






1.2




1.3 A09-A




1.3 A09-B







1.3 A09-C





1.3 A09-D






1.3 A09-E




1.3 A09-F




1.3 A09-G





1.4




2




2.1




2.2




2.3





2.4 A09/1T - A09/2T




2.4 A09/1D - A09/2D




2.5






2.7






2.8





polo positivo
 positive pole
 Pluspol
 pôle positif
 terminal positivo
 polo negativo
 negative pole
 Minus pole
 pôle négatif
 terminal negativo

conduttore con guaina interno
 inner sheathed conductor
 Leiter mit innerer Umhüllung
 conducteur avec gaine intérieure
 conductor con vaina interior
 rivestimento esterno
 outer jacket
 Außenbeschichtung
 revêtement extérieur
 revestimiento exterior




2.9






SYMBOL LEGEND


Replaceable light source by end-user




Replaceable light source by a professional




Replaceable (LED only) light source by end-user




Replaceable (LED only) light source by a professional




Replaceable (LED only) light source by a professional




Non-replaceable light source



Replaceable control gear by a professional



Non-replaceable control gear



www.luceplan.com

Specifications

- Brand: Luceplan
- Designer: Alessandro Zambelli
- Model: J-US
- Dimensions:
 - A09-A: max 5000 mm x 300 mm x 25mm
 - A09-B: max 5000 mm x 380 mm x 160mm
 - A09-C: max 5000 mm x 540 mm x 350mm
 - A09-D: max 5000 mm x 540 mm x 215mm
 - A09-E: max 5000 mm x 540 mm x 375mm
 - A09-F: max 5000 mm x 540 mm x 375mm
 - A09-G: max 5000 mm x 540 mm x 350mm
- Weight:
 - A09/1D – A09/1T: 1.53kg

- A09/1D – A09/1T + A09C16W: 1.69kg
- A09/2D – A09/2T: 1.73kg
- A09/2D – A09/2T + A09C12W + A09C22W: 2.05kg

FAQ (Frequently Asked Questions)


Q: What is the maximum weight capacity of the fixture?

A: The fixture is designed to support a maximum weight of XX lbs.

Q: Can I use LED bulbs with this fixture?

A: Yes, you can use LED bulbs. Make sure to use bulbs within the recommended wattage for optimal performance.

Documents / Resources



[Luceplan J-us LED Sospensione \[pdf\]](#) User Guide

A09-1T, A09-2T, A09-1D, A09-2D, A09C16W, A09C12W, A09C22W, A09C23W, J-us LED Sospensione, J-us, LED Sospensione, Sospensione

References

- [User Manual](#)

Related Posts



[INSIGNIA LED TV User Guide User Guide](#)

INSIGNIA LED TV User Guide User Guide - Download

[SAMSUNG LED Monitor User Guide](#)

QUICK SETUP GUIDE



[LeuchtenDirekt VALERIE LED User Guide](#)

LeuchtenDirekt VALERIE LED Instruction This product contains light sources of energy efficiency class< >.



[coocaa Led TV User Guide](#)

Led TV

■ LUCEPLAN

◆ A09-1D, A09-1T, A09-2D, A09-2T, A09C12W, A09C16W, A09C22W, A09C23W, J-US, J-us LED Sospensione, LED Sospensione, LUCEPLAN, Sospensione

Leave a comment

Your email address will not be published. Required fields are marked *

Comment *

Name

Email

Website

☐ Save my name, email, and website in this browser for the next time I comment.

Post Comment

Search:

e.g. whirlpool wrf535swhz

Search

[Manuals+](#) | [Upload](#) | [Deep Search](#) | [Privacy Policy](#) | [@manuals.plus](#) | [YouTube](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.