



Recommended Lucide Light Sourc Specifications

[Home](#) » [LUCID](#) » Recommended Lucide Light Sourc Specifications 

Contents

- 1 LUCIDE TUBE USER MANUAL**
 - 1.1 GENERAL SPECIFICATIONS**
 - 1.1.1 General
 - 1.1.2 Product specifications
 - 1.2 TECHNICAL DRAWING & DIMENSIONS**
 - 1.3 INSTALLATION DRAWING SPECIFICATIONS**
- 2 Documents / Resources**
 - 2.1 References
- 3 Related Posts**

LUCIDE TUBE USER MANUAL



**RECOMMENDED LUCIDE
LIGHT SOURCE**

49009/05/30

49009/05/31

Light source dimmable : Yes Dim to warm

Light source incl. : No

GENERAL SPECIFICATIONS

General

Dimensions LxWxH : 18.5 cm x 9.6 cm x 12.5 cm

Height minimum : 12.5 cm

Height maximum : 12.5 cm

Dimensions shade LxWxH :

Main material : Aluminium

Ceiling rose material : Metal

Color : Black,White

Style : Modern

Shape : Rectangle

Weight : 0.95 kg

Warranty : 2 years

Product specifications

Dimmable : Yes

Light direction : Downlight

Adjustable in height : Not In Height Adjustable

Directional : Rotatable & Tilttable (360 Degrees)

Cable : No

Cable length :

Sensor : Without Sensor

Control : Light Switch Control

IP-Class : 20

Electric class : 1

Light source including ?: No

Lamp socket : GU10

Light source number : 2

Power requirements : 220-240V~50Hz

Bulb type & maximum wattage : GU10- max.50W

TECHNICAL DRAWING & DIMENSIONS


TUBE

Item number : 22953/02/30


EAN code : 5411212221292

Item number : 22953/02/31

EAN code : 5411212220950



INSTALLATION DRAWING SPECIFICATIONS



Documents / Resources

LUCIDE Model: 49009 05 30 TUBE Material: Aluminum Color: White Dimensions: 100 x 100 x 100 mm Weight: 0.5 kg Power: 100 W Voltage: 230 V Frequency: 50 Hz IP Rating: IP20 Finish: Matte Mounting: Ceiling Adjustable: No Warranty: 3 years For more information, please visit our website at www.lucide.com	LUCID Recommended Lucide Light Sourc [pdf] Specifications Recommended Lucide Light Sourc, 49009 05 30, 49009 05 31, 22953 02 30
---	---

References

-  [Lucide lighting - Illuminates your world.](#)