


LUIS CAL2 Calibration Unit for PSS AI Camera Kit Instructions

Home » LUIS » LUIS CAL2 Calibration Unit for PSS AI Camera Kit Instructions

LUIS CAL2 Calibration Unit for PSS AI Camera



Contents

- 1 Parameters
- **2 Functions**
- **3 FCC Warning**
- 4 Documents /

Resources

- 4.1 References
- **5 Related Posts**

Parameters

Power Supply	DC5V
Power Dissipation(5V IN)	230mA
IMS Band	2.4G
Reserving System	IEEE 802.11b/g/n standard
Communication Interface	USB 2.0
Wire Length	90mm
Operating Temperature	-20 ~ +70°C
Storage Temperature	-30 ~ +80°C
Dimension	102 x 47 x 11 (mm)
Weight	25g
Shell Colour	Black

Functions

The main purpose of Wi-Fi module is AI cameracalibration and parameter setting. This module connects with AI camerathrough USB2.0 interface, and then a Wi-Fi hotspot will begenerated. After connecting with Wi-Fi hotspot via mobile phone and entering the specified browser webpage, AI cameracalibration and parameter setting can be conducted.

Note:This tool is designed and tested to work onthecameraendonly.



FCC Warning

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) Thisdevicemaynot cause harmful interference, and (2) this device must accept any interference received, including interferencethat may cause undesired operation.

NOTE 1: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant topart15ofthe FCC Rules. These limits are designed to provide reasonable protection against harmful interferenceinaresidential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installedandusedinaccordance with the instructions, may cause harmful interference to radio communications. However, thereisnoguaranteethat interference will not occur in a particular installation. If this equipment does cause harmful interferencetoradioortelevision reception, which can be determined by turning the equipment off andon, the user is encouragedtotrytocorrecttheinterference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.

NOTE 2: Any changes or modifications not expressly approved by the party responsible for compliance could void the user authority to operate the equipment.

Documents / Resources



LUIS CAL2 Calibration Unit for PSS AI Camera Kit [pdf] Instructions 001202, 2BHEW-001202, 2BHEW001202, CAL2 Calibration Unit for PSS AI Camera Kit, CAL2, Calibration Unit for PSS AI Camera Kit, Camera Kit

References

User Manual

Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.