Lumary CSC3017STRGBCW Smart LED Light User Manual

Contents

**CSC3017STRGBCW Smart LED Light
User Manual**

CSC3017STRGBCW Smart LED Light

What's in the Box
Smart LED Lighting
Get Ready

- Smart LED Lighting

- Know your Wi-Fi network and password
- Make sure your mobile device is running iOS 13.3 or higher and Android 9.0 or higher
- Make sure you're connecting to a 2.4GHz Wi-Fi network (Lumary can't connect to 5GHz networks)

Attention

1. Do handle carefully in transportation.
2. Do not disassemble the fixture for non-professional.
3. The fixture work under AC high voltage and current, it should be installed where can't be touched easily. The connection must be completely sealed and be earthed.
4. the external flexible cable or cord of this luminaire cannot be replaced; if the cord is damaged, the luminaire shall be destroyed.
5. The light source contained in this luminaire shall only be replaced by the manufacturer or his service agent or a similarly qualified person.
6. The surface where it's positioned must be firm enough to ensure safety
7. Ensure the voltage of the electricity system is in the range of working voltage for the fixture. Otherwise, lifetime of fixtures will be influenced.
8. Installation and maintenance should be operated by a professional.

**4″ LED Floating Gimbal**

INSTALLATION INSTRUCTIONS

IMPORTANT : Read all instructions before installing fixtures. Reta in for future reference.
SAFETY : For your safety, this fixture must be wired in accordance to local electrical codes and ordinances. All work should be done by a qualified electrician.
WARNING :Make certain power is OFF from the electrical Panel before starting installation o r attempting any maintenance. Indoor installation only.

TOOLS REQUIRED:

- Saw
- Measuring Tape
- Electrical Wiring (use type and gauge suitable for application t o connect the fixtures

Fig.2

PRE-INSTALLATION:

1. Turn power OFF from the electrical panel before starting installation.
2. Locate a suitable position to plate the fixture andopen in accordance to the cut-hole dimensions (refer to Hole CutTable for appropriate size).
3. Run electrical wire from the switch (power supply) through the mounting hole-use NMD90 Romex or BX cable.

DRIVER WIRING:

1. Open the hardwire box swing cover and remove theappropriate knockout(s).
2. Insert the electrical supply cable through the knockout andsecure with a cable connector (sold separately).
3. Using wire nuts,connect green ground wire of cable to greenwire on box.Connect white wire of cable to white wire ofbox.Connect black wire of cable to black wire of box.(Fig.1)
4. Place all wiring and connections back in to the box and closethe cover.
5. Insert hardwire box through the mounting hole.(Fig.2)
   New construction applications : Hardwire box shall be firmly secured to studs, joists, or similar fixed structuralunits.
   Remodel applications: Do not require the hardwire box tobe frmly secured after the mounting plates, studs, joists,orstructural units have been concealed.
6. Junction box suitable for maximum of 5 No 12 AWG or 8 No 14 AWG Conductors

Fig.3

1

2

FIXTURE INSTALLATION:

1. Connect the fixture to the hardwire box by inserting andtwisting the male/female connectors.(Fig.3)
2. Push spring loaded clips on the fixture upwards and insert fixture base in to the mounting hole. Release the clips and fixture will be pulled flush to the ceiling. (Fig.4)
3. Once assembly is complete, turn on power to confirm fixture is working properly.

Fig.4

1. Download the Lumary App

2. Register a Lumary account

Register

US+1   >

eric@lumary.tech

Get Verification Code

Log In

US+1   >

eric@lumary.tech

•••••••••

Log In

Login with SMS   Forgot Password

Enter your mobile phone number
or email address.

Log into the App.

3. Connect: Easy Mode

Refreshing...

Cloudy

25°C   81%   1007 hPa

All Devices   Living Room   •••

No devices, please add

Add Device

Add Manually   Auto Scan

Lighting

Led Strip   Light Source (Wi-Fi)   Light Source

Electrician

Large Home
Appliances   Light Source (Wi-Fi)   Light Source (Wi-Fi)   Light Source (Zigbee)

Small Home
Appliances

Kitchen
Appliances   Light Source (other)   Light Modulator (other)   Light Modulator (Wi-Fi)

Security&
Sensors

Exercise
& Health   Lighting remote control (Zigbee)   Lighting remote control (BLE)

Video
Surveillance

STEP 1   STEP 2

STEP 1
Open the Lumary App. In the top corner of the Devices screen, click (+).
STEP 2
Choose "Light Source(Wi-Fi)". Select upper right corner "EZ Mode"

STEP 3
Make sure lightis rapidly ig white. If not, reset to reach Easy Mode to connect. Press "Next" in the App.
STEP 4
Enter your WiFinetworkand password.
STEP 5
The Lumary App will. connect to your devices.

NOTE: Lumary can't connect to 5GHz networks. *If the connection fails, try to connect using AP Mode.

Connect: AP Mode

STEP1

Open the Lumary App. In the top corner of the Devices screen, click (+). Choose "Light Source(BLE+WiFi)".
Select upper right corner "AP Mode"

STEP2

Make sure light is slowly flashing white. Ifnot, reset to reach AP mode.

STEP3

Press "Next" and enter your Wi-Fi details.

STEP 4
Follow the instructions to choose the device from your Wi-Fi list.
STEP 5
The Lumary App will connect to your devices .
NOTE: Lumary can't connect to 5GHz networks. *If the connection fails, try to connect using AP Mode.

Connect: Wi-Fi

STEP 1
Open the Lumary App. In the top corner of the Devices screen, click (+). Choose "Light Source(Wi-Fi)". Select upper right corner " Wi-Fi"

Lighting

Electrician

Large Home
Appliances

Small Home
Appliances

Kitchen
Appliances

Security&
Sensors

Exercise
& Health

Video
Surveillance

Led Strip

Light Source
(Wi-Fi)

Light Source

Light Source
(Wi-Fi)

Light Source
(Wi-Fi)

Light Source
(Zigbee)

Light Source
(other)

Light Modulator
(other)

Light Modulator
(Wi-Fi)

Lighting remote
control
(Zigbee)

Lighting remote
control
(BLE)

22:56 🢁 · · · · 📶 🔋

Cancel   Wi-Fi

Reset the device first.

Power on the light and confirm that the light has
already flashed or breathed.

Perform net pairing as prompted. >

✓ Confirm the light has flashed or breathed.

Next

22:57 🢁 · · · · 📶 🔋

✕

⟲ Found 1 devices. Added 0 successfully.

Lumary Smart Floating Gimbal Light B1 ➕

22:58 🢁 · · · · 📶 🔋

✕

⌣ Found 1 devices. Added 1 successfully.

Lumary Smart Floating Gimbal Light B1 ✅

STEP 2
Make sure light i s rapidly flashing white If not, reset to reach Easy Mode to conn Press "Next" in the App.
STEP 5
Enter your Wi-Fi network and password Please follow the application guidelines for the next steps. If you have any questions, please contact us in time.

Frequently Asked Questions

1. Can I share with family and friends?

– Yes, you can share access to your Switch and any other Lumary device. In the Lumary App, press the "Profile" button and click on "Device Sharing" to give or revoke sharing permissions. In order to share, the other user should already have downloaded the Lumary App and registered an account.

2. Can I group multiple Lumary devices together?

– Yes, you can group multiple same-type devices by room, location, or however else you want. The same devices can be in multiple groups. For example, if you create a group for "Bedroom" and another group for "Entire House" ,your Bedroom lights can be included in both groups. From your main device list, click on one of the devices you want to group, press the " — " button on the top right for advanced settings, and click "Create Group" .You'll be able to name a new group and choose which devices you'd like to group together.

3. How many devices can I control?

– Lumary App can control an unlimited amount of devices in an unlimited amount of locations. Your router may have a limit of how many devices can be connected to one router.

4. My Lumary device has a funny name. How do I rename it?

– From your main device list, click on one of the devices you want to rename, press the " — " button on the top right for advanced settings, and click "Modify Device Name" (or "Modify Group Name"). You'll then be able to choose a more familiar name.

5. What should I do if the device Appears offline or is unreachable?

– Make sure your Wi-Fi router is online and in range, and check that you have the latest Lumary functionality by clicking "Check for firmware update" in your device settings. If power is connected but the switch is not responding, hold down the Restart button to cycle the fuse and give the switch a jump start. 6. What's the wireless range? The range of your home Wi-Fi is heavily dependent on your home router and the conditions of the room. Check with your router specifications for exact range data.

7. If my Wi-Fi internet goes down, will Lumary App still work?

– Lumary products need to be connected to Wi-Fi in order to use them remotely.

8. What does the white light mean?

– The white light indicates power. If the white light is on, the switch is receiving power; if it is off, it is not receiving power. The white light also indicates connection. If it is solid, the switch is connected; if the it is flashing quickly, the switch is ready to connect using the Easy Mode; if it is flashing slowly, the switch is ready to connect using the AP Mode.

9. What should I do,when I find a problem with the purchased product?

– Please email us (**cs@inlintek.com**) with your Amazon order ID. We are dedicated to ensuring your 100% satisfaction. Rest assured if the problem is with this product, we'll be more than happy to exchange it for a new one immediately.

Important Information

Troubleshooting

Cannot connect t o your Wi-Fi network.
Make sure you entered the correct Wi-Fi pass word duringthe Wi-Fi setup. Check whether there are any Internet connection problems .
If the Wi-Fi signal is too weak, reset your Wi-Fi router and try again.
Reset the device
To reconnect to Wi-Fi, hold down the reset press switch on-off-on-off-on.
– Reset once (press switch on-off-on-off-on) to reach Easy Mode, indicated by rapidly blinking white light. Refer to connect in Easy Mode.
– Reset again (press switch on-off-on-off-on) t o reach AP Mode, indicated by slowly blinking white light. Refer to connect in AP Mode.

Technical Specifications

- Name:CSC3017STRGBCW
- Power:15.5W
- Input voltage: 120VAC,60Hz
- CCT: RGB+Tunable White(2700K-6500K)
- Luminous Flux:1200|m
- CRI: 80+
- Mode: US-DS6A-1,US-DI6A-1
- Wi – Fi : IEEE 802.11N,2.4GHz (not compatiable with 5GHz Wi-Fi networks)

  Made in China

Support:
If you encounter any issues, please contact us at:
cs@inlintek.com
support@lumary.tech

VOICE CONTROL GUIDE
Name and Control Each Device by Voice

Thank you for purchasing your Lumary smart home product. Make sure your devices are already set up using the Lumary App, then follow these steps.
Voice Control Quick Guide for Google Assistant

To control your Lumary smart switch or surge protectors, just say "OK Google", and ask .
Make sure your devices are already set up using the Lumary app.

Google Assistant

Things you can say* :
"Hey Google, turn on all the lights in my bedroom."
"Hey Google, tum off the light."
"Hey Google, set the bedroom light t o orange."
"Hey Google, tum off the coffee machine."
"Hey Google, set the living room t o 50%."
"Hey Google, dim porch light."
*Some commands require compatible devices.

1. Open the Google Home App and go to Home Control in the menu.

2. Tap the "+" button

3. Choose "Lumary" in the list of Home Control partners.

4. Authorize your account with Google Assistant using the username and password from your Lumary app.

   Now your Google Home app and Lumary devices are linked!

   You're now able to say "OK Google" and control your Lumary devices.

Note: Please select your region and country.

At any time, go into the "Home Control" section of the Google Home app to set nicknames and rooms for your devices.
You can rename your devices in the Lumary app, and Google Assistant will refer to them by the same name.
So if you rename a smart bulb to "Living Room" or a nickname like "Blossom", then Google Assistant will use that same name later on. You can always give it a nickname using the Google Home app as well.
You can also assign switch to a specificroom, like "Bedroom" or "Kitchen".
Google Assistant will be able to control devices by room.

Amazon Alexa

To control your Lumary smart switch or surge protectors, just ask Alexa.
Make sure your devices are already set up using the Lumary app.

Things you can say* :
"Alexa, discover my devices."
"Alexa, turn on the bedroom light."
"Alexa, set the bedroom light to orange."
"Alexa, turn off the coffee m a c h i n e . "
"Alexa, set the living room t o 50%."
"Alexa, dim porch light."
*Some commands require compatible devices.

There are 2 ways to enable "Lumary" Skill: Way 1:

1. Login to Lumary App, click your smart divice, click "#°" in top right comer.

2. Click Alexa in Third-party Control.

3. Sign in with your Alexa account.

4. Click LINK.

5. Linked successfully, when add new device, it is no need to link again, just discover new device in Alexa.

LINK YOUR ACCOUNT WITH ALEXA

Link Lumary with Alexa

Enable the Lumary skill and link your account with Alexa.

To unlink your account at any time, disable the skill in the Alexa app.

CANCEL   LINK

Already linked with Amazon Alexa

You can control Alexa-enabled devices with Amazon Alexa speakers, such as

Alexa, turn on light

"Alexa, set air conditioning to 20°C"

"Alexa, turn off diffuser"

"Alexa, increase air conditioner by 3 degrees"

Back

If you need to unlink, please go to Alexa App to disable Lumary Smart skill

Way 2:

1. Open the Alexa App and go to Skills in the menu.

Music, Video, & Books

Lists

Reminders & Alarms

Routines

Smart Home

Skills

Things to Try   More

Settings

Help & Feedback

2. Search for Lumary then click Enable.

3. Authorize your account with Smart Home Skills using the username and password from your Lumary App.

Note: Please select your region and country.

4. Choose "Discover Devices". After a few seconds your Lumary devices will be displayed under Smart Home in the Alexa app.

You can rename your devices in the Lumary app, and Alexa will refer t o them by the same name.
So if you rename a smart switch to "Living Room" or a nickname like "Blossom", then Alexa will use that same nickname later on.
Alternatively, you create an Alexa group, like "Bedroom" or "Downstairs", and add the device to the group.
Alexa will recognize the group name in the Alexa app, or the device name i n the Lumary app.
More information is available at: **http://tinyurl.com/aexa-smart-home-groups**
If you have any questions about use and operation,you can contact us!
Customer Service Email :
support@lumary.tech
cs@inlintek.com

You can also search for our "account name" and "enter URL" on social media platforms or directly scan the following QR code to find us quickly.

- Facebook: US-Smart Home

    (**https://www.facebook.com/lumary.tech**)
- YouTube: Lumary Official

    (**https://www.youtube.com/channel/UCcEQnWxockzsPwyPOfSppug**)
- Instagram: lumary Smart Home

    (**https://www.instagram.com/lumarysmarthome/**)
- Twitter: Lumary @Lumarysmarthome

    (**https://twitter.com/Lumarysmarthome**)
- Pinterest: Lumary Smart Home

    (**https://www.pinterest.com/LumarySmartHome/**)

Facebook	Youtube	Instagram	Twitter	Pinterest

FCC Caution:
Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.
This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

1. This device may not cause harmful interference, and

2. this device must accept any interference received, including interference that may cause undesired operation.

IMPORTANT NOTE:
Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

FCC Radiation Exposure Statement:
This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment.This equipment should be installed and operated with minimum distance 20cm between the radiator& your body.

Can't connect? Need help?

WE CAN HELP

HAVING AN EASY TALK TO US BEFORE YOU RETURN

THE PRODUCT WILL FIX A PROBLEM MORE QUICKLY
Lumary support:
support@lumary.tech
AUTO CHELem
Aller lavAaccven

Documents / Resources

Lumary CSC3017STRGBCW Smart LED Light [pdf] User Manual
CSC3017STRGBCW, 2A5WDCSC3017STRGBCW, CSC3017STRGBCW Light Smart LED Light, CSC3017STRGBCW, Smart LED Light, Smart Light, LED Light, Smart LED, Light, LED