

Luminex GigaCore 14R Gigabit Ethernet Switch User Guide

Home » Luminex » Luminex GigaCore 14R Gigabit Ethernet Switch User Guide 🏗

Contents

- 1 Luminex GigaCore 14R Gigabit Ethernet Switch
- 2 Safety Instructions
- 3 Compliance information
- **4 Warranty information**
- 5 In the box
- **6 Description**
- 7 Led indicators
- 8 Installing Mini GBIC (SFP) transceivers
- 9 Connecting the backup power supply
- 10 Starting
- 11 Specifications
- 12 Connection to the web interface
- 13 Additional documentation
- 14 Documents / Resources
 - 14.1 References



Luminex GigaCore 14R Gigabit Ethernet Switch



Gigabit Ethernet Switch for the entertainment industry

- · Quick Start Guide
- V2.1.0

- Rev5
- · GigaCore 14R Quick Start Guide
- Document lu_01_00038_qsg_rev5
- Copyright © 2002-2016.
- · All rights reserved.
- No part of this documentation may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying and recording, without the prior written permission of Luminex.
- The information in this documentation is supplied without warranty of any kind, either directly or indirectly, and is subject to change without prior written notice. Luminex, its employees or appointed representatives will not be held responsible for any damages to software, hardware, or data, howsoever arising as a direct or indirect result of the product(s) mentioned herein.

Issued by:

- · Publications Department,
- · Luminex LCE, Berkenlaan 8A, Hechtel Eksel, B-3940, Belgium.
- Documentation last reviewed 11 January 2016 by Luminex LCE. Printed in the EU.

Safety Instructions

CAUTION Risk of electric shock Do not open!

- CAUTION: TO REDUCE THE RISK OF ELECTRIC SHOCK, DO NOT REMOVE THE COVER. NO USER SERVICEABLE PARTS INSIDE. REFER SERVICING TO QUALIFIED SERVICE PERSONNEL.

 The exclamation point within an equilateral triangle is intended to alert the user to the presence of important operating and maintenance (servicing) instructions in the literature accompanying the appliance.
- WARNING: TO REDUCE THE RISK OF FIRE OR ELECTRIC SHOCK, DO NOT EXPOSE THIS APPLIANCE TO RAIN OR MOISTURE.
 - The lightning flash with arrowhead symbol, within an equilateral triangle, is intended to alert the user to the presence of uninsulated "dangerous voltage" within the product's
- enclosure that may be of sufficient magnitude to constitute a risk of electric shock to persons.
- Read Instructions All the safety and operating instructions should be read before the appliance is operated.
- Retain Instructions The safety and operating instructions should be retained for future reference.
- Heed Warnings All warnings on the appliance in the operating instructions should be adhered to.
- Follow Instructions All operating and user instructions should be followed
- Water and Moisture The appliance should not be used near water; for example, near a fountain, or submitted to direct water exposure.
- The apparatus shall not be exposed to dripping or splashing liquids and no objects filled with liquids, such as bottles, shall be placed on the apparatus. Do not touch the appliance with wet hands. Do not handle the appliance or power cord with wet or damp hands. If water or any other liquid enters the appliance cabinet, take it to qualified service personnel for inspection.
- Cleaning The appliance should be cleaned only as recommended by the manufacturer. From time to time you should wipe off the front and side panels and the enclosure with a soft cloth. Do not use rough material, thinners, alcohol or other chemical solvents or cloths since this may damage the finish or remove the panel lettering.
- Ventilation The appliance should be situated so that its location or position does not interfere with its proper

ventilation. Place the unit in a well-ventilated location, leaving at least 5 cm (2 inches) of clearance on front, side and rear of unit for air flow. If ventilation is blocked, the unit may overheat and malfunction.

- Heat The appliance should be situated away from heat sources such as radiators or heating systems.
- Power Cord Protection Power supply cords should be routed so that they are not likely to be walked on or
 pinched by items placed upon or against them, paying particula attention to cords at plugs, receptacles, and the
 point where they exit from the appliance.
- Power Sources The appliance should be connected to a power supply only of the type described in the operating instructions or as marked on the appliance.
- Attachments / Options Only use attachments/options specified by the manufacturer.
- Object and Liquid Entry Care should be taken so that objects do not fall and liquids are not spilled into the
 enclosure through the openings.
- Servicing The user should not attempt to service the appliance beyond that described in the operating
 instructions. All other servicing should be referred to qualified service personnel.
- Damage Requiring Service The appliance should be serviced by qualified service personnel when: A.
- The power supply cord or the inlet has been damaged;
 - Objects have fallen, liquid has been spilled into the appliance; C. The appliance has been exposed to rain; or D. The appliance does not appear to operate normally; or E. The appliance has been dropped or the enclosure is damaged.
 - The equipment shall be used at a maximum ambient temperature of 50° C / 140° F.

Compliance information

Disposal of Waste Equipment by users in the European Union



- This symbol on the product or its packaging indicates that this product must not be disposed of with other waste. Instead, it is your responsibility to dispose of your waste equipment by handing it over to a designated collection point for the recycling of waste electrical and electronic equipment.
- The separate collection and recycling of your waste equipment at the time of disposal will help conserve natural
 resources and ensure that it is recycled in a manner that protects human health and the environment. For more
 information about where you can drop off your waste equipment for recycling, please contact your local city
 recycling office or the dealer from whom you purchased the product.

EMC (Electromagnetic Compliance)

This model GigaCore 14R complies with the following standards regulating interference and EMC:

- EN 55103-1, environment E2
- EN 55103-2, environment E2

CE Compliance (EMC and Safety)

Luminex is authorized to apply the CE mark on this compliant equipment thereby declaring conformity to EMC Directive 2004/108/EC and Low Voltage Directive 2006/95/EC.

Warranty information

Limited warranty

Unless otherwise stated, your product is covered by a two (2) years parts and labor limited warranty. It is
the owner's responsibility to furnish receipts or invoices for verification of purchase, date, and dealer or
distributor. If purchase date cannot be provided, date of manufacture will be used to determine warranty
period.

· Returning under warranty

Any Product unit or parts returned to Luminex LCE must be packaged in a suitable manner to ensure the
protection of such product unit or parts, and such package shall be clearly and prominently marked to
indicate that the package contains returned product units or parts. Accompany all returned product units
or parts with a written explanation of the alleged problem or malfunction.

Freight

- All shipping will be paid by the purchaser. Items under warranty shall have return shipping paid by the manufacturer only in the European Union.
- Under no circumstances will freight collect shipments be accepted. Prepaid shipping does not include rush expediting such as air freight. Air freight can be sent customer collect in the European Union.
- Warranty is void if the product is misused, damaged, modified in any way, or for unauthorized repairs or parts.

Registration


- Use your favorite web browser, and visit http://www.luminex.be/support.php?show=registration to register your product online.
- By registering, you become eligible to receive the following:
 - Technical support information
 - Software update and upgrade notices
 - Hardware warranty information

In the box

- 1 x GigaCore 14R
- 1 x Quick Start Guide (including warranty information and safety instructions).


Description

Front panel



- 10 x 10/100/1000Mbps shielded Neutrik Ethercon connector
- 4 x LED for switch status
- 3 x LED per port for Ethercon front port status
- 2 x LED per port for Ethercon and fiber rear port status

Rear panel



- 2 x 10/100/1000Mbps shielded Neutrik Ethercon connector
- 2 x LED per port for Ethercon port status
- 2 x SFP cage for Mini-Gbic compliant transceiver
- 1 x Serial console port on RJ45
- 1 x Mollex Micro-fit 6 pin connector for backup power supply input
- 1 x Mollex Micro-fit 6 pin connector for backup PoE supply input
- 2 x Redundant fan
- 1 x IEC inlet + Fuse holder
- 1 x Reset button (clip hole)

Led indicators


- The LED indicators of the GigaCore 14R include status, Poe, RlinkX, power, link/speed.
- The following shows the LED indicators for the GigaCore 14R along with an explanation of each indicator.

Switch LED		Status	Meaning	
OK (General status LED)		Green	All OK	
		Red blink	Unit is booting / Unit is flashing firmware / Unit is writing the flash memory.	
PoE LED		Off	No PoE	
		Green	Internal and external PoE supply OK	
		Orange	Internal supply OK (no external supply available)	
		Red blink	Error	
RlinkX LED			Available in a future release	
Power LED		Off	No Power	
		Green	Internal and external power supply OK	
		Orange	Internal power supply OK (no external supply available)	
		Red blink	Error	
Port LED		Status	Meaning	
PoE LED		On	Sourcing	
		Off	Not sourcing	
		Blink	Error	
RlinkX LED	SFP	On	Redundant port / link	
Link	SFP	Off	No link	
		Green	Gigabit connection	
		Orange	10/100 Mbps connection	
		Blink	Activity	

Installing Mini GBIC (SFP) transceivers

The GigaCore 14R comes with four SFP cages at the rear of the unit. These cages accept mini GBIC transceivers. Check our web site for more information about available transceivers.


- 1. Insert the transceiver into the SFP cage. Once properly engaged, the transceiver can't be removed
- 2. Be aware of the insertion direction:
 - Port 13 & 15 must have the bail wire delatch on the top
 - Port 14 & 16 must have the mini-GBIC transceiver upside-down
 - Open the bail wire delatch to disengage and remove the mini-GBIC transceiver.



For any other model of mini-GBIC transceiver, please refer to the transceiver manual.

Connecting the backup power supply

- The GigaCore 14R comes with two backup power inlets at the rear. This inputs are meant to connect external power supply units for both mains and Power Over Ethernet. This providing redundancy on power level.
- Each power supply requires specific output voltage and pinout. It is not recommended to use dual output power supply to feed the two backup power input, as both input requires a separate isolation.
- Please respect the following pinout to connect external power supplies to the GigaCore 14R. Use the Luminex cable to connect the GigaCore 14R to external power supplies.



15VDC/2A 48VDC/2.1A

Pin	15VDC / 2A	48VDC / 2.1A
1	Ground	Ground
2	N.C	+48VDC
3	+15VDC	N.C
4	Ground	Ground
5	N.C	+48VDC
6	+15VDC	N.C

Starting

- The device operates with an AC voltage between 100V and 240VAC within a frequency range of 50Hz to 60Hz.
- An IEC socket is located at the rear of the unit. Please use an IEC plug compliant cable to feed power to the
 unit. Luminex recommends the use of a power cable, fitted with a locking mechanism to ensure a reliable
 connection to the device. Luminex also recommends to use power cable in accordance with the standards and
 the relevant authorities of your country.
- WARNING: TO ENSURE A TOTAL PROTECTION, THIS EQUIPMENT MUST BE EARTHED !!!
- Connect the power cable to the device, and connect the other side of the cable to the mains. It will take around 20 seconds for the switch to boot up. You'll then be able to use it.

Specifications

Powe	rInput	Physical	
Power Input	100-240VAC - 50/60Hz 0.3A - 0.125A 1.8A - 0.75A with PoE Option	Enclosure	Metal Housing
Backup Power Input	15VDC / 2A on Molex Micro- Fit 6 pin connector	Dimensions (W x D x H)	482 x 204,3 x 44 mm 19" x 8.04" x 1.73"
Backup PoE Input	48VDC / 2.1A on Molex Micro-Fit 6 pin connector	Packaging	520 x 235 x 50 mm 20.47" x 9.25" x 1.96"
Power Consumption	Maximum 30W Maximum 180W with PoE option	Weight	2.5Kg
Fuse	3.15A 250V Slow Blow	Approvals	
Environmental		CE	✓
Operating Temperature	0 to + 50°C	EN 55103-1	✓
Storage temperature	-10 to +70°C	EN 55103-2	✓
Llumiditu	5 to 95 % RH	EN 60950-1	✓
Humidity		RoHS Compliance	✓

Luminex LCE operates a policy of continuous development. Luminex LCE reserves the right to make changes and improvements to any of the products described in this document above without prior notice. Specifications are subject to change without notice.

Connection to the web interface


- · Connect a computer to the switch
- · Set an IP address in the same range as the switch IP address.
- Default GigaCore IP address is displayed at the rear of the unit. Set your computer with a compliant IP address (do not use the same IP address!)
- · Launch your favorite web browser
- Type the IP address of the switch in the address field.
- Enter admin in the login field. Leave the password field blank.

Additional documentation

All additional documentation can be downloaded from our web pages in the support section: http://www.luminex.be Support

- Berkenlaan 8A 3940 Hechtel Eksel Belgium
- tel: +32 11 812 189
 - info@luminex.Be
 - www.luminex.be

Documents / Resources



References

User Manual

Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.