

LUMINKEY80 Mechanical Keyboard



LUMINKEY80 Mechanical Keyboard User Manual


[Home](#) » [LUMINKEY](#) » LUMINKEY80 Mechanical Keyboard User Manual 

Contents

- 1 LUMINKEY80 Mechanical Keyboard
- 2 Product Information
- 3 Product Usage Instructions
- 4 Introduction of Use
- 5 Warranty Policy
- 6 FCC
- 7 Documents / Resources
 - 7.1 References
- 8 Related Posts



LUMINKEY80 Mechanical Keyboard



Product Information

Specifications:

- **Model:** XYZ-2000
- **Power:** 120V, 60Hz
- **Dimensions:** 10in x 8in x 6in
- **Weight:** 5 lbs

Product Usage Instructions

Unboxing and Setup:

When you first receive your XYZ-2000, carefully unbox it and check for any visible damages. Place the product on a stable surface and ensure it is connected to a power source with the provided power cord.

Powering On:

Press the power button located on the front panel to turn on the XYZ-2000. Wait for the indicator light to show that the device is powered and ready for use.

Operating Modes:

The XYZ-2000 has multiple operating modes such as standard, eco, and turbo. Use the mode selector switch to choose the desired mode based on your requirements.

Settings Adjustment:

You can adjust the settings like temperature, speed, and timer using the control panel provided. Refer to the user manual for detailed instructions on setting adjustments.

Maintenance:

Regularly clean the XYZ-2000 according to the maintenance instructions provided in the manual to ensure optimal performance and longevity of the product.

Frequently Asked Questions (FAQ)


- **Q: How often should I clean the filters?**

A: It is recommended to clean the filters every month to maintain the efficiency of the XYZ-2000.

- **Q: Can I use the product for outdoor purposes?**

A: No, the XYZ-2000 is designed for indoor use only and should not be used outdoors.

Introduction of Use



- **Power Switch:**


Pull off the keycaps of the right Shift key to see the power switch.

- **ESC Key RGB Lighting Effect:**



Could be customized the RGB lighting effect through VIA (Default RGB gradient effect).

- **Switch to Win/Mac Layout:**



Press to switch Win/Mac Layout. In Mac Layout, the light will remain on continuously.


- **Switch Mode:**



Press to switch mode: Wireless Model (1 1 BT1 2 BT2 3 BT3 lights will up), 2.4G Mode(4 4 2.4G

light will up), Wired Model(5 5 USB light will up).

- **Switch Wireless Device:**



In wireless mode, press to switch device. (1 BT1 2 BT2 3 BT3 corresponding to three devices)

- **Factory Reset:**



Press and hold for three seconds to reset, all lights will flash three times.

Scan the QR Code to check User Manual, Assembly Guide, VIA Guide:



Warranty Policy

Please contact customer service via Email: director@luminkey.com with this card and provide PCB information to obtain PCB warranty service within one year from the corresponding date. (Only PCB covered by the warranty).



FCC

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.


The device has been evaluated to meet general RF exposure requirements. The device can be used in portable exposure condition without restriction

MADE IN CHINA

Website: www.luminkey.com

Email: director@luminkey.com

Documents / Resources

	<p>LUMINKEY LUMINKEY80 Mechanical Keyboard [pdf] User Manual 2BC9Z-LUMINKEY80, 2BC9ZLUMINKEY80, luminkey80, LUMINKEY80 Mechanical Keyboard, LUMINKEY80, Mechanical Keyboard, Keyboard</p>
---	---

References

- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.