

**LUMINTOP**  
**W1 LED Multi Light**  
**Source Flashlight**



# LUMINTOP W1 LED Multi Light Source Flashlight User Manual

[Home](#) » [LUMINTOP](#) » LUMINTOP W1 LED Multi Light Source Flashlight User Manual 

## Contents

- [1 LUMINTOP W1 LED Multi Light Source Flashlight](#)
- [2 Specifications](#)
- [3 FEATURES](#)
- [4 Operation Instruction](#)
- [5 Multi-protection Functions](#)
- [6 Warranty](#)
- [7 Documents / Resources](#)
  - [7.1 References](#)

**LUMINTOP**

## LUMINTOP W1 LED Multi Light Source Flashlight




## Specifications

Feature	Details
Output	– 8 LM (100H) – Flood light, low intensity
	– 100 LM – High intensity
	– 300 LM (3H) – Spotlight mode
	– 400-300 LM – Combo mode, 10H runtime
	– 700-400 LM – Flood/spot mode, 3M runtime
	– Red Light SOS: 80 LM (4H / 8H)
Runtime	– Up to 100 hours on low settings
	– 5M + 3H for combined spotlight mode
	– 2M + 1H30M for high-intensity mode
Distance	– Beam range: 300m (max)
	– Peak beam intensity: 22,500cd
Intensity Modes	– Flood light, Spotlight, Combo, Strobe
Impact Resistance	– 1m drop
Waterproof	– IPX8, usable underwater up to 2m
Light Source	– Luminus SFT12 LED + COB Red & White LED
Power	– 15W (max)
Battery Type	– 1 x 18650 Li-ion, max length 66.5mm
Size	– 30 x 24 x 118mm
Net Weight	– About 85g (battery excluded)

**Notice:** The above approximate data are lab-tested by using a 18650 Li-ion battery which may vary due to the difference between the environment and batteries. The runtime on High, Spolt light, and combo are accumulated due to the over-heat protection settings.

## FEATURES



## Operation Instruction

- **ON/ OFF:** Click to turn on the memoized mode, and another click to turn the lamp off.
- **Output change:** Press and hold the switch from ON (flood light Low, High).
- **Spot and flood light shifting:** Two clicks (spotlight – flood light High).
- **Strobe:** Three clicks (spotlight only).
- **Combo:** Four clicks (spotlight with flood light High)
- **Red light:** Press and hold the switch from OFF to enter the red light, continue to press and hold the switch will circle the modes (red SOS-flood light Eco-red light constant on), and release the switch to select the mode.
- **Battery indicator:** continuously 7 clicks the switch from OFF will turn ON or OFF the battery indicator. The color green means the battery is at a sufficient level, and the color red means a lack of power.

## USB-C Charging

Built-in with an internal waterproof type-c charging port. The indicator blinks while the lamp is undercharging, and turns constantly on after it's fully charged.

## Low Power Reminder

When the battery voltage is low, the switch indicator will turn to color red. In this case, please replace or recharge the battery in time.

## Multi-protection Functions

- **Over-heat protection:** When the temperature is too high, the flashlight will automatically decrease the output to ensure comfortable use.

- **Low voltage protection:** When the battery voltage is too low, the flashlight will automatically decrease the output until it shuts down to prevent over-discharge of the battery.
- **Reverse polarity protection:** To prevent the battery from being installed in reverse and causing short circuits damage to the flashlight.

## Safety and Warning

1. No disassembly, heating above 100°C, or burning.
2. Choking hazard, contains small parts, not for children, and keep away from children.
3. Prohibit shots into the eyes which may hurt and damage the eyesight.
4. If the flashlight will not be used for an extended period, please remove the battery to prevent leakage that could damage the flashlight.

## Warranty

1. **30 days of purchase:** Free repair or replacement with manufacturing defects.
2. **5 years of purchase:** Lumintop will repair the products free of charge within 5 years of purchase (products with built-in battery 2 years, charger, battery 1 year) if problems develop with normal use.
3. **Lifetime warranty:** If repair is required after the guaranty period, we'll charge for parts accordingly.
4. This warranty does not cover normal wear and tear, improper maintenance, abuse, force majeure damage, or defaults by human factors.

## EU/REP

- EUBRIDGE ADVISORY GMBH
- Virginia Str. 2 35510 Butzbach, Germany 49-68196989045
- [eubridge@outlook.com](mailto:eubridge@outlook.com)

## UK|REP

- WSJ Product LTD
- Unit 1 Alsop Arcade L3 5TX brownlowhill Liverpool, United Kingdom
- [info02@wsj-product.com](mailto:info02@wsj-product.com)
- +004407825478124




## Made in China

Implementation standards: GB/T35590-2017

## LUMINTOP TECHNOLOGY CO., LTD

- **Address:** 11th Floor, Block B, Fuchang Industrial Park, No.2 Chengxin Road, Longgang District, Shenzhen, China
- **Web:** [www.lumintop.com](http://www.lumintop.com)
- **Tel:** +86-755-88838666
- **E-mail:** [service@lumintop.com](mailto:service@lumintop.com)

## Documents / Resources

	<b><a href="#">LUMINTOP W1 LED Multi Light Source Flashlight</a></b> [pdf] User Manual W1 LED Multi Light Source Flashlight, W1 LED, Multi Light Source Flashlight, Light Source Flashlight, Source Flashlight, Flashlight
---	---

## References

- [User Manual](#)

### Manuals+ Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.