



W1 LEP and Flood Flashlight



LUMINTOP W1 LEP and Flood Flashlight User Manual

[Home](#) » [LUMINTOP](#) » LUMINTOP W1 LEP and Flood Flashlight User Manual 

Contents

- 1 LUMINTOP W1 LEP and Flood Flashlight
- 2 Specification
- 3 Operation Instruction
- 4 USB-C Charging
- 5 Multi-protection Functions
- 6 Safety and Warning
- 7 Contact
- 8 Documents / Resources
 - 8.1 References




LUMINTOP W1 LEP and Flood Flashlight



Specification

	Flood light					Red LighU	
Output	Eco	Low	High	Spotlight	Combo	sos	Strobe
	SLM	100LM	400LM	300 LM	600 LM	80 LM	300 LM
Runtime	100H	10H	5M+3H	3M+2H	3M+ 1H30M	4H/8H	3H
Distance	650m (max)						
Intensity	105750cd (max)						
Impact Resistant	1m						
Waterproof	IP68, underwater 2m						
Light Source	White laser emitter + COB LED						
Power	15W (max)						
Battery	1 X 18650 Li-ion, max length 66.5mm						
Size	30 x 24 x 118mm						
Net Weight	About 98g (battery excluded)						

Notice: The above approximate data are lab-tested by using a 18650 Li-ion battery which may vary due to the difference between the environment and batteries. The runtime on High, Spolt light, and combo are accumulated due to the over-heat protection settings.



Operation Instruction

- **ON/ OFF:** Click to turn on the memorized mode, and another click to turn the lamp off.
- **Output change:** Press and hold the switch from flood light (flood light Low, High).
- **Spot and flood light shifting:** Two clicks (spotlight – flood light High).
- **Strobe:** Three clicks (spotlight only).
- **Combo:** Four clicks (spotlight with flood light High)
- **Red light:** Press and hold the switch from OFF to enter the red light, continue to press and hold the switch will circle the modes (red SOS-flood light Eco-red light constant on), and release the switch to select the mode.
- **Battery indicator:** continuously, 7 clicks the switch from OFF will turn ON or OFF the battery indicator. The color green means the battery is at a sufficient level, and the color red means a lack of power.

USB-C Charging

Built-in with an internal waterproof type-c charging port. While the lamp is undercharging, the indicator blinks and turns constantly on after it's fully charged.

Low Power Reminder

When the battery voltage is low, the switch indicator will turn to color red. In this case, please replace or recharge the battery in time.

Multi-protection Functions

Over-heat protection: When the temperature is too high, the flashlight will automatically decrease the output to ensure comfortable use.

Low voltage protection: When the battery voltage is too low, the flashlight will automatically decrease the output until it shuts down to prevent over-discharge of the battery.

Reverse polarity protection: To prevent the battery from being installed in reverse and causing short circuits, damage to the flashlight.

Safety and Warning

1. No disassembly, heating above 100°C, or burning.
2. Choking hazard, contains small parts, not for children, and keep away from children.
3. Prohibit shots into the eyes, which may hurt and damage the eyesight.
4. If the flashlight will not be used for an extended period, please remove the battery to prevent leakage that could damage the flashlight.

Warranty

1. 30 days of purchase: Free repair or replacement with manufacturing defects.
2. 5 years of purchase: Lumintop will repair the products free of charge within 5 years of purchase (products with built-in battery 2 years, charger, battery 1 year) if problems develop with normal use.
3. Lifetime warranty: If repair is required after the guaranty period, we' ll charge for parts accordingly.
4. This warranty does not cover normal wear and tear, improper maintenance, abuse, force majeure damage, or defaults by human factors.

Contact

EU REP

- EUBRIDGE ADVISORY GMBH
- Virginia Str. 2 35510 Butzbach, Germany
- 49-68196989045
- eubridge@outlook.com

UK REP

- WSJ Product LTD
- Unit 1 Alsop Arcade L3 5TX
- Brownlow Hill, Liverpool, United Kingdom
- info02@wsj-product.com
- +004407825478124


Made in China

- Implementation standards: GB/T35590-2017
- LUMINTOP TECHNOLOGY CO., LTD
- Address: 11th Floor, Block B, Tianhengda Industrial Park,

- No.2 Chengxin Road, Longgang District, Shenzhen, China
- Web: www.lumintop.com
- Tel: +86-755-88838666
- E-mail: service@lumintop.com



Documents / Resources



[LUMINTOP W1 LEP and Flood Flashlight](#) [pdf] User Manual

W1, W1 LEP and Flood Flashlight, W1, LEP and Flood Flashlight, Flood Flashlight, Flashlight

References

- [User Manual](#)

Manuals+ Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.