Manuals+ — User Manuals Simplified.

LUMUX WS500 Surface Wall Mounted Units

LUMUX WS500 Surface Wall Mounted Units Instruction Manual

Contents

LUMUX

LUMUX WS500 Surface Wall Mounted Units

Product Information

Specifications:

- Model: WS700, WS800, WS500 Surface Wall Mounted units
- Manufacturer: LUMUX – ARCHITECTURAL LIGHTING COMPANY
- LED Module
- Toll-Free Customer Support: 877-895-5552
- Website: **www.lumux.net**

Product Usage Instructions

Preparing the Luminaire:
Before installation, make sure to prepare the luminaire following these steps:

1. Read and understand all instructions provided in the manual.
2. If you are not familiar with the National Electrical Code (NEC), contact a qualified electrician for installation.

LED Module:
To re-lamp, replace parts, or obtain additional information regarding the LED module, contact the manufacturer:

- LUMUX – ARCHITECTURAL LIGHTING COMPANY
- Toll-Free: 877-895-5552
- Website: **www.lumux.net**

FAQ

Q: Where can I find replacement parts for the luminaire?
A: For replacement parts or additional information, contact the manufacturer at the provided toll-free number or visit their website.

Q: Can I install the luminaire myself if I am not familiar with the NEC?
A: It is recommended to contact a qualified electrician for installation if you are not familiar with the National Electrical Code.

INSTALLATION OPERATION INSTRUCTIONS

PREPARING THE LUMINAIRE

For all WS700, WS800 & WS500 Surface Wall Mounted units

READ AND UNDERSTAND ALL INSTRUCTIONS BEFORE INSTALLATION. IF YOU ARE NOT FAMILIAR WITH THE NATIONAL ELECTRICAL CODE (NEC), CONTACT A QUALIFIED ELECTRICIAN TO INSTALL THIS LUMINAIRE.

1. WARNING – Before starting the installation, disconnect the power by turning off the circuit breaker or removing the fuse at the fuse box. Turning the power off using the light switch is not sufficient to prevent electrical shock.
2. If you are replacing an existing fixture, disconnect and remove the old fixture.
   Expose the supply wiring from the Outlet-Box.
3. Fasten the Universal Mounting Strap (provided) to the Oulet-Box using the two Screws, (by others) as shown in

figure below.

4. Make electrical connections: Connect grounding wire (green or bare copper) from the supply circuit to the bare copper wire from the fixture. Connect the white wire from the fixture to the white wire of the supply circuit. Connect the black wire from the fixture to the black wire of the supply circuit. Use U.L. Listed wire connectors (by others). Secure wire connectors with U.L. Listed electrical tape (by others).

5. Place the Fixture against mounting surface allowing the two machine screws to pass through the holes of the Fixture Housing. Fasten it with the Mounting nuts (provided).

6. Install the lamp(s) (by others) Do Not Exceed Recommended Wattage.

7. Install Fixture Trim with the four Mounting Screws (provided) as shown in figure below.

IMPORTANT: In order to comply with established electrical code, the installer must seal the area around the Fixture Base and the Wall, with type of caulking compound such as GE 100% or Dow Corning 100% silicone to provide a watertight seal in accordance with the differing surface textures of the wall.


NOTE:
To re-lamp, replacement parts or additional information,contact or visit manufacturer at **www.lumux.net**

LUMUX – ARCHITECTURAL LIGHTING COMPANY- Toll Free 877-895-5552 **www.Lumux.net**

Documents / Resources

LUMUX WS500 Surface Wall Mounted Units [pdf] Instruction Manual
WS500 Surface Wall Mounted Units, WS500, Surface Wall Mounted Units, Wall Mounted Units, Mounted Units, Units

References

- **❶ Lumux Lighting**
- **User Manual**