

CHAPTER 6

INTERNAL OPTIONS

This chapter covers internal options that can be added to the TW7000. They are generally factory installed. If added in the field, installation requires a #2 Phillips-head screwdriver and a board puller included in the following maintenance kits.

- 7000EXT extender kit
- TW7000TK tool kit

Internal Option	Part Number	See Page
Additional Channel	7000ACH	6-2
ALE	7000ALE	6-3
Clock	7000CLK	6-19
Data Interface RS422/423/485	7000RS	6-20
Encryption	7000ENCR	6-21
FSK Remote Control	7000RF	6-21
High Stability	7000HS	6-34
ISDN Remote Control	7000RI	6-42
Narrowband CW Filter	7000CW	6-55
Noise Blanker	7000NB	6-56
Recorder	7000RCDR	6-62
Selcall, Transcall and TransAdapt	7000TC	6-63
Voice Enhancement Module	7000VEM	6-64
Wideband Data Filter	7000WB1	6-64

For information on changing the on or off status of these options, refer to the TW7000-MSOP operator manual.

CHAPTER 6 INTERNAL OPTIONS

This chapter covers internal options that can be added to the TW-1000. They are generally factory-installed. If added in the field, installation requires a 25-pin male and receiver and a board holder included in the following maintenance kit:

1000B XT receiver kit

1000B XT receiver kit

6-1	Internal Option
6-2	Internal Option
6-3	Internal Option
6-4	Internal Option
6-5	Internal Option
6-6	Internal Option
6-7	Internal Option
6-8	Internal Option
6-9	Internal Option
6-10	Internal Option
6-11	Internal Option
6-12	Internal Option
6-13	Internal Option
6-14	Internal Option
6-15	Internal Option
6-16	Internal Option
6-17	Internal Option
6-18	Internal Option
6-19	Internal Option
6-20	Internal Option
6-21	Internal Option
6-22	Internal Option
6-23	Internal Option
6-24	Internal Option
6-25	Internal Option
6-26	Internal Option
6-27	Internal Option
6-28	Internal Option
6-29	Internal Option
6-30	Internal Option
6-31	Internal Option
6-32	Internal Option
6-33	Internal Option
6-34	Internal Option
6-35	Internal Option
6-36	Internal Option
6-37	Internal Option
6-38	Internal Option
6-39	Internal Option
6-40	Internal Option
6-41	Internal Option
6-42	Internal Option
6-43	Internal Option
6-44	Internal Option
6-45	Internal Option
6-46	Internal Option
6-47	Internal Option
6-48	Internal Option
6-49	Internal Option
6-50	Internal Option
6-51	Internal Option
6-52	Internal Option
6-53	Internal Option
6-54	Internal Option
6-55	Internal Option
6-56	Internal Option
6-57	Internal Option
6-58	Internal Option
6-59	Internal Option
6-60	Internal Option
6-61	Internal Option
6-62	Internal Option
6-63	Internal Option
6-64	Internal Option
6-65	Internal Option
6-66	Internal Option
6-67	Internal Option
6-68	Internal Option
6-69	Internal Option
6-70	Internal Option
6-71	Internal Option
6-72	Internal Option
6-73	Internal Option
6-74	Internal Option
6-75	Internal Option
6-76	Internal Option
6-77	Internal Option
6-78	Internal Option
6-79	Internal Option
6-80	Internal Option
6-81	Internal Option
6-82	Internal Option
6-83	Internal Option
6-84	Internal Option
6-85	Internal Option
6-86	Internal Option
6-87	Internal Option
6-88	Internal Option
6-89	Internal Option
6-90	Internal Option
6-91	Internal Option
6-92	Internal Option
6-93	Internal Option
6-94	Internal Option
6-95	Internal Option
6-96	Internal Option
6-97	Internal Option
6-98	Internal Option
6-99	Internal Option
6-100	Internal Option

This Page Intentionally Left Blank

The following table shows the on/off status of these options after the TW-1000 is powered up.

6.13 Voice Enhancement Option (7000VEM)

This option provides superior voice recognition and signal-quality improvement in noisy environments.

To install this option:

1. Turn the TW7000 off and remove the top cover.
2. Remove the board hold-down bars.
3. Install the VEM board into the OPT1 slot.
4. Replace the cover.

