

76cm Series 11 Integrated Column Freezer, Ice

Series 11 | Integrated

Panel Ready | Right Hinge



<p>Install it separately or pair with another Column for true design freedom – this model is right hinge with stainless steel interior.</p>

- ActiveSmart™ technology helps keep food fresher for longer by constantly maintaining the ideal temperature.
- Variable Temperature Zone lets you change a compartment to Freeze, Soft Freeze or Deep Freeze for optimal storage
- Internal ice maker with boost for busy times

- Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory

DIMENSIONS

Height	2134 mm
Width	756 mm
Depth	610 mm



FEATURES & BENEFITS

Mix & Match

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customise to match your own kitchen cabinetry.

Perfect Fit

These models fit flush, with only 3mm gaps around them and no visible hinges or grilles. Our Integrated Column models can be seamlessly hidden behind your cabinetry, or you can purchase our stainless steel door panel.

Clever Energy

Our ActiveSmart™ Foodcare Refrigerator Freezers adapt to daily use by cooling and defrosting only when needed. This means your fridge uses the energy it needs without compromising on food care.

Appealing illumination

Bright LEDs light up each ceiling, shelves, bins and trays in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

Design Quality

The premium design and quality finish includes a steel interior lining as well as full-extension metal shelf runners for easy access, and robust glass shelving.

Easy Install

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

SPECIFICATIONS

Accessories (included)

Joiner kit	AJ-RS21LR
------------	-----------

Accessories (sold separately)

Door panel stainless steel Left hinge 762mm	RD7621L10D	LED side lighting	•	Noise emissions	42 dBA
Door panel stainless steel Right hinge 762mm	RD7621R10D	Smart appliance	•	Noise emissions class	D
Handle kit Classic	AHCLRDSF	SmartTouch interface at counter height	•	Sabbath mode	•
Handle kit Contemporary round, aluminium	AHSRDSF			Variable food modes	Soft freeze; Freeze; Deep Freeze
Handle kit Contemporary square fine, aluminium	AHD5RDSF	Freezer Features		Variable temperature zones	2
Handle kit Contemporary square fine, black	AHD5RDSFB	Automatic ice maker	•		
Joiner Kit	AJ-RS21LR	Bottle chill	•	Power requirements	
Toe kick stainless steel 1372mm	AKRS13710	Door alarm	•	Rated current	10 A
Toe kick stainless steel 1524mm	AKRS15210	Fast freeze	•	Supply frequency	50 Hz
Toe kick stainless steel 762mm	AKRS7610	Freezer bins	4	Supply voltage	220 - 240 V
		Ice Boost	•		
		LED bin lighting	•		
		LED ceiling lighting	•	Product dimensions	
		LED side lighting	•	Depth	610 mm
		SmartTouch interface at counter height	•	Height	2134 mm
				Width	756 mm
Capacity		Installation Dimensions		Product information	
Total gross capacity	477 L	Cabinetry height with included trim kit	2134 mm	Packaged weight	156 kg
Volume freezer	442 L	Minimum inside width of cabinetry frame	762 mm	Unpackaged weight	133 kg
		Minimum internal depth of cabinetry	635 mm		
		Minimum internal height of cabinetry	2134 mm		
				Warranty	
Consumption		Performance		Parts and labour	5 years
Energy rating	E	ActiveSmart™ Foodcare	•	Sealed system parts only	5 years
Energy usage	307kWh/year	Adaptive defrost	•		
In-use energy carbon emissions estimate	59.6kgCO2e/year	Dual evaporator	•		
		Frost free	•		
		Inverter controlled compressor	•	SKU	26674
Features					
Adjustable door shelves	4				
Adjustable glass cantilevered shelves	•				
Adjustable glass shelves	3				
Door alarm	•				
LED bin lighting	•				
LED ceiling lighting	•				

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

- [↓](#) 2D-DWG Integrated Refrigeration - K05 Hinge
- [↓](#) 2D-DWG Integrated Column Freezer - Hinge
- [↓](#) 2D-DWG Integrated Column Freezer
- [↓](#) 2D-DWG Integrated Column Freezer - Panel Prep
- [↓](#) 2D-DXF Integrated Refrigeration - K05 Hinge
- [↓](#) 2D-DXF Integrated Column Freezer - Hinge
- [↓](#) 2D-DXF Integrated Column Freezer
- [↓](#) 2D-DXF Integrated Column Freezer - Panel Prep
- [↓](#) Energy Label Integrated Column Freezer
- [↓](#) Service & Warranty
- [↓](#) Water Filter Replacement Instructions - Parts 847200 and 847201 - EN
- [↓](#) Installation Guide Integrated Column Refrigerator
- [↓](#) Planning Guide (English)
- [↓](#) Revit 20 Freezer
- [↓](#) Rhino 6 Freezer
- [↓](#) SketchUp Freezer
- [↓](#) User Guide Integrated Refrigerator Freezer EN
- [↓](#) Product Information Sheet

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support
 T 08000 886 605 [Wwww.fisherpaykel.com](http://www.fisherpaykel.com)