

**GAMENOTE**  
CREATE FOR GAME

**HAVIT** |   
**2022 PRODUCTS BROCHUER**

# HAVIT

## CONTACT US

Europe&Africa&Asia:havit01@havit.com.cn

North&South America&Asia:havit03@havit.com.cn

### Guangzhou Havit Technology Company Limited

Add:Rm.1305-1308,Unit2,Block C.No.1000 Xingang East Rd.Haizhu District,510600,Guangzhou,China

TEL:+86-20-66820255/66820256 FAX:+86-20-66856369

### Factory:Dongguan Harmony Electronic Technology Company Limited

Add:Shuibei Industrial Zone,Hongyun Road,Shuibei Industrial Park,shipai Town,Dongguan, Guangdong,China



WWW.HAVIT.HK

# GAMING PRODUCT STRUCTURE

GAMING HEADPHONE

GAMING KEYBOARD

GAMING MOUSE

GAMING SPEAKER

GAMING COOLING PAD

GAMING MOUSEPAD

GAMING MIC

GAMING EARPLUGS

GAMING HOLDER

GAMING CHAIR

PC KEYBOARD

PC MOUSE

PC WEBCAM





CAT EARS HEADPHONES  
ACCESSORIES



HEADPHONE HOLDER



FULL-AUTOMATIC UMBRELLA



VACUUM FLASK

# GAMING BILL OF MATERIALS



CAP



T-SHIRT



DISPLAY STAND



GAMING SERIES  
POLISHING CLOTH



SACHEL



BACKPACK



# PINK ТАВОО

PINK GAME PRODUCT SERIES



## H2233d

### Product Information

Speaker :  $\Phi 50\text{mm}$   
 Impedance :  $20\pm 15\%\Omega$   
 Sensitivity :  $100\text{dB}\pm 3\text{dB}$   
 Frequency Response : 20hz to 20k hz  
 Microphone :  $\Phi 4.0*1.5\text{mm}$   
 Microphone Sensitivity :  $-38\text{dB}\pm 3\text{dB}$   
 Cord Length : 2.2m  
 Plug : 3.5mm+USB



## SK202

### Product Information

Output Power :  $5\text{W}*2(\text{RMS})$   
 Impedance :  $3\Omega$   
 Power Input : DC 5V  
 Driver Size : 2.5inch\*2  
 Frequency : 100Hz-20KHz  
 Size : 179\*87\*122mm

## MS1026

### Product Information

Interface Type : USB  
 Size : 130\*66\*40mm  
 Key number : 7  
 Resolution : 800-1600-2400-3200-4800-6400DPI  
 Operating Voltage :  $5\text{V}\pm 10\%$   
 Key Life : 5,000,000times  
 Cable Length : 1500mm



## MP847

### Product Information

Type : Mouse Pad  
 Physical Dimensions:  
 700\*300\*3mm  
 Material :  
 Mercerized tarpaulin



## KB871L

### Product Information

Interface Type : USB  
 Size : 444\*138\*40mm  
 Key Number : 104  
 Operating Voltage :  $5\pm 0.25\text{V}$   
 Operating Current : 160mA  
 Key Life : 50,000,000 times  
 Cable Length : 1600mm



## GC932

### Product Information

Iron Frame : 1.2mm thickness  
 Material : Normal Sponge + shaping sponge, PVC leather, Nylon feet  
 Armrest : 2D lift armrest  
 Angle adjuster/back lever: 166 adjuster  
 Gas rod : Level 3  
 Chassis : 19#Mechanism  
 N.W. : 18kg-20.5kg  
 Cushion Size : width40cm, depth55cm



## KB867CM

### Product Information

Interface Type : USB Type-C  
Size : 291\*102\*40mm  
Key number : 61  
Operating Voltage : 5±0.5V  
Operating Current : 260mA  
Key Life : 50,000,000 times  
Cable length : 1.5m

Interface Type : USB  
Size : 123\*64\*39mm  
Key Number : 6  
Resolution : 800-1200-1600-2400-4000-7200DPI  
Operating Voltage : 5V  
Key Life : 5,000,000 times  
Cable Length : 1.6m



## MS959

### Product Information

Interface Type : USB  
Size : 128\*72\*41mm  
Key Number : 8  
Chip : PAW3327  
Resolution : 1200-2400-4800-6200-8000-12000DPI  
Voltage : 5V  
Current : 150mA  
Key Life : 10,000,000 times  
Cable Length : 1.6m

## H2035U

### Product Information

Speaker : Φ50mm  
Impedance : 32±15%Ω  
Sensitivity : 99dB±3dB  
Frequency Response : 20hz to 20khz  
Microphone : Φ4.0\*1.5mm  
Operating Current : ≤135mA  
Cord Length : 2.2m  
Plug : 7.1 usb plug



## MP847

### Product Information

Type : Mouse Pad  
Physical Dimensions:  
700\*300\*3mm  
Material :  
Mercerized tarpaulin



# FASHIONABLE GAMING HEADPHONE SERIES



THE EVOLUTION OF HAVIT



## Fuxi-H1

### Product Information

Speaker :  $\Phi 40\text{mm}$   
 Impedance :  $17\pm 15\%\Omega$   
 Sensitivity :  $106\pm 3\text{dB}$   
 Frequency Response : 20hz to 20khz  
 Microphone :  $\Phi 6.0\times 2.7\text{mm}$   
 Microphone Sensitivity :  $-42\pm 2\text{dB}$   
 Wireless Distance : 10m  
 Plug : 2.4GHz+Bluetooth+plug cable  
 Lithium Battery : 400mAh 3.7V  
 2.4G Working Hours : 20 hours  
 Bluetooth Working Hours : 25 hours  
 Charging Time : about 2H  
 Charging Method : (Type-C) USB 5V  
 2.4GLow latency 24MS



## H2002G

### Product Information

Speaker :  $\Phi 53\text{mm}$   
 Impedance :  $64\pm 15\%\Omega$   
 Sensitivity :  $113\pm 3\text{dB}$   
 Frequency Response : 20hz to 20khz  
 Microphone :  $\Phi 6.0\times 2.7\text{mm}$   
 Microphone Sensitivity :  $-42\pm 3\text{dB}$   
 Wireless Distance : 10m  
 Wireless Technology : 2.4GHz  
 Lithium Battery : 1200mAh

## Fuxi-H2

### Product Information

Speaker :  $\Phi 40\text{mm}$   
 Impedance :  $17\pm 15\%\Omega$   
 Sensitivity :  $106\pm 3\text{dB}$   
 Frequency Response : 20hz to 20khz  
 Microphone :  $\Phi 6.0\times 2.7\text{mm}$   
 Microphone Sensitivity :  $-42\pm 2\text{dB}$   
 Wireless Distance : 10m  
 Plug : 2.4GHz+Bluetooth+plug cable  
 Lithium Battery : 400mAh 3.7V  
 2.4G Working Hours : 20 hours  
 Bluetooth Working Hours : 25 hours  
 Charging Time : about 2H  
 Charging Method : (Type-C) USB 5V  
 2.4GLow latency 24MS



## H2015G

### Product Information

Speaker :  $\Phi 50\text{mm}$   
 Impedance :  $24\pm 15\%\Omega$   
 Sensitivity :  $114\pm 3\text{dB}$   
 Frequency Response : 20hz to 20khz  
 Microphone :  $\Phi 6.0\times 2.2\text{mm}$   
 Microphone Sensitivity :  $-40\pm 3\text{dB}$   
 Wireless Distance : 10m  
 Wireless Technology : 2.4GHz  
 Lithium Battery : 1000mAh





## H2030C

### Product Information

Speaker :  $\Phi 50\text{mm}$   
 Impedance :  $24 \pm 15\% \Omega$   
 Sensitivity :  $114\text{dB} \pm 3\text{dB}$   
 Frequency Response : 20 hz to 20khz  
 Microphone :  $\Phi 6.0 \times 2.7\text{mm}$   
 Microphone Sensitivity :  $-42 \pm 3\text{dB}$   
 Cord Length : 2.1m  
 Plug : 1X3.5mm



## H2002S

### Product Information

Specification Speaker :  $\Phi 50\text{ mm}$   
 Impedance :  $64 \pm 15\% \Omega$   
 Sensitivity :  $115\text{dB} \pm 3\text{dB}$   
 Frequency Response : 20hz to 20khz  
 Microphone :  $\Phi 6.0 \times 2.7\text{mm}$   
 Microphone Sensitivity :  $-42 \pm 3\text{dB}$   
 Cord Length :  $2.0\text{m} \pm 10\%$   
 Plug : 1X3.5MM  
**Compatible with PS4.XBOX**  
**Detachable microphone**

## H2030S

### Product Information

Specification Speaker :  $\Phi 50\text{ mm}$   
 Impedance :  $24 \pm 15\% \Omega$   
 Sensitivity :  $116\text{dB} \pm 3\text{dB}$   
 Frequency Response : 20hz to 20khz  
 Microphone :  $\Phi 6.0 \times 2.7\text{mm}$   
 Microphone Sensitivity :  $-42 \pm 3\text{dB}$   
 Cord Length :  $1.7\text{m} \pm 10\%$   
 Plug : 1X3.5MM  
**Detachable microphone**



## H2002d

### Product Information

Specification Speaker :  $\Phi 53\text{ mm}$   
 Impedance :  $64 \pm 15\% \Omega$   
 Sensitivity :  $110\text{dB} \pm 3\text{dB}$   
 Frequency Response : 20hz to 20khz  
 Microphone :  $\Phi 6.0 \times 2.7\text{mm}$   
 Microphone Sensitivity :  $-42 \pm 3\text{dB}$   
 Cord Length :  $2.0\text{m} \pm 10\%$   
 Plug : 1X3.5MM  
**Compatible with PS4.XBOX**  
**composite membrane**  
**Detachable microphone**



## H2030d

### Product Information

Specification Speaker :  $\Phi 50\text{ mm}$   
 Impedance :  $32 \pm 15\% \Omega$   
 Sensitivity :  $115\text{dB} \pm 3\text{dB}$   
 Frequency Response : 20hz to 20khz  
 Microphone :  $\Phi 6.0 \times 2.7\text{mm}$   
 Microphone Sensitivity :  $-42 \pm 3\text{dB}$   
 Cord Length :  $2.0\text{m} \pm 10\%$   
 Plug : 1X3.5MM  
**Compatible with PS4.XBOX**  
**Detachable microphone**



## H2002C

### Product Information

Speaker :  $\Phi 53\text{mm}$   
 Impedance :  $64 \pm 15\% \Omega$   
 Sensitivity :  $110\text{dB} \pm 3\text{dB}$   
 Frequency Response : 20 hz to 20khz  
 Microphone :  $\Phi 6.0 \times 2.7\text{mm}$   
 Microphone sensitivity :  $-42 \pm 3\text{dB}$   
 Cord Length : 1.7m  
 Plug : 1X3.5mm  
**Compatible with PS4.XBOX**  
**composite membrane**  
**Detachable microphone**



## H2010d

### Product Information

Specification Speaker :  $\Phi 50$  mm  
 Impedance :  $32 \pm 15\% \Omega$   
 Sensitivity :  $112 \text{ dB} \pm 3 \text{ dB}$   
 Frequency Response : 20hz to 20khz  
 Microphone :  $\Phi 6.0 \times 2.7 \text{ mm}$   
 Microphone Sensitivity :  $-42 \pm 3 \text{ dB}$   
 Cord Length :  $2.1 \text{ m} \pm 10\%$   
 Plug : 1X3.5MM

Compatible with PS4.XBOX  
 Detachable microphone

## H2002P

### Product Information

Specification Speaker :  $\Phi 50$  mm  
 Impedance :  $64 \pm 15\% \Omega$   
 Sensitivity :  $98 \text{ dB} \pm 3 \text{ dB}$   
 Frequency Response : 20hz to 20khz  
 Microphone :  $\Phi 6.0 \times 2.7 \text{ mm}$   
 Microphone Sensitivity :  $-42 \pm 3 \text{ dB}$   
 Cord Length :  $2.1 \text{ m} \pm 10\%$   
 Plug : 7.1 usb plug

Cool RGB streamer  
 lighting effect.



## H2008d

### Product Information

Specification Speaker :  $\Phi 50$  mm  
 Impedance :  $64 \pm 15\% \Omega$   
 Sensitivity :  $115 \text{ dB} \pm 3 \text{ dB}$   
 Frequency Response : 20hz to 20khz  
 Microphone :  $\Phi 6.0 \times 2.7 \text{ mm}$   
 Microphone Sensitivity :  $-42 \pm 3 \text{ dB}$   
 Cord Length : 2.0m  
 Plug : 1X3.5MM  
 Detachable microphone



# RGB GAMING HEADPHONE



## H2035U

### Product Information

Speaker :  $\Phi 50\text{mm}$   
 Impedance :  $32\pm 15\%\Omega$   
 Sensitivity :  $99\text{dB}\pm 3\text{dB}$   
 Frequency Response : 20hz to 20khz  
 Microphone :  $\Phi 4.0\times 1.5\text{mm}$   
 Operating Current :  $\leq 135\text{mA}$   
 Cord Length : 2.2m  
 Plug : 7.1 usb plug



## H2233d

### Product Information

Speaker:  $\Phi 50\text{mm}$   
 Impedance:  $20\pm 15\%\Omega$   
 Sensitivity:  $100\text{dB}\pm 3\text{dB}$   
 Frequency Response: 20hz to 20k hz  
 Microphone:  $\Phi 4.0\times 1.5\text{mm}$   
 Microphone sensitivity:  $-38\text{dB}\pm 3\text{dB}$   
 Cord Length: 2.2m  
 Plug: 3.5mm+USB

## H2018U

### Product Information

Speaker :  $\Phi 50\text{mm}$   
 Impedance :  $16\pm 15\%\Omega$   
 Sensitivity :  $106\text{dB}\pm 3\text{dB}$   
 Frequency Response : 20hz to 20k hz  
 Microphone :  $\Phi 4.0\times 1.5\text{mm}$   
 Operating Current :  $\leq 165\text{mA}$   
 Cord Length : 2.2m  
 Plug : 7.1 usb plug



## H2013d

### Product Information

Speaker :  $\Phi 50\text{mm}$   
 Impedance :  $20\pm 15\%\Omega$   
 Sensitivity :  $106\text{dB}\pm 3\text{dB}$   
 Frequency Response: 20hz to 20k hz  
 Microphone :  $\Phi 6.0\times 5.0\text{mm}$   
 Microphone Sensitivity :  $-42\text{dB}\pm 3\text{dB}$   
 Cord Length :  $2.0\text{m}\pm 0.1\text{m}$   
 Plug : 2X3.5MM+USB (1X3.5MM)



## H2036d

### Product Information

Specification Speaker :  $\Phi 50\text{ mm}$   
 Impedance :  $16\pm 15\%\Omega$   
 Sensitivity :  $118\text{dB} \pm 3\text{dB}$   
 Frequency Response : 20Hz-20KHz  
 Microphone :  $\Phi 6.0\times 2.2\text{mm}$   
 Cord Length :  $2.1\text{m}\pm 10\%$   
 Plug : 2X3.5mm+USB(1X3.5mm)



## HV-H2232d

### Product Information

Speaker :  $\Phi 50\text{mm}$   
 Impedance :  $21\pm 15\%\Omega$   
 Sensitivity :  $109\text{dB}\pm 3\text{dB}$   
 Frequency Response : 20hz to 20k hz  
 Microphone :  $\Phi 4.0\times 1.5\text{mm}$   
 Cord Length : 2.2m  
 Plug : 2X3.5MM+USB

# RGB MULTI-FUNCTION BACKLIT GAMING KEYBOARD

GASKET STRUCTURE / ALL KEY ROLL-OVER



# GAMING KEYBOARD

## KB885L

### Product Information

Interface Type : USB  
Size : 386.6\*139.9\*44.8mm  
Key Number : 95  
Operating Voltage : 5V  
Operating Current : ≤350mA  
Key Life : 50,000,000 times  
Cable Length : 1800mm



## KB884L

### Product Information

Interface Type : USB  
Size : 329.5\*139.9\*44.8mm  
Key Number : 81  
Operating Voltage : 5V  
Operating Current : ≤350mA  
Key Life : 50,000,000 times  
Cable Length : 1800mm



## KB881L

(Subsidence keys)

### Product Information

Interface Type : USB  
Size : 312×103×40mm  
Key Number : 68  
Operating Voltage : 5V  
Operating Current : ≤180mA  
Key Life : 8,000,000 times  
Cable Length : 1600mm



## KB870L

(Suspension keys)

### Product Information

Interface Type : USB  
Size : 443.5×162.5×37mm  
Key Number : 104  
Operating Voltage : 5V±0.25V  
Operating Current : ≤300mA  
Key Life : 20,000,000 times  
Cable Length : 1500mm



## KB877L

(Subsidence keys)

### Product Information

Interface Type : USB-TYPEC  
Switch : Outemu Red Switch  
Size : 291×102×40mm  
Key Number : 61  
Operating Voltage : 5V  
Operating Current : 300mA  
Key Life : 50,000,000 times  
Cable length : 1600mm



## KB392L

(Suspension Keys)

### Product Information

Interface Type : USB  
Size : 450×151×37mm  
Key Number : 104  
Operating Voltage : 5.0±0.5V  
Operating Current : 260mA (MAX)  
Key Life : 10,000,000 times  
Cable Length : 1600mm



## KB883L

### Product Information

Interface Type : USB-TYPEC  
Size : 290×101×38mm  
Key Number : 61  
Operating Voltage : 5.0±0.5V  
Operating Current : 300mA  
Key Life : 8,000,000 times  
Cable Length : 1500mm



## KB886L

### Product Information

Interface Type : USB  
Size : 372×151×36mm  
Key Number : 89  
Operating Voltage : 5V±5V  
Operating Current : ≤150mA  
Key Life : 8,000,000 times  
Cable Length : 1800mm



## KB876L

### Product Information

Interface Type : USB  
Size : 443\*141\*30mm  
Key Number : 104  
Operating Voltage : 5V  
Operating Current : ≤115mA  
Key Life : 8,000,000 times  
Cable Length : 1500mm



## KB866L

### Product Information

Interface Type : USB  
Size : 462\*147\*29mm  
Key Number : 104  
Operating Voltage : 5V  
Operating Current : ≤300mA  
Key Life : 5,000,000 times  
Cable Length : 1400mm



## KB488L

### Product Information

Interface Type : USB  
Size : 439\*203\*26mm  
Key Number : 108  
Operating Voltage : 5V  
Operating Current : ≤300mA  
Key Life : 5,000,000 times  
Cable Length : 1500mm



## KB868CM(4NI1)

### Product Information

#### Mouse

Size : 130\*66\*40mm  
Key Number : 7  
Resolution : 1000-1600-3200-6400DPI  
Operating Voltage : 5V±10%  
Key life : 5,000,000times  
Cable Length : 1500mm

#### Mousepad

284\*245\*3mm  
Fine Mesh Cloth



#### Keyboard

Interface Type : USB  
Size : 462\*147\*29mm  
Key Number : 104  
Operating Voltage : 5V  
Operating Current : ≤300mA  
Key Life : 5,000,000 times  
Cable Length : 1400mm  
19 anti-ghosting key

#### Headphone

Speaker : 40mm  
Impedance : 32±15%Ω  
Sensitivity : 105dB±3 dB  
Frequency Response : 20 hz to 20khz  
Microphone : 6\*5.0mm  
Cord Length : 1.8m±10%  
Plug : 3.5 mm

## KB501CM(4NI1)

### Product Information

#### Mouse

Size : 117\*64\*38.6mm  
Key Number : 6  
Resolution : 1200-1800-2400-3600DPI  
Operating Voltage : 5V  
Key life : 3,000,000times  
Cable Length : 1500mm

#### Mousepad

250\*210\*2mm  
Serging rubber and cloth



#### Keyboard

Interface Type : USB  
Size : 493\*202\*40mm  
Key Number : 114  
Operating Voltage : 5V  
Operating Current : 100mA  
Key Life : 5,000,000 times  
Cable Length : 1500mm  
19 anti-ghosting key

#### Headphone

Speaker : 40mm  
Impedance : 32Ω±10%Ω  
Sensitivity : 108dB±3 dB  
Frequency Response : 20 hz to 20khz  
Microphone : 6\*5.0mm  
Cord Length : 1.8m  
Plug : 3.5 mm



# RGB BACKLIT PROGRAMMABLE GAMING MOUSE

## MS959W

### Product Information

Connection : Wired+2.4G  
Wireless Distance : 10m  
Size : 128\*72\*41mm  
Key Number : 8  
Chip : PAW3325  
Resolution : 1200-2400-  
3200-4800-7200-10000DPI  
Operating Voltage : 5V/3.7V  
Capacity : 600mAh  
Key Life : 20,000,000 times  
Cable Length : 1.6m



## MS954W

### Product Information

Connection : Wired+2.4G  
Wireless Distance : 10m  
Size : 125\*65\*36mm  
Key Number : 8  
Chip : PAW3325  
Resolution : 1000-2400-  
3600-5000-7000-10000DPI  
Operating Voltage : 5V  
Capacity : 400mAh  
Key Life : 10,000,000 times  
Cable Length : 1.6m



## MS960W

### Product Information

Connection : Wired+2.4G  
Wireless Distance : 10m  
Size : 127\*66\*38mm  
Key Number : 8  
Chip : PAW3325  
Resolution : 1000-2400-  
3600-5000-7000-10000DPI  
Operating Voltage : 5V  
Capacity : 400mAh  
Key Life : 10,000,000 times  
Cable Length : 1.6m



## MS920

### Product Information

Interface Type : USB  
Size : 125\*63\*41mm  
Key Number : 7  
Chip : PAW3327  
Resolution : 1000-2400-  
4800-6400-10000-12000DPI  
Operating Voltage : 5V  
Operating Capacity : 150mA  
Key Life : 20,000,000 times  
Cable Length : 1.8m



## MS961

### Product Information

Interface Type : USB  
Size : 126\*63\*40mm  
Key Number : 6  
Chip : PAW3327  
Resolution : 1200-2400-  
4800-6200-8000-12000DPI  
Operating Voltage : 5V  
Operating Capacity : 100mA  
Key Life : 20,000,000 times  
Cable Length : 1.6m



## MS962

### Product Information

Interface Type : USB  
Size : 116\*79\*50mm  
Key Number : 8  
Chip : PAW3327  
Resolution : 1200-2400-  
4800-6400-10000-12000DPI  
Operating Voltage : 5V  
Operating Capacity : 100mA  
Key Life : 10,000,000 times  
Cable Length : 1.8m



## MS1028

### Product Information

Interface Type : USB  
Size : 125\*71\*41mm  
Chip : A725F  
Key Number : 6  
Resolution : 1200-1800-  
2400-3200-4800-7200DPI  
Operating Voltage : 5V  
Key Life : 3,000,000 times  
Cable Length : 1.5m

## MS959

### Product Information

Interface Type : USB  
Size : 128\*72\*41mm  
Key Number : 8  
Chip : PAW3327  
Resolution : 1200-2400-  
4800-6200-8000-12000DPI  
Operating Voltage : 5V  
Operating Capacity : 150mA  
Key Life : 10,000,000 times  
Cable Length : 1.6m



## MS1030

### Product Information

Connection : USB  
Size : 127\*67\*40mm  
Key Number : 8  
Chip : A825F  
Resolution : 800-1200-  
2400-4800-7200-12800DPI  
Operating Voltage : 5V  
Operating Capacity : 200mA  
Key Life : 10,000,000 times  
Cable Length : 1.8m





# RGB LIGHT STEREO SPEAKER

## SK212

### Product Information

Output Power : 5W\*2  
 Bluetooth Version : V5.0  
 Drive Unit :  $\phi 2\text{inch} \times 2$   
 Speaker Impedance : 4 $\Omega$   
 Signal To Noise Ratio :  $\geq 75\text{dB}$   
 Power Input : DC 5V  
 Frequency : 100HZ-20KHZ  
 Supported : BT/AUX  
 Wireless Working Range : 10m  
 Material : Plastic+iron mesh  
 Plug : USB Type-C  
 Product Size : 86\*86\*165mm



## SK213

### Product Information

RMS: 3W\*2  
 Unit Size: 2.5inch\*2  
 Speaker Impedance: 4 $\Omega$ \*3W\*2  
 Signal To Noise Ratio:  $\geq 70\text{db}$   
 Power Input: DC 5V-1A  
 Working Current: 500-800mA  
 Frequency: 60Hz-20KHz  
 Material: Plastic+iron mesh  
 Plug: USB+3.5MM  
 Product Size: 98\*112\*184mm



## SK200

### Product Information

RMS: 5W\*2  
 Unit Size: 2.5inch\*2  
 Speaker Impedance: 3 $\Omega$ \*5W\*2  
 Signal To Noise Ratio:  $\geq 55\text{db} \pm 3\text{dB}$   
 Power Input: DC 5V-1A  
 Working Current: 480mA  
 Frequency: 100Hz-20KHz  
 Material: Plastic + iron mesh  
 Plug: USB+3.5MM  
 Product Size: 179\*87\*122mm  
 The lighting mode can be adjusted by the knob



# RGB-GAMING USB MIC

## INTERCHANGEABLE BRACKETS



### GK59

#### Product Information

Product Size : 142\*125\*230mm  
Net Weight: 509g  
Signal To Noise Ratio :  $\geq 18\text{dB}$   
Working Voltage : 5V  
Working Current : 50-100mA

Frequency : 50Hz-16KHz  
Material : Plastic+iron mesh  
Sound Track : Dual channel  
Multi-function Interface Includes :  
3.5mm jack and type-C

### GK53

#### Product Information

Sensitivity :  $-36\pm 3\text{db}$   
Impedance :  $2.2\text{K}\Omega$   
Frequency Response : 30hz to 16k hz  
Cord Length : 1.6m  
Operating Current : 90mA  
Directivity : Omnidirectional  
Microphone :  $\phi 6*5\text{mm}$   
Plug : 2x USB2.0 expansion ports+  
LED lamp lighting  
Product Size : 110\*110\*265mm  
Product Weight : 258g



### GK54

#### Product Information

Sensitivity :  $-36\pm 3\text{db}$   
Impedance :  $2.2\text{K}\Omega$   
Frequency Response : 30hz to 16k hz  
Cord Length : 1.6m  
Operating Current : 90mA  
Directivity : Omnidirectional  
Microphone :  $\phi 6*5\text{mm}$   
Plug : 2x USB2.0 expansion ports+  
LED lamp lighting  
Product Size : 114\*130\*272mm  
Product Weight : 300g



### GK56B

#### Product Information

Sensitivity:  $-36\text{dB}\pm 3\text{dB}$   
Impedance:  $2.2\text{K}\Omega$   
Frequency Response: 30hz to 16k hz  
Operating Current: 150mA  
Directivity: Omnidirectional  
Microphone:  $\phi 6*5\text{mm}$   
Cord Length: 1.5m  
Plug: USB



# RGB-LIGHTING GAMING MOUSEPAD

## MP909

### Product Information

Size : 350\*267\*14.5\*3.3mm  
Operating Voltage : DC 5V  
Working Current : 200mA (max)  
Cable Length : 1400mm  
Material : PC matte surface + PP  
non-slip material



## MP901

### Product Information

Size : 360\*260\*3mm  
Operating Voltage : 5V  
Operating Current: ≤180mA  
Cable length : 1800mm



## MP907

### Product Information

Size : 800\*300\*3mm  
Input : 5V/9V  
Output : 10W  
Cable Length : 1800mm



# GAMING MOUSEPAD

## MP848

### Product Information


Size : 700\*300\*3mm  
Product Weight : 400g  
Rubber And Cloth



## MP849

### Product Information

Size : 700\*300\*3mm  
Product Weight : 400g  
Rubber And Cloth



## MP845

### Product Information

Size : 700\*300\*3mm  
Product Weight : 390g  
Rubber And Cloth



## GAMING WRIST PAD

### MP852A,MP852B,MP852C

#### Product Information

Type : Wrist Pad  
Physical Dimensions :  
180\*80\*16mm/360\*80\*16mm/440\*80\*16mm  
Material : Matte fabric/PU leather



### MP853A,MP853B,MP853C

#### Product Information

Type : Wrist Pad  
Physical Dimensions :  
180\*80\*16mm/360\*80\*16mm/440\*80\*16mm  
Material : Matte fabric/PU leather



### MP854A,MP854B,MP854C

#### Product Information

Type : Wrist Pad  
Physical Dimensions :  
180\*80\*16mm/360\*80\*16mm/440\*80\*16mm  
Material : Matte fabric/PU leather



### MP855A,MP855B,MP855C

#### Product Information

Type : Wrist Pad  
Physical Dimensions :  
180\*80\*16mm/360\*80\*16mm/440\*80\*16mm  
Material : Matte fabric/PU leather



## GAMING COOLING PAD

### F2071

#### Product Information

Weight : 937g  
Product Dimension : 420\*280\*29mm  
Fan Size : 70\*70\*15mm(6PCS)  
Fan Speed : 2500 RPM±10%  
Operating Voltage : 5V  
Operating Current : 0.8A  
Power Consumption: 4W



## RGB GAMEPAD

### G180BT

#### Product Information

Bluetooth Version : 5.0+EDR  
Wireless Distance : 10m  
Size : 152\*115\*58mm  
Weight : 220g  
Li Battery : 3.7V/800mAh  
Charging Time : 2-2.5 hours  
Working Time : 5-10 hours  
Working Voltage: 5V  
Retractable Click Size :  
support 4-6 inches device  
Working Current :  
<65mA(No vibration state), <200mA(Vibration status)



## IN-EAR E-SPORTS GAMING EARPLUGS



### GE02

#### Product Information

Speaker :  $\Phi 10\text{mm}$   
Impedance :  $16\Omega \pm 15\%$   
Sensitivity :  $92\text{dB} \pm 3\text{dB}$   
Frequency Response : 20-20kHz  
Microphone : Dual microphones  
Plug : 3.5mm  
Cord Length : 1.2m  
Net weight :  $\leq 26\text{g}$

## RGB LIGHTING GAME HEADSET HOLDER



### TH650

#### Product Information

Dimensions : 270\*150\*100mm  
Net weight : 352 $\pm$ 5g  
Working Voltage : 5V  
Working Current :  $\leq 60\text{mA}$  (No backlight) ,  
 $\leq 360\text{mA}$  (brightest backlight)  
Multi-function Interface Includes : 2xUSB2.0

## GAMING CHAIR

### GC936

#### Product Information

Iron Frame : 1.2mm thickness  
Material : Density cotton (back) +  
Styling cotton (seat)  
Fabric : Semi-PU cotton Nylon feet  
Armrest: 2D lift armrest  
Angle adjuster/back lever : 510 adjuster  
Gas rod : Level 3  
Chassis : 19# Mechanism  
N.W.: 20kg-23.5kg



### GC933

#### Product Information

Iron Frame: 1.2mm thickness  
Material: original sponge (back) +  
molded sponge (seat)  
Angle adjuster / rear lever: 130 regulator  
PVC leather PU wheel  
Handrails: linkage handrails  
Gas rod: stage 3  
N.W.: 15kg-17kg



### GC939

#### Product Information

Skeleton: original new board  
Material: original sponge (back) +  
shaped sponge (seat)  
Fabric: Pu + cloth  
Armrest: integrated armrest  
Gas rod: Stage 2  
Wheel: Black PU wheel  
N.W.: 15kg-17kg



# MULTI-MEDIA KEYBOARD

## KB252

### Product Information


Interface Type : USB Type-C  
Dimension : 432\*123\*21mm  
Key Number : 108  
Operating Voltage : 5V  
Operating Current : 300mA  
Key Life : 5,000,000 times  
Cable Length: 1500mm



## KB660L

### Product Information

Interface Type : USB  
Size : 439\*132\*28mm  
Key Number : 108keys  
Key Life : 8,000,000 times  
Cable Length : 1500mm  
Operating Voltage : 5V  
Operating Current : 100mA  
Product Weight : 400g



## KB262GCM

### Product Information

Wireless technology: 2.4GHz  
Wireless distance: 10m  
Size: 118\*61\*33mm  
key number: 4  
Resolution: 1000-1200-1600DPI  
Key life: 3,000,000 times  
Power supply:1\*AA  
(Alkaline batteries are recommended)



Wireless technology: 2.4GHz  
Wireless distance: 10m  
Size: 431\*142\*22mm  
key number: 108  
Key life: 8,000,000 times  
Power supply: 2\*AAA  
(Alkaline batteries are recommended)

# 2.4G WIRELESS MOUSE

## MS78GT

### Product Information

Wireless Technology : 2.4GHz  
Wireless Distance : 10m  
Size : 110\*62\*36mm  
Key Number : 6  
Resolution : 1200-2400-3200DPI  
Key Life : 3,000,000 times  
Power Supply : 1\*AA  
(Alkaline batteries are recommended)



## MS61WB

### Product Information

Wireless Technology : 2.4GHz  
Wireless Distance : 10m  
Size : 108\*69\*34mm  
Key Number : 6  
Resolution : 1200-2000-3200DPI  
Key Life : 3,000,000 times  
Power Supply : 1\*AA  
(Alkaline batteries are recommended)



## MS64GT

### Product Information

Wireless Technology : 2.4GHz  
Wireless Distance : 10m  
Size : 110\*62\*29mm  
Key Number: 4  
Resolution : 1000-1200-1600DPI  
Key Life : 3,000,000 times  
Cable Length : 0.3m  
Lithium Battery : 500mAh



