


PJ11 Clear Breathe Neo Smart Air Purifier

User Manual



Product


Please read this manual carefully before using the product and keep it in a safe place.

Tips: The illustrations of the product, accessories, control panel, etc. in the manual are schematic diagrams for reference only. Due to product updates and upgrades


The actual product and the schematic

May be slightly different, please prevail in kind.

Packing list: product body (including aromatherapy parts), power adapter, manual.



1 Touch Control Panel




2 Sensor


3 Air outlet

4 Power Cord Interface

5 Air inlet




Touch panel



Usage

Connecting the power supply

Connect the power cord to the power connector of the main unit and turn on the power.



Tip: When using the purifier, it is recommended to close windows and doors for better purification.

Pragmatic

The purifier is powered on and enters the self-test program, all the indicator lights on the control panel flash three times and then go out, and the purifier enters the standby state.

Switch Button

Press the key, after hearing the “drop” sound, the air purifier will be turned on, and then press the power off, the power off is the red light after the power on, the default is 1 gear operation; long press for 3 seconds for the networking; long press for 3 seconds for the networking; long press for 3 seconds for the networking.
Long press for 3 seconds for networking

Fan Speed Button

When the power is on, press the key briefly to cycle through gears 1, 2, 3, 4, and auto, and the corresponding digital display will read 1, 2, 3, 4, A

Child Lock Function

Press and hold the key for 3 seconds to turn on the child lock function. When the child lock function is on, the child lock light is red. Press the key again for 3 seconds to release the child lock, and the child lock light turns white. Press and hold the key for 3 seconds to turn the child lock light to white.

Sleep Mode

Tap , 10 seconds to turn off all screen display lights off, press any key to wake up the lights. Press the sleep button again to release the sleep Press the function key to release the sleep state.

Temperature and humidity key

Tap to display temperature, then tap again to display humidity.

Night Light Sensor Function

During the day or there are lights strife light into the ordinary mode, lights out after the strife light off into sleep mode.

Timer and reset function

1-12H-Off , reach the time to shut down, multiple clicks 01H-12H-00H cycle, no operation 3 seconds back
PM2.5 display

When the filter life expires, flashing red light, long press for 5 seconds, reset button turns white light.

Power failure memory function

When power supply is restored after the purifier is disconnected, it automatically returns to the operating state before the power failure (time, child lock mode and sleep mode are not memorized).

WIFI distribution network


Turn on the cell phone WIFI and Bluetooth, long press the power on button for 3 seconds in standby mode, the indicator light blinks red, the machine enters the network status. The machine can be networked at this time. After successful networking, the indicator light will be white.

Note: If the machine does not operate the network for 2 consecutive minutes, it will exit the network mode.

Product Use APP Download

Download “Pinnacle Intelligent” APP, experience more functions of air purifier

Method: Open your phone's app store, search for “Pinnacle Intelligence”, download and install it.




Warm tips:

*After installation, please follow the guidance of the mobile APP page to complete registration, login and network allocation. Before starting, please make sure:

- . Your cell phone is connected to a WI-FI network.
- . Your router has enabled 2.4GHz band wireless signal.
- . The WI-FI indicator light on the Laser Sweeper is blinking.

Wi-Fi Status Light

	Off or about red flashing	Not connected or waiting
	red flash	Networking in progress
	White light always on	Networked, networked successfully
	go out	Internet trafficking

Tip:

If you encounter any problems during the WI-FI setup process, please refer to the “Troubleshooting > WI-FI Connection” section of this manual.

Replacement of filter cartridges


Ambient light (blue, green, orange, red) changes color according to the real-time air quality. Timer light White color means the filter element is in good condition, while red color means the filter element needs to be changed.

Refer to the diagram on the right to change the filter cartridge.

Disconnect the power and put the air purifier on the upper part, according to the calibration instructions

Rotate the lower cover counterclockwise to remove the old cartridge and replace it with a new one.

According to the direction of the lower cover, turn it clockwise and lock it.



Reset Cartridge

After replacing the cartridge, long press the set button for 5 seconds under the power-on state, the cartridge reset turns white, the cartridge reset is completed, and the reset is successful.

Basic parameters

Product Name: Air Purifier

Product Model: PJ11

Product Size: $\phi 271 \times 553\text{mm}$

Net weight: 5.0kgs

Usage area: 40m²

Noise: <57dB(A)

*Based on GB/T18801-2015 standard measurement

Particle purification efficiency: high efficiency

Formaldehyde Purification Efficiency: High Efficiency

Particle purifying air volume (PCADR) : 450m³/h

Rated voltage: DC24V 2.5A

Rated power: 50W

Names and contents of hazardous substances in products

harmful substance					
Pb	Hg	Cd	Cr(VI)	PBBs	PBDEs
X	O	O	O	O	O
X	O	O	O	O	O
O	O	O	O	O	O
O	O	O	O	O	O
O	O	O	O	O	O
O	O	O	O	O	O
<p>This table is prepared in accordance with the provisions of SJ/11364.</p> <p>O: Indicates that the content of the hazardous substance in all homogeneous materials of the component is below the limit requirement stipulated in GB/T26572.</p> <p>X: Indicates that the content of the hazardous substance in at least one homogeneous material of the component exceeds the limit requirement specified in GB/T 26572.</p> <p>Requirements.</p>					

Warranty Description

Desktop air purifier product after-sales service is strictly based on the implementation of after-sales three packages of services, services are as follows:

Warranty Policy

1. Within 7 days from the next day after you sign for the product, the product has the performance failure listed in the "Product Performance Failure Table", the after-sales service center can enjoy the return or exchange service free of charge.
Service Center, you can enjoy free return or exchange service.
2. 8-30 days from the next day after you sign for the product, the product performance failure listed in the "Product Performance Failure Table", the after-sales service center to determine, you can enjoy free return or exchange service.
Service Center to determine, can be free of charge to enjoy the exchange or repair services.
3. Within 12 months from the next day after you sign for the product, if the product has any of the performance failures listed in the Product Performance Failure Table, you can enjoy the exchange or repair service free of charge, as determined by the after-sales service center.
service center to determine, can enjoy free repair service.

Non-warranty regulations

1. unauthorized servicing, misuse, collision, neglect, abuse, fluid ingestion, accidents, alterations, improper use of non-product parts, or removal or alteration of labels or tamper-evident markings.

Or tearing or altering the label or anti-counterfeit mark.

2. It has exceeded the validity period of the three guarantees.

3. Damage caused by force majeure.

4. Failure to comply with the performance failures listed in the Product Performance Failure Table.

5. The product and its accessories are caused by human reasons to produce the performance failure listed in the Product Performance Failure Table.

Tip:

Because of the need to use the packing box to ensure the safety of product transportation during transportation, we recommend that you keep the packing box for at least 30 days from the date of signing the receipt.

Product Performance Troubleshooting

name	performance fault
Desktop Air Purifier	Failure to turn on the computer under normal use
	Indicator light is off under normal use
	Air quality indicator remains unchanged under normal use
	Key failure under normal use
	Sensor failure under normal use

Warranty

Warranty			warranty period
Desktop Air Purifier	entire machine	Parts of the machine itself (excluding major components)	one year
	Main components	Motors, integrated circuits	three years

caveat

Restrictions on use Do not use the unit under the following conditions, as electric shock, fire, and other damages may occur:

The main unit, especially the air inlet holes on the casing, must be kept away from open flame appliances such as candlesticks, incense burners, stoves, (fireplace, cigarettes, firecrackers, lighters, electronic ignition guns, igniters, fire pits, etc.). Please keep the host away from high-temperature heating appliances (such as electric heaters, heaters, foot warmers, electric stoves, electric irons, etc.), and avoid combustible materials.

Avoid combustible materials from entering the main unit.

Unstable places such as easy to dump.

Places that are hot, humid, or exposed to water, such as bathrooms.

This product is not intended for use by users (including children) with inadequate physical, sensory, mental ability, experience or knowledge.

This product is not intended for use by users (including children) with insufficient physical, sensory, mental ability, experience or knowledge, unless they are under the supervision or instruction of a person who is responsible for their safety.

Keep away from children and avoid children playing with the appliance.

Handling When moving, be sure to stop the main unit and unplug it from the power supply. If the air inlet grille on the lower cover of the filter cartridge is not installed correctly, the unit will not start.

The air inlet hole of the main unit should be at least 10cm away from the wall or other obstacles.

Clean the filter mesh frequently by sweeping the dust, hair and impurities, which will help to minimize the growth of bacteria.

When not in use for a long time, please cover the air outlet on the top of the purifier to prevent dust from falling into the top grille to keep it clean.

Power Supply Use the power cord and outlet according to the following instructions to avoid fire, electric shock or damage.

Do not pull, twist or bend the power cord excessively as this may cause the core to be exposed or broken.

A power outlet with a suitable power plug must be connected.

Be sure to use the power adapter that comes with the main unit, do not use other brands of power adapters. Before performing maintenance

Disconnect the power supply before performing maintenance or moving the air purifier.

If the power cord is damaged, it must be replaced with a special cord or with a special kit available from its manufacturer or service department.

During use If the product experiences abnormalities such as unusual noise, odor, high temperature, irregular fan rotation, etc., stop using it immediately.

Do not put fingers or foreign objects into the protective parts, removable parts, air inlet holes and air outlet.

Do not sit, lean or tilt the main unit.

When used together with household gas appliances (e.g. gas cooker, gas water heater, etc.), please ventilate the air to avoid carbon monoxide poisoning.

Do not pour liquids or throw powders and fine substances into the interior of the main unit from the air outlet.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.
- This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.