



Marketed by: KENT RO SYSTEMS LTD. E-6,7 & 8, Sector-59, Noida, U.P.-201 309, India E-mail: sales@kent.co.in

Manufactured by: SP3-871, Industrial Area Patherdi, Bhiwadi, Alwar, Rajasthan-301018, INDIA

For customer complaints, contact our Customer Care Officer at: E-6,7 & 8, Sector-59, Noida, U.P.-201 309, India. Call: 92-789-12345 E-mail: service@kent.co.in or visit us at www.kent.co.in

Made in India





SMART. SLEEK. EFFICIENT.

Instruction Manual













Plastic Insulated Handle for Safety



360° Cordless Rotation



Dear Customer,

Congratulations on your purchase and welcome to KENT!

At the outset, allow us to thank you for your trust in KENT Smart Chef Appliances. At KENT, we take pride in our reputation for quality products and industry proven performance. We are certain that you will be more than satisfied with the performance of KENT Glaze and that it will serve you and your family's need without any compromise.

This guide will help you in getting the best out of your appliance. Please go through the booklet to familiarize yourself with the operation and maintenance.

With its robust build and high quality, you can look forward to years of trouble-free service.

In case you require any further information, please contact your nearest KENT dealer or branch.

Bon Appétit!

KENT RO Systems Ltd.

TABLE OF CONTENTS

1.	Introduction	ľ
2.	Features of KENT Glaze	
3.	Know Your Product	
4.	Using KENT Glaze	
5.	Procedure for Using KENT Glaze	,
6.	Cleaning and Maintenance	
7.	Technical Specifications	4

INTRODUCTION

We, at KENT have always believed that a clean and healthy life is the right of every individual. This conviction is what made us embark on the journey to develop innovative solutions for purifying the water that we drink, vegetables and fruits that we eat, the homes we live in and the air that we breathe.

Our use of innovative technology, supported by a competent service network, has enabled us to create a brand, which has become synonymous to well-being. Continuing with the tradition, we now present the all new KENT Glaze Stainless Steel Electric Kettle, a modern day appliance for boiling water.

The KENT Electric Kettle Glaze brings to you a combination of incredible features like no other. A kettle that's sleekly stylish on the outside and superbly power-packed on the inside. Driven by superior performance, it boils water in minutes and can handle a capacity of 1.5 litres. What's even more impressive is its thoughtful automatic switch off function that takes care of your safety. Moreover, its 360° cordless rotation makes it easy to operate and its wide mouth design allows for easy cleaning. All in all, an elegant and efficient addition to your kitchen.

FEATURES OF KENT GLAZE

- 1. Electric Kettle with a 1.5 L capacity
- 2. Electric Kettle with a power of 1500 W
- 3. Super fast boiling
- 4. Plastic insulated handle for safety
- Concealed stainless steel heating plate for effective heat distribution
- 6. 360° cordless rotation of kettle body for ease of use
- 7. Stainless steel body
- 8. Automatic switch off function
- 9. Protection against overheating and dry-boiling
- 10. LED light to indicate that the device is switched on



USING KENT GLAZE

- Remove any stickers that might prevent from operating the unit.
- Check the unit for damages. Do not use in case of any damage.
- Before switching on the appliance, make sure that your home's main voltage corresponds to the unit's operating voltage.
- Clean the parts of KENT Glaze before using the appliance for the first time (see 'Cleaning & Maintenance' section).
- Make sure all parts are completely dry before you start using the appliance.
- Fill the kettle with normal water to the maximum fill mark.
 Do not overfill
- Close the lid, place the kettle over the power base and switch it on.

PROCEDURE FOR USING KENT GLAZE

- Fill the kettle with normal water to the desired level and close the lid. Do not overfill. To prevent dry boiling, please fill at least 250 ml or one cup.
- Place the kettle on the power base.
- Plug in and switch on the kettle.
- The LED will light up.
- The water will start boiling in some time. Do not open the lid while water is boiling.
- Once the water has boiled, the kettle will automatically switch off.
- If boiled water is not required immediately, you may leave the kettle on the base and bring it to boil again later.
- Always ensure to turn off the kettle before lifting the kettle.

CLEANING & MAINTENANCE

- · Unplug the kettle before cleaning it.
- Gently wipe the exterior with a moist cloth and store dry.
- If required, use a mild detergent to remove stains.
- Do not use any abrasive or solvent based cleaner.
- Never put any part of the appliance in the dishwasher.
- Do not immerse the appliance & power base in water or any other liquid.

WARRANTY CARD

Product: KENT Glaze

Product Code: 16097

Date of Purchase: Dealer Stamp:		
	Customer Details:	
Customer's Name:		
Customer's Address:		
(
	Warranty Details:	
Invoice Date:	Invoice No.:	



Marketed by: KENT RO SYSTEMS LTD.

E-6, 7 & 8, Sector-59, Noida, U.P.-201 309, India E-mail: service@kent.co.in | Website: www.kent.co.in | Customer Care: 92-789-12345

TERMS & CONDITIONS OF WARRANTY

KENT warrants all products manufactured or sold by it to be free from defects in material and workmanship under normal usage and services from the date of purchase as under:

- The Warranty period commences from the Date of Purchase by the first end-user. During this Warranty period of one year, KENT or its Authorised Service Partner (ASP) will replace or repair any part of the product that in opinion of KENT or its ASP, would be defective in operation due to faulty material or workmanship (i.e. manufacturing defects).
- The product's plastic/glass body is not covered under warranty and hence, it must be handled with care to quard against breakage.
- The original purchaser of the unit can avail services under Warranty at the point of sale, by producing the damaged part(s) along with the original invoice.
- This Warranty is void if the unit is not operated under normal conditions defined in the manual.
- Product returned to KENT or its ASP for Warranty examination must be shipped freight prepaid.
- KENT or its ASP shall not be held liable for claims exceeding the cost of repair of the defects in workmanship.
- This Warranty Agreement shall not be interpreted to render KENT or its ASP liable for injuries or damages of any kind-direct, consequential or contingent to persons or property.
- KENT or its ASP shall not be held responsible by representative or buyer for failure to abide by any of the obligations of this Warranty Agreement if such failures are the result of circumstances of Forces Majeures: such as, but not limited to, floods, earthquakes, transportation strikes, labour

- disputes with outside suppliers or any other conditions beyond the control of KENT or its ASP.
- KENT or its ASP shall not be held liable for repair or alterations made without prior written approval.
- 10. This Warranty Agreement excludes all products/ component parts or damage to any part which, in the opinion of KENT or its ASP, have been subjected to misuse; misapplication; negligence; alteration; accident or operation contrary to our instructions. Damage caused by freezing, flood, fire or Act of God is not covered by this Warranty. In all such cases regular charges will apply. This limited Warranty does not include service to diagnose a claimed malfunction in this unit.
- 11. KENT reserves the right to alter or improve design and specifications at any time, without any contingent obligations to prospective buyers or owners of the products previously sold.
- 12. Any disagreements and obligations based upon the purchase of KENT products and thereby imposed on KENT or its ASP shall be governed by and construed according to the laws of INDIA and subjects to the jurisdiction of Delhi Courts only.
- 13. KENT or its ASP assumes no Warranty liability in connection with this product other than that specified herein. This Warranty is in lieu of all other warranties, expressed or implied, including warranties of fitness for a particular purpose. KENT or its ASP does not authorize any person or representative to assume for them any other obligations on the sale of this product.
- 14. Under no circumstances, the liability of KENT or its ASP shall exceed the value of the product.
- 15. Under no circumstances are the terms mentioned above negotiable and no employee of KENT or its ASP has the authority to supersede them.

TECHNICAL SPECIFICATIONS

Product	KENT Glaze
Product Code	16097
Capacity	1.5 L
Net Weight	0.93 kg
Max Power	1500 W
Input Power Supply	Single Phase 230 V AC, 50 Hz. 🛽

