

AI Home Security Wi-Fi Camera

Tapo C125



Physical Privacy Shutter

Free Smart AI
Detection

140° Ultra-Wide
View

Discreet Night Vision
with 940nm IR LED

2K
QHD


Wi-Fi 6



// Highlights

Smart AI Detection and Notification

Smart AI identifies people, pets, and vehicles while also recognizing abnormal sounds, notifying users as needed.



// Features



2K QHD^Δ + AI Image Enhancement + HDR

Utilizing AI image enhancement technology, experience superior clarity even in low light or overexposed settings.



Physical Privacy Shutter

When enabled, maintain your privacy with the lens blocked by the privacy shutter.



Two-Way Audio

Enables communication through a built-in microphone and speaker.



Ultra-Wide 140° Field of View

Capture more views with an ultra-wide field of view.



Activity Zones

Notifies you when activity is detected in specific zones.



Discreet Night Vision with 940nm IR LED

Enjoy unobtrusive night-time monitoring of your baby or pet with the barely-noticeable, low-intensity 940nm IR LED.



Local[†] and Cloud[‡] Storage Supported

Save recorded videos on the microSD card[†] (up to 512 GB) or by using Tapo Care cloud storage services.



Customizable Alarm & Siren

Trigger the recorded audio as an alarm when motion is detected.



Magnetic Mounting


Effortlessly set up your Tapo C125 using its versatile magnetic base.

// Specifications

Camera	Image Sensor	1/2.9" Progressive Scan CMOS Starlight Sensor
	Lens	Focal Length: 2.45mm Aperture: 2.0 Field of View: 140° (Diagonal), 120° (Horizontal), 67° (Vertical)
	Night Vision	1 × 850 nm IR LED (30 ft / 10 m) 2 × 940 nm IR LED (30 ft / 10 m)
	Day/Night Switch	IR-Cut Filter with Auto-Switching
	Lighting	/
	Interface & Button	1× RESET Button 1× microSD Card Slot (Up to 512 GB)
	Hub Compatibility	/
Video & Audio	Maximum Resolution	2K QHD 4MP (2560 × 1440 px)
	Frame Rate	15/20/25/30 fps (Default 15 fps)
	Digital Zoom	12x
	Video Compression	H.264
	Live View	Yes

Video & Audio	Image Enhancement	3DNR WDR HDR
	Audio Input & Output	Built-in Microphone and Speaker
	Audio Communication	Two-Way Audio with Noise Cancellation
	Siren Volume	94 dB (Level measured at 4-inch/10-cm distance)
Storage	Local Storage	microSD Card Slot on Camera (Up to 512 GB)
	Cloud Storage	Tapo Care Cloud Storage Services (Subscription required)
Detection & Notification	Sensor	/
	AI Detection	Motion Detection Person Detection Pet Detection Vehicle Detection Line-Crossing Detection Camera Tampering Baby Crying Detection Cat Meows Detection Dog Barks Detection Glass Break Detection
	Activity Zones	Yes *Only works with Motion Detection.
	Output Notification	System Notification System Notification with Snapshot (Tapo Care Services)

Network	Network Connectivity	Connect via Wi-Fi
	Wireless Connectivity	IEEE 802.11b/g/n/ax, 2.4 GHz Wi-Fi. Bluetooth
	Transmission Rate	11b: 11 Mbps 11g: 54 Mbps 11n: 72.2 Mbps 11ax: 114.7 Mbps
	Protocol	TCP/IP, DHCP, ICMP, DNS, NTP, HTTPS, TCP, UDP
	Max. Distance Between Hub and Camera/Doorbell	/
	Ethernet Port	/
	RTSP	Yes
	ONVIF	Yes
Security	Security	On-Device Machine Learning 128-bit AES Encryption with SSL/TLS WPA/WPA2-PSK/WPA3
Power	Power Source	9V DC Power Adapter
	Input Voltage	100-240 V, 50/60 Hz
	Output Voltage	9.0 V, 0.6 A (DC Power)
	DC Power Connector Size	Inside Ø: 2.1 mm Outside Ø: 5.5 mm
	Power Cord Length	3 m

Power	Typical Power Consumption	3.6 W
	Maximum Power Consumption	5.4 W
General	Certifications	CE, NTRA, RCM, KC, FCC, NCC, BSMI, HomeKit
	Smart Integration	Google Assistant, Amazon Alexa, Apple HomeKit
	Weather Resistance	/
	System Requirements	Tapo App: iOS 9.0 or higher, Andriod 4.4 or higher
	Mounting Options	Tabletop Ceiling-Mounted
	Operating Temperature	0 °C ~ 40 °C (32 °F ~ 104 °F)
	Storage Temperature	-20 °C ~ 60 °C (-4 °F ~ 140 °F)
	Operating Humidity	10%~90% RH, Non-condensing
	Storage Humidity	5%~90% RH, Non-condensing
	Charging Temperature	\
	Mounting Screw Size	
	Dimensions	3.01 × 2.61 × 1.76 in (76.4 × 66.4 × 44.6 mm)
	Weight	3.7 oz / 104 g

General	Package Contents	Tapo C125 Camera Power Adapter Quick Start Guide Mounting Anchors Mounting Screws Mounting Template Metal Plate 3M Adhesive
-----------------------	-------------------------	---