



Under Cabinet Lighting
MONI-S Instruction

Installation instruction video

Scan to watch video




<https://www.asokohome.com/installation-video-moni-s/>

Caution:

- A. The 3M sticker is disposable, can not be peeled off to reuse.
- B. The 3M sticker cannot be used to stick on rough walls, such as brick walls, lime walls, patterned wallpaper, etc. Recommended to use on smooth surfaces such as tiles, wood panels, etc.
- C. To avoid falling, please wait for 8 hrs to let the 3M tape to stick stable, then install the light bar.

Product Structure:

MONI-S 20cm/30cm-W:




1. Recharging: Use the cable in package to charging with the USB-C port.

2. ON/Auto mode/OFF: Quick press the switch once to turn it on, then quick press again to activated the auto mode, the light will flash twice to show the auto mode is on. Press again to turn off, the light will flash once to show it is off.

3. Dimmable: Quick press the switch once to turn it on, then long press the switch to adjust the brightness.

MONI-S 20cm/30cm-3C:



1. Recharging: Use the cable in package to charging with the USB-C port.

2. ON/Auto mode/OFF: Quick press the switch once to turn it on, then quick press again to activated the auto mode, the light will flash twice to show the auto mode is on. Press again to turn off, the light will flash once to show it is off.

3. Dimmable: After turn the light on, long press the function key to adjust the brightness.

4. Light Colors: After turn the light on, quick press the function key to change the light colors as you prefer.

Product specification:

Product:	MONI-S
Model	E01 / E02
Working current	7.8inch: 300mA /11.8inch: 420mA
Power	7.8inch:1W/ 11.8inch:18W
Lumen	7.8inch: 150lm/11.8inch: 200lm
Light color	6000K & 3C:3000K/4500K/6000K
CRI	80
Material	Aluminium + PC
PIR sensor distance	120° + 10ft
Certification	FCC
Average Lifetime	40,000 hrs

Cautions:

1.Motion sensor: The motion sensor device of the light may be affected by changes in the external environment. Do NOT use it in any environment with strong electromagnetic interference.

2.Working mode: The light will auto illuminate for 25s when someone walks by then get out in dark, the sensing distance is 10ft and range of 120° in auto mode.

3.Rechargeable: With fast-charging USB-C port, the light can be fully charged in 3 to 4 hours. Please use the cable in the package for charging, and do NOT use the light when charging to avoid any damage to the light.

4.Battery: Batteries included. Do not throw the product into the fire, or exposed to the sun. Do not use it if any leaking liquid found. Do not throw it into water.

5.Recommended environment: Recommended use temperature is 14-122°F, do NOT use the lights in a humid or high-temperature environment to avoid short-circuiting.

Warning:

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) this device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.

Jiangmen Oulang Lighting Co., Ltd.

Card 01, 3 / F, building 2, No. 29, Minghui Road, Jianghai District, Jiangmen City

Copyright © 2021 by HK Yeezen Lighting co.,ltd

Company sales service: support@asokoled.com





Simple Light, Simple Life.

Who We Are:

ASOKO is a brand established on 2017 by two young girls who wanted to make led cabinet lights can be simply installed and used for every body.

We embrace the concept of good design should never be complicated.

No matter you are children,elders,women or men, you can always find a led light in ASOKO to make your life simpler and easier.

Life should be more simple with more happiness.