









## cobieduo\*+

### ITEM #

Combination Bluetooth® Speaker, Power & Alarm Bluetooth® Music Play Through Simple Single Day Alarm Clock Qi Fastcharge Wireless Charging 2 USB-A Charging Ports **USB Optimized for Tablet Charging** Right Angle Pass-Through Plug Available with 110V and 220-240V Plugs (EU, UK) Auto-Update for Daylight Saving Time Display Dimmer - 3 Levels and Off 12/24 Hour Switch Security C-Clamp Included 6' Power Cord ETL Listed to UL Standards **Passed Spill Test** Dimensions: 5.5" X 5.5" X 3.25"



## cobieblue 200

### ITEM # BPEBL2

Combination Bluetooth® Speaker, Power & Alarm

Bluetooth® Music Play Through

Simple Single Day Alarm Clock

2 Tamper-Resistant 110V Outlets

1 USB-A Charging Port

1 USB-C Charging Port

**USB** Optimized for Tablet Charging

**Surge Protection** 

Right Angle Pass-Through Plug

Auto-Update for Daylight Saving Time

Display Dimmer - 3 Levels and Off

6' Power Cord

Security C-Clamp Included

ETL Listed to UL Standards

Passed Spill Test to UL Standards

Dimensions: 4.5" X 4.5" X 4.5"





cobieblue @

white

### ITEM # BPEBL2W

Combination Bluetooth® Speaker, Power & Alarm Bluetooth® Music Play Through Simple Single Day Alarm Clock 2 Tamper-Resistant 110V Outlets 1 USB-A Charging Port 1 USB-C Charging Port **USB Optimized for Tablet Charging Surge Protection** Right Angle Pass-Through Plug Auto-Update for Daylight Saving Time Display Dimmer - 3 Levels and Off 6' Power Cord Security C-Clamp Included ETL Listed to UL Standards Passed Spill Test to UL Standards Dimensions: 4.5" X 4.5" X 4.5"









#### ITEM # BPECT2

Simple Single Day Alarm Clock

2 Tamper-Resistant 110V Power Outlets

1 USB-A Charging Port

1 USB-C Charging Port

Surge Protection

Right Angle Pass-Through Plug

USB Optimized for Tablet Charging

Auto-Update for Daylight Saving Time

Display Dimmer - 3 Levels and Off

6' Power Cord

Security C-Clamp Included

ETL Listed to UL Standards

Passed Spill Test to UL Standards

Dimensions: 4.5" X 4.5" X 1.75"

cobiewink®200

### ITEM # BPECW2

Simple Single Day Alarm Clock

1 USB-A Charging Port

1 USB-C Charging Port

USB Optimized for Tablet Charging

12/24 Hour Switch

Available with 110V and 220-240V Plugs (EU, UK)

Display Dimmer - 3 Levels and Off

6' Power Cord

Security C-Clamp Included

Safety Tested

ETL Listed to UL Standards, CE Certified

Passed Spill Test to UL Standards Dimensions: 4.0" X 4.0" X 1.75"





### ITEM # BPEVA

Tabletop Wireless Charger
2 Tamper-Resistant 110V Power Outle
2 USB Charging Ports
Qi Fast Charge Wireless Charging
Right Angle Pass-Through Plug
6' Power Cord
ETL Listed to UL Standards
Security C-Clamp Included
Dimensions: 4.50" X 4.50" X 1.75"









### ITEM # BPECM2

Compact Design

2 Tamper-Resistant 110V Power Outlets

1 USB-C Charging Port

1 USB-A Charging Port

Surge Protection

Right Angle Pass-Through Plug

**USB** Optimized for Tablet Charging

Silver Faceplate Included

Security C-Clamp Included

ETL Listed to UL Standards

Passed Spill Test to UL Standards

6' Power Cord

Dimensions: 5.0" X 2.25" X 2.0"

## cöbiemini® 200



### ITEM # BPECM2W

2 Tamper-Resistant 110V Power Outlets
1 USB-C Charging Port

1- USB-A Charging Port

Surge Protection Right Angle Pass-Through Plug USB Optimized for Tablet Charging Security C-Clamp Included ETL Listed to UL Standards Passed Spill Test to UL Standards 6' Power Cord

Dimensions: 5.0" X 2.25" X 2.0"









## cöbiedash®





### ITEM # BPECD

Upright Desktop Power
3 110V Power Outlets
2 USB Charging Ports
USB Optimized for Tablet Charging
Surge Protection

Circuit Breaker
Mounting Hardware Provided
6' Power Cord
Silver Decorative Faceplate Included
ETL Listed to UL Standards
Passed UL Spill Test
Dimensions: 6.5"W X 2.75"D X 3.25"H



## **brand**stand®

BSP12

Effective Cable Management Solution Minimal Set-Up 10' Cat 5e Ethernet Cable Steel Base in Black

Self-Retracting Cable Weight Full Color Custom Printed Graphic Insert Security Clipped Cable Convenient Guest Access P-Clamp to Secure Cable

### The Brandstand Difference

### **Liquid Spill Testing**

Although Brandstand's Cubie products are not required to pass a UL liquid spill test, Brandstand goes above and beyond by developing products with additional safety margin.

For enhanced safety, the Cubie Product Line was designed for and successfully passed a UL spill test conducted by our ETL testing lab. This test involves directly pouring a 1-liter water and salt solution through the 110V plugs and USB. The units were then tested for dielectric conductivity on the surface of the unit. Additionally, the unit was required to perform to specification after the test was conducted. All products passed this testing without failure.

### **Surge Protection**

All Brandstand Cubie products are tested to the UL 1449 Surge Protection Devices Standard, as well as UL962A for Furniture Power Distribution Units.

#### Qi Wireless Power

Brandstand is a member of the Wireless Power Consortium.

### Pass-Through Power Plug

The pass-through power plug allows another device (i.e. lamp or alarm clock) to be plugged into the same wall outlet used by the Cubie Product.



### **Tamper Resistant Outlets**

Our mission is to manufacture durable, safe and user-friendly products for the hotel guest room. We continually strive to improve our product line for the latest technology and safety standards.

In an effort to exceed current safety standards, CubieBlue, CubieTime, CubieTrio, CubieTrio+, CubieVia, CubieMod, Cubie-Pod, CubieFlip and CubieDash include Tamper Resistant Outlets.

### Cycle Testing

Brandstand's lab conducted cycle testing on the 110V and USB connections.

The 110V outlets successfully passed 20,000 plug insertion and removal cycles without failure and before exhibiting pull force below specifications (>36 lbs)

The USB connector specification states that the USB connections are rated for 1,500 (one thousand five hundred) insertions without failure. Brandstand's test lab successfully conducted 15,000 (fifteen thousand) insertion cycles without failure.

# BRAND STAND®

1219 Digital Drive, Suite 100 Richardson, TX 75081

> www.brandstand.com sales@brandstand.com

Phone 972.388.1450 Fax 972.783.9722

**Power & Charging Products** 





