#### **5075M Utility Tractor**

**Equipment for Base Machine** 

75 Engine Horsepower @ 2200 rpm\* 60 PTO Horsepower @ 2100 RPM\* 2.9L 3 Cylinder Turbocharged John Deere PowerTech Diesel Engine EPA Final Tier 4 Emissions Compliant Dry Type Air Cleaner with Safety Element Cold Start Aid - Glow Plugs Water Separator Bowl Anti-Freeze Hand and Foot Throttle Key Engine Shut Off Fan Finger Guard TRANSMISSION: EH Differential Lock Integrated Park Position Neutral Start Safety Switch Wet Traction Clutch REAR AXLE: Flanged Rear Axle Planetary Final Drives FRONT AXLE: Planetary Final Drives STEERING AND BRAKES: Hydrostatic Power Steering Hydraulic Wet Disk Brakes Self-Equalizing and Self-Adjusting HYDRAULICS: Open Center Hydraulic System Tandem Gear Pump 24.7 gpm (94 lpm) Maximum Total Flow -Steering Pump 6.3 gpm (24 lpm) Implement Pump 18.4 gpm (70 lpm) POWER TAKE-OFF SHAFT: Independent "Live" 540 rpm Rear PTO Shaft @ 2100 Engine rpm Economy PTO Setting for 540 PTO rpm @ 1645 Engine Electrohydraulic PTO Engagement Wet PTO Clutch Operator Presence Safety Warning - PTO Safety Start Switch

ENGINE:

Flip Up PTO Shield ROCKSHAFT, HITCH AND DRAWBAR: 65-mm Lift Cylinders Standard Adjustable Straight Drawbar Telescoping Draft Links with Category II Balls Lower Link Draft Sensing INSTRUMENTATION: Electric Fuel Gauge Flashing Warning Lamp High Beam Indicator Light Service Transmission Indicator PTO Speed Indicator/Roll Mode Neutral Indicator (PR Only) Tachometer/Hour Meter Engine Oil Pressure Hydraulic Temperature Indicator Coolant Temperature Gauge Alternator Indicator Light Air Restriction Indicator Light Exhaust Filter Cleaning Switch Roll Mode for Instrument Cluster PTO Engagement Indicator Light ELECTRICAL: 12-Volt Electrical System One Battery - 925 CCA\*\* with 180 Minute Reserve Capacity 7-Pin ASAE Outlet Socket LIGHTS: Two Front Halogen Headlights Two Turn/Warning Lights Dual Tail Lights MISCELLANEOUS: Slow-moving vehicle (SMV) Emblem Toolbox Manufacturer's Rating \*\* Cold Cranking Amps

			List Price
	Attachment		Suggested
Code	Identifier	Description	USD (\$)

#### Select One Code From Each Required Category

#### **BASE MACHINE**

191DLV	5075M Utility Tractor	54,747.00
	DESTINATION	
0203	Puerto Rico	Same Price
024H	US Minor Outlying Islands	Same Price
020A	US Virgin Islands	Same Price
0207	Saint Pierre and Miquelon	Same Price

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		DESTINATIONContinued	
0240		<b>Asia</b> American Samoa	Same Price
0245		Guam	Same Price
0202		North America United States	In Base Price
0184		Canada	Same Price
0205		French Quebec	Same Price
		OPERATOR'S MANUAL	
0409		ENGLISH	In Base Price
0413		FRENCH	Same Price
0437		SPANISH	Same Price
		TRANSMISSION	
1362		12F/4R SyncShuttle Plus (30k) Requires Option Code 2010 (Standard OOS) or 2055 (Standard Cab). Requires Option Code 4010 (Mechanical rear hitch)	-3,095.00
1380		16F/16R PowrReverser	In Base Price
1390		32F/16R PowrReverser Hi-Lo (40k) Requires Option Code 6040 (MFWD). Requires Option Code 4030 (ElectroHydraulic (EH) rear hitch). Not compatible with Option Code 2010 (Standard OOS).	1,696.00
1394		32F/16R PowrReverser Hi-Lo (40k) with Creeper Requires Option Code 6040 (MFWD). Requires Option Code 4030 (ElectroHydraulic (EH) rear hitch). Not compatible with Option Code 2010 (Standard OOS).	4,341.00
		OPERATOR'S STATION	
2005		Premium Isolated Open Operator Station Includes all features of Standard Isolated Open Operator Station plus: Fender Extensions with Front Work Lights Requires Option Code 4030 (ElectroHydraulic (EH) rear hitch) 29 U.S. Gallon (111 L) Fuel Tank Capacity	511.00
2010		Standard Isolated Open Operator Station Isolated Open Operator Station with Flat Floor Standard Floor mat Tilt and Telescoping Steering Column 2-Post Isolated Foldable Roll-Over Protection Structure (ROPS) Plexiglass Debris/Air Deflector with Grab Handles Speedometer Deluxe Seat with Swivel, Armrests, and Retractable Seat Belt Beverage Holder Two Rear Work Lights	In Base Price

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		OPERATOR'S STATIONContinued Flashing Warning Lights Dual Taillights 29 U.S. Gallon (111 L) Fuel Tank Capacity Requires Option Code 4010 (Mechanical rear hitch)	
2055		Standard Cab Deluxe Isolated Cab with Flat Floor Tilt and Telescopic Steering Column Left and Right Side Doors with Steps Air Conditioning and Heater Speedometer Beverage Holder Sunvisor for Front Window 2-Speed Front Windshield Wiper and Washer Two Front/Two Rear Roof-Mounted Work Lights Two Front/Two Rear Roof-Mounted Warning Lights Two Fender-Mounted Taillights Convenience Power Outlet Monitor Mounting Bosses (2 Sets) Swing-Out Rear Window with Two Removable Rear Plugs for Monitor Right-Hand Console Light Radio Preparation (with speakers, wiring) Rear window grab handle Bluetooth Ready 36 U.S. Gallon (139 L) Fuel Tank Capacity 29 U.S. Gallon (111 L) Fuel Tank Capacity (High Crop Cab models) Requires Option Code 3025 (Deluxe Corner Post Exhaust).	11,769.00
2060		Premium Cab Includes Premium package, all features of Standard Cab plus: Load View Window (Sunroof) with Shade Front Sunshade Factory Installed Radio (Bluetooth and Satellite Capable) Rear Window Wiper Radio Antenna Additional Defrost Louvers Requires PowrReverser Transmission (1380, 1382, 1390 or 1394) Requires Option Code 3025 (Deluxe Corner Post Exhaust). Requires Option Code 4030 (ElectroHydraulic (EH) rear hitch) Requires Option code 6040 (MFWD)	13,442.00
2065		Narrow Cab Includes all features of Standard Cab plus High Capacity Fuel Tank 42 U.S. Gallon (161 L) Fuel Tank Capacity Requires Option Code 3025 or 3010 (Deluxe Corner Post Exhaust or Horizontal Side Exhaust)	12,719.00
		MIRRORS	
2511		Mirror Telescopic LH & RH Available on Cab Tractors only	305.00
2500		Less Rear View Mirrors Available on Cab Tractors only	In Base Price
		SEAT	
2100		Mechanical Suspension seat	In Base Price
2120		Air Suspension seat	849.00

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
2121		SEATContinued Premium Air Suspension Seat Includes heater and low frequency air suspension. Available on Cab Tractors only.	1,353.00
		CAB INSTRUCTIONAL SEAT	
2400		Less Instructional Seat	In Base Price
2410		Instructional Seat with Seat-belt Available on Cab Tractors only.	559.00
		EXHAUST	
3010		Horizontal Side Exhaust	472.00
3020		Vertical Exhaust Available on Open Operator Station Tractors Only.	In Base Price
3025		Corner Post Deluxe Exhaust Available on Cab Tractors Only.	603.00
		SELECTIVE CONTROL VALVES	
3325		2 Mechanical Stackable Rear SCV	In Base Price
3326		3 Mechanical Stackable Rear SCV	886.00
		MID SELECTIVE CONTROL VALVES	
3400		Less Mid SCVs Requires Code 4010 (Mechanical Rear Hitch Controls)	-967.00
3420		2 Stackable Mid SCVs with Mechanical Joystick control	In Base Price
3430		3 Stackable Mid SCVs with Mechanical Joystick Control	774.00
		REAR POWER TAKE-OFF (PTO)	
3820		Two Speed PTO - 540/540E	In Base Price
		HITCH CONTROLS	
4010		Mechanical Rear Hitch Control Not compatible with Code 2005 or 2065 (Premium Open Operator Station or Premium Cab)	In Base Price
4030		Electronic Hitch Control with Remote Control on LH Fender Not compatible with Code 2010 (Standard Open Operator Station)	475.00
		DRAFT LINK	
4110		Telescoping Draft Links with Ball End - Cat.2	In Base Price
		CENTER LINK	
4210		Mechanical Center Link with Ball Ends - Cat. 2	In Base Price

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		CENTER LINKContinued	
		STABILIZER	
4420		LH & RH Stabilizer Bar	In Base Price
		LIFT LINK	
4160		LH Only Adjustment Lift Link Right Hand side is Fixed.	In Base Price
		FRONT AXLE	
6020		2WD Front Axle Requires Code 1362 or 1380 (12F/4R SyncShuttle Plus or 16F/16R PowrReverser)	-6,879.00
6040		MFWD Front Axle	In Base Price
		REAR WHEELS AND TIRES	
5103		22.5LL-16.1 In. 6PR R3 (Turf Special) Bias 2WD Requires Code 6103 or 6113.  MFWD Requires Code 6123.	-1,446.00
5121		16.9-30 6PR R1 Bias 2WD Requires Code 6112 or 6113 (Firestone) MFWD Requires Code 6111 (Goodyear)	-2,083.00
5133		460/85R30 (18.4R30) R1W Radial 2WD Requires Code 6112 (Firestone) MFWD Requires Code 6203 (Firestone)	In Base Price
5141		380/85R38 (15.5R38) 125A8 R1W Radial Requires Code 6210 (Firestone)	-1,207.00
5151		230/95R48 134A8 R1W Radial Requires Code 6131 (Kleber) for High Clearance Applications.	224.00
5155		320/85R36 (12.4R36) R1W Radial Requires Code 6180 (Michelin)	-812.00
5180		420/85R30 (16.9R30) R1W Radial Requires Code 6200 (Michelin).	-85.00
5191		460/85R34 (18.4R34) R1W Radial Requires Code 6210 or 6120 (Michelin).	200.00
5192		19.5L-24 In. 10PR R4 Bias 2WD Requires Code 6113 (Firestone). Requires Code 6133 (Goodyear).	-2,106.00
5202		420/85R34 (16.9R34) R1W Radial Requires Code 6210 (Michelin).	-142.00
5203		480/70R34 R1W Radial Requires Code 6211 (Michelin)	889.00
5205		23.1-26 8PR R3 2WD Requires Code 6103 or 6113 (Titan). MFWD Requires Code 6214 (Titan).	-860.00

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		REAR WHEELS AND TIRESContinued	
		REAR TIRE BRAND PREFERENCE	
5999		No Rear Tire Brand Preference	In Base Price
		FRONT WHEELS AND TIRES	
		See Loader Section of the Sales Manual for Front Tire/Loader compatibility information.	
6103		27/12LL-15 In. 6PR R3 (Turf Special) Bias	-1,899.00
6111		11.2-24 6PR R1 Bias Goodyear Brand	-1,142.00
6112		11L - 15 in. 8PR F2 Bias Firestone Brand	-2,335.00
6113		11LL-15 In. 8PR F3 (Truck Type) Bias Firestone Brand	-2,310.00
6120		380/85R24 - 14.9R24 R1W Radial Michelin Brand	754.00
6123		12LL-16.1 6PR R3 (Turf Special) Bias	-1,717.00
3131		230/95R32 126A8 R1W Radial Kleber Brand. Recommended for High Clearance Applications	330.00
6133		12.5/80-18 In. 12PR R4 Bias Goodyear Brand	-1,533.00
6180		280/85R24 (11.2R24) R1W Radial Michelin Brand	-109.00
6200		320/85R24 (12.4R24) R1W Radial Michelin Brand	Same Price
6203		320/85R24 (12.4R24) R1W Radial Firestone Brand	In Base Price
6210		340/85R24 (13.6R24) 125A8 R1W Radial Michelin or Firestone Brand	606.00
5211		380/70R24 R1W Radial Michelin Brand	891.00
6214		44X18-20 4PR R3 Bias Titan Brand	-707.00
		FRONT TIRE BRAND PREFERENCE	
6799		No Front Tire Brand Preference	In Base Price
		CAB OPERATOR'S STATION	
8280		Rear Window Wiper In Base Equipment for R4 Premium Cab. Option applies to Standard Cab Only.	285.00

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		CAB OPERATOR'S STATIONContinued	
		POWER TAKE-OFF (PTO) CONTROLS	
8386		PTO Remote Control and LH and RH Fenders	62.00
		HITCH CYLINDERS	
8458		70 mm Hitch lift cylinder	342.00
		FRONT FENDERS	
8010		Front Fenders - Rigid (Axle Mounted) Front fenders will restrict some front tires	553.00
8015		Front Fenders - Turnable (Axle Mounted) Front fenders will restrict some front tires	850.00
8020		Rear Fender Extensions (Cab) Not Compatible with Narrow Cab.	241.00
		LIGHTING EQUIPMENT	
8725		Beacon Lighting RH mounted - LH side traffic (UK)	208.00
		FRONT LOADER PREPARATION PACKAGES	
8910		Loader Preparation Package  Compatible with 540M (Previously H260) or H310 Loader. Includes loader mounting frames  and hood guard	1,681.00
		MISCELLANEOUS	
8300		Cold Weather package - Coolant heater Includes Coolant Heater	88.00
8955		Front Weight Support - (55 kg/121 lbs.)	189.00
8310		High Capacity Fuel Tank Inner Fuel Tank 29 L/7 gal. additional for Open Station and High Crop Models, 31 L/8 gal. additional for Cab. * All Narrow Cab and 5115M models have high capacity tank in base equipment	205.00
		ATTACHMENTS FOR FIELD CONVERSION	
	BLV10950	Backhoes 595 Backhoe Kit	2,633.40
	BSJ10442	Backup Alarm Backup Alarm Kit	162.80

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued	
	RE282643	Cab Equipment Leather Steering Wheel	165.43
	AL80126	Rear Mirror Mechanical For Open Station Tractors also order (1) RE244177 (Mounting Kit) per side.	180.40
	AL80127	Rear Mirror Mechanical For Open Station Tractors also order (1) RE244177 (Mounting Kit) per side.	180.40
	BSJ10436	<b>Exhaust</b> Side Exhaust Kit Not compatible with the following tire options: 230/95R48.	991.10
	AL156778	Front Axle Hub Extension 60mm, Front, Tread Adjustment Fits MFWD axles Tread setting should not exceed 80 In. for maximum load applications. Kit contains (2) L154685 Hubs, (16) 24M7242 Washers, and (16) L152521 Bolts. Only for axles with 10.82 diameter bolt holes. For other hub thickness, see Parts.	694.10
	LVB25776	Front Fenders Fixed Front Fender Mounting brackets and hardware kit - (MFWD) without loader Requires Fenders (AL180328, AL180330, AL180327) ordered separately through parts.	836.00
	AL180328	Front Fenders 320 mm (12.6 ln) Wide (MFWD) Recommended for use with 8.3-24 and 9.5-24 In. Tires. Requires Mounting Bracket and Hardware Kit (LVB25776) ordered separately.	75.64
	AL180330	Front Fenders 370 mm (14.6 In.) Wide (MFWD)  Recommended for use with 13.6-24 In. Tires. Requires Mounting Brackets and Hardware Kit (LVB25776) ordered separately.	89.13
	AL180327	Front Fenders 420 mm (16.5 In.) Wide (MFWD) Recommended for use with 13.6-24 In. Tires. Requires Mounting Brackets and Hardware Kit (LVB25776) ordered separately.	100.26
	BSJ10387	Front Hitch Front Hitch Attaching Parts - Augusta sourced - R4	4,398.90
	BW16765	Hood Guards Hood Guard	424.60
	BSJ10441	Hydraulics 3rd Rear SCV (Upgrade from 2 rear SCV) For use with Tractors ALREADY equipped with Dual Rear Valves. Stackable design adds 3rd Function to existing Dual valves. Features: - Selectable detent position remains on first valve (auto kickout, continuous flow, or no detent) - Flow priority to #1 valve - Pressure compensated flow control for running hydraulic motors on #1 valve Compatible with CAB or OPEN Station	974.60

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BSJ10283	ATTACHMENTS FOR FIELD CONVERSIONContinued CASE DRAIN Supplies non-restricted flow of hydraulic fluid to reservoir. Must have Motor Control Kit (Power Beyond) BSJ10282 Installed.	190.30
	BLV10074	Mid-couplers kit	181.50
	BSJ10465	Oil Collection System Kit contains Dust Caps with Oil Collection Reservoir, Hoses and Brackets (Hardware included).	113.30
	BSJ10282	POWER BEYOND	332.20
	LVB24997	Lighting Auxiliary loader light kit Requires Loader installation.	761.20
	LVB25720	Auxiliary work light kit (2 lights)	151.80
	RE244176	Beacon Light Kit Open Operator Station only	245.66
	BLV10120	Beacon light kit Cab tractors only.	237.60
	BSJ10325	LED HEADLIGHTS	288.20
	BSJ10330	Mid Selective Control Valves  2 Mechanical Mid-SCV with Joystick lever Includes 2x Mid Control Valve for Tractors not equipped with Mid Control Valve.  Does not include loader side frames.  5ML must also order the following - (1) SJ26965, (1)SJ30284, (1) R251414, (1) SU41309, (10) R94361, (4) 19M9140, (6) 19M9134	1,417.90
	BLV10099	Miscellaneous 1000/540/540E-rpm power take-off (PTO) kit Not compatible with any Tractor equipped with a single speed PTO (540 only). New gear box (assembly required) and reversible PTO stub shaft included.	1,487.20
	RE554568	120 Amp Alternator OOS models only	743.88
	RE555751	200 Amp Alternator Cab models only.	815.82
	BSJ10101	3rd Mid SCV (upgrade from 2 Mid SCV) Stackable design adds 3rd Function to existing 2 Mid SCV valves.	851.40
	AH104259	Ash Tray Must also order (2) 37M7218, (1) AL173370, (1) AL207492, (1) SU49479.	65.64
	LVB25785	Canopy - Deluxe Includes Amber lights front and rear, hard liner and wiring harness. Requires LVB25783 Canopy Mounting Bracket and Hardware Kit ordered separately.	828.30

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	LVB25783	ATTACHMENTS FOR FIELD CONVERSIONContinued Canopy mounting kit Operator Stations Only. Canopy ordered separately.	74.80
	T21709	Category I Interchangeable Hitch Ball Two required.	15.34
	T21706	Category II Interchangeable Hitch Ball Two required.	13.21
	T12553	Center Link Conversion Bushing, Cat. II to Cat. I	13.87
	AR60937	Cigarette Lighter Cab only.	13.94
	RE52682	Convenience Outlet Open Station only. Also order: (1) L157467 strap, (4) 37M70995 screws.	111.08
	R66432	Draft Link Conversion Bushing, Cat. II to Cat. I Two required.	16.72
	LVB25949	Drawbar - Hammerstrap and chain clevis kit Kit contains all necessary parts and hardware (instructions included).	141.90
	LVB25716	Electrohydraulic (EH) hitch right fender switch kit For Electrohydraulic (EH) Hitch ONLY. Only compatible with Cab models	151.80
	BSJ10163	Floodlamp/Work Lights, LED, (4 Lights) Cab Only. Use for Front or Rear.	442.20
	BRE10151	Front Utility Box Must also order Front Utility Box Bracket (BRE10153). Utility Box is intended for front tractor mounting only.	356.40
	BRE10153	Front Utility Box Bracket Compatible only with front suitcase weight R127764 -Region 4 style. You must have a minimum of 4 suitcase weights and a maximum of 22 suitcase weights.	123.20
	R262449	Front Weight Support, 187 Lbs Requires (4) 19M8100 Cap Screws and (4) 24M7242 Washers, ordered separately.	400.58
	LVB25941	Heavy-duty drawbar kit Kit contains Heavy Duty Drawbar with support assembly. Hardware and instructions included.	289.30
	BSJ10125	Instructional Seat Kit, CAB only	614.90
	AL213203	Lockable Filler Cap Fuel Tank	34.06
	BSJ10104	Mid Fuel Tank - OOS ONLY Compatible with 5075M, 5090M, 5100M. Standard on 5115M and 5100MH models. Base Codes 191DLV, 252CLV, 253CLV	223.30
	LVB25727	PowrReverser modulation control kit	156.20
	AT439279	Radio - AM/FM, Bosch (Premium) Cab Only. (Satellite Capable)	697.96

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	RE567557	ATTACHMENTS FOR FIELD CONVERSIONContinued Radio - AM/FM, Bosch (Standard) Cab Only. (Not Satellite Capable)	473.76
	L154683	Rear Axle 1.2 in. Extension (30 mm) Two required. Requires (16) 19M9364 Cap Screws (8 per Extension), ordered separately.	184.69
	L154682	Rear Axle 1.6 in. Extension (40 mm) Two required. Requires (16) 19M8979 Cap Screws (8 per Extension), Ordered Separately.	216.57
	L154684	Rear Axle 4.4 in. Extension (111 mm) Two required. Requires (16) 19M9365 Cap Screws (8 per Extension), Ordered Separately.	305.70
	RE244177	Rear View Mirror Mounting Kit OOS Requires AL80127 and/or AL80126. Kit contains support plates and hardware for one rear view mirror. Mirror not included.	33.07
	RE19428	Safety Chain Support Kit	158.04
	BSJ10122	Satellite receiver and antenna only (Bosch specific) All 5M Series Cab Tractors are "Radio Ready," including Radio Wiring Harness and Speakers. Requires Radio Ordered Separately. Requires Radio Subscription Ordered Separately	236.50
	AL77888	Seat Backrest Extension Premium Open Operator Station (Code 2005) Tractors ONLY.	254.55
	AT162291	Seat Backrest Extension Cab Tractors ONLY.	181.42
	AL71345	Security Door Lock Kit	196.90
	AL203265	Service Horn Requires bolt and nut 19m7865 and 14m7298.	41.13
	BW16094	Stationary fenders  Compatible with H260 and H310 Loader only. Loader ordered separately.  Fenders bolt directly to Loader mounting frame assembly.	561.00
	R127764	Weight, front suitcase 43 kg (95 lb) quantity of one	136.40
	R213907	Weight, rear wheel - 43.09 kg (95 lb)  Not compatible on wheels sized 24" or smaller. Maximum of 3 per wheel.	147.40
	BLV10173	Wiper and washer, rear	345.40
	LVB25334	Operator's Station Canopy - Standard Requires LVB25783 Canopy Mounting Bracket and Hardware Kit ordered separately.	476.30
	BRE10015	Cell Phone Mount Kit	62.70
	RE566705	Dual USB Charger Dual USB sockets 4.2 Amp output to simultaneously charge 2 USB devices. Cab models only.	25.96

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	RE68495	ATTACHMENTS FOR FIELD CONVERSIONContinued Power Strip with Six Outlets Cab Tractors ONLY (codes 2050, 2055, or 2060). Requires (2) R205546 and (4) 37M7355 Ordered Separately.	56.28
	BRE10152	Self - Leveling Cup Holder	61.60
	LVB25714	Rear Fenders Rear fender extension Cab tractors only. Interference may occur with some implements when raising the hitch.	221.10
	LVB25066	Rear fender extension kit with work lights  Open Station Tractors only.	465.30
	LVB25976	Rear Hitch iMatch Quick-Hitch Category 1 with adjustable top hook Includes one set of Bushings(LVU15507). Not compatible with LVB25941 (Heavy Duty Hitch Kit).	365.20
	TY27545	Three-point Hitch Quik-Coupler, Economy, Category 2 Interference may occur when raising the hitch if extended fenders are configured.	580.37

#### **5090M Utility Tractor**

**Equipment for Base Machine** 

ENGINE: 90 Engine Horsepower @ 2200 rpm\*
75 PTO Horsepower @ 2100 rpm\*
EPA Final Tier 4 Emissions Compliant Turbocharger with Intercooler 4.5L PowerTech Diesel Engine 4 Valve HPCR Dry Type Air Cleaner with Safety Element DEF Tank capacity (3.2 gal) Cold Start Aid - Air Intake Heater Hand and Foot Throttle Key Engine Shut Off Water Separator Bowl TRANSMISSION: EH Differential Lock Hydraulic Oil Cooler Wet Traction Clutch Park Lock Neutral Start Safety Switch REAR AXLE: Flanged Rear Axle Planetary Final Drives FRONT AXLE: Planetary Final Drives STEERING AND BRAKES: Hydrostatic Power Steering Hydraulic Wet Disk Brakes Self-Equalizing and Self-Adjusting HYDRAULIC: Open Center Hydraulic System Tandem Gear Pump 24.7 gpm (94 lpm) Maximum Total Flow -Steering Pump 6.3 gpm (24 lpm) Implement Pump 18.4 gpm (70 lpm) POWER TAKE-OFF SHAFT: Independent "Live" 540 rpm Rear PTO Shaft @ 2100 Engine rpm Economy PTO Setting for 540 PTO rpm @ 1645 Engine Electrohydraulic PTO Engagement Wet PTO Clutch Operator Presence Safety Warning - PTO Safety Start Switch Flip Up PTO Shield

ROCKSHAFT, HITCH AND DRAWBAR: 65-mm Lift Cylinders Standard Adjustable Straight Drawbar Telescoping Draft Links with Category II Balls Lower Link Draft Sensing INSTRUMENTATION: Electric Fuel Gauge Coolant Temperature Gauge Diesel Exhaust Fluid Gauge with low DEF Warning Signal Flashing Warning Lamp High Beam Indicator Light Service Transmission Indicator PTO Speed Indicator Neutral Indicator (PR Only) Tachometer/Hour Meter Engine Oil Pressure Hydraulic Temperature Indicator Alternator Indicator Light Air Restriction Indicator Light Exhaust Filter Cleaning Switch Roll Mode for Instrument Cluster PTO Engagement Light (Rear PTO) ELECTRICAL: 12-Volt Electrical System One Battery - 925 CCA\*\* with 180 Minute Reserve Capacity 7-Pin ASAE Outlet Socket LIGHTS: Two Front Halogen Headlights Two Turn/Warning Lights Dual Tail Lights MISCELLANEOUS: Slow-moving Vehicle (SMV) Emblem Toolbox \* Manufacturer's Rating \*\* Cold Cranking Amps

			List Price
	Attachment		Suggested
Code	Identifier	Description	USD (\$)

#### Select One Code From Each Required Category

#### **BASE MACHINE**

252CLV	5090M Utility Tractor	59,589.00
	DESTINATION	
0203	Puerto Rico	Same Price
024H	US Minor Outlying Islands	Same Price
020A	US Virgin Islands	Same Price
0207	Saint Pierre and Miquelon	Same Price

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		DESTINATIONContinued	
0240		<b>Asia</b> American Samoa	Same Price
0245		Guam	Same Price
0202		North America United States	In Base Price
0184		Canada	Same Price
0205		French Quebec	Same Price
		OPERATOR'S MANUAL	
0409		ENGLISH	In Base Price
0413		FRENCH	Same Price
0437		SPANISH	Same Price
		TRANSMISSION	
1362		12F/4R SyncShuttle Plus (30k) Requires Option Code 2010 (Standard OOS) or 2055 (Standard Cab). Requires Option Code 4010 (Mechanical rear hitch)	-3,095.00
1380		16F/16R PowrReverser	In Base Price
1390		32F/16R PowrReverser Hi-Lo (40k) Requires Option Code 6040 (MFWD). Requires Option Code 4030 (ElectroHydraulic (EH) rear hitch). Not compatible with Option Code 2010 (Standard OOS).	1,696.00
1394		32F/16R PowrReverser Hi-Lo (40k) with Creeper Requires Option Code 6040 (MFWD). Requires Option Code 4030 (ElectroHydraulic (EH) rear hitch). Not compatible with Option Code 2010 (Standard OOS).	4,341.00
		OPERATOR'S STATION	
2005		Premium Isolated Open Operator Station Includes all features of Standard Isolated Open Operator Station plus: Fender Extensions with Front Work Lights Requires Option Code 4030 (ElectroHydraulic (EH) rear hitch) 29 U.S. Gallon (111 L) Fuel Tank Capacity	511.00
2010		Standard Isolated Open Operator Station Isolated Open Operator Station with Flat Floor Standard Floor mat Tilt and Telescoping Steering Column 2-Post Isolated Foldable Roll-Over Protection Structure (ROPS) Plexiglass Debris/Air Deflector with Grab Handles Speedometer Deluxe Seat with Swivel, Armrests, and Retractable Seat Belt Beverage Holder Two Rear Work Lights	In Base Price

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
Odd	identifici	OPERATOR'S STATIONContinued Flashing Warning Lights Dual Taillights	σσυ (ψ)
		29 U.S. Gallon (111 L) Fuel Tank Capacity Requires Option Code 4010 (Mechanical rear hitch)	
2055		Standard Cab Deluxe Isolated Cab with Flat Floor Tilt and Telescopic Steering Column Left and Right Side Doors with Steps Air Conditioning and Heater Speedometer Beverage Holder Sunvisor for Front Window 2-Speed Front Windshield Wiper and Washer Two Front/Two Rear Roof-Mounted Work Lights Two Front/Two Rear Roof-Mounted Warning Lights Two Fender-Mounted Taillights Convenience Power Outlet Monitor Mounting Bosses (2 Sets) Swing-Out Rear Window with Two Removable Rear Plugs for Monitor Right-Hand Console Light Radio Preparation (with speakers, wiring) Rear window grab handle Bluetooth Ready 36 U.S. Gallon (139 L) Fuel Tank Capacity 29 U.S. Gallon (111 L) Fuel Tank Capacity (High Crop Cab models)	11,769.00
2060		Requires Option Code 3025 (Deluxe Corner Post Exhaust).  Premium Cab Includes Premium package, all features of Standard Cab plus: Load View Window (Sunroof) with Shade Front Sunshade	13,442.00
		Factory Installed Radio (Bluetooth and Satellite Capable) Rear Window Wiper Radio Antenna Additional Defrost Louvers Requires PowrReverser Transmission (1380, 1382, 1390 or 1394) Requires Option Code 3025 (Deluxe Corner Post Exhaust). Requires Option Code 4030 (ElectroHydraulic (EH) rear hitch) Requires Option code 6040 (MFWD)	
2065		Narrow Cab Includes all features of Standard Cab plus High Capacity Fuel Tank 42 U.S. Gallon (161 L) Fuel Tank Capacity Requires Option Code 3025 or 3010 (Deluxe Corner Post Exhaust or Horizontal Side Exhaust)	12,719.00
		MIRRORS	
2511		Mirror Telescopic LH & RH Available on Cab Tractors only	305.00
2500		Less Rear View Mirrors Available on Cab Tractors only	In Base Price
		SEAT	
2100		Mechanical Suspension seat	In Base Price
2120		Air Suspension seat	849.00

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
2121		SEATContinued Premium Air Suspension Seat Includes heater and low frequency air suspension. Available on Cab Tractors only.	1,353.00
		CAB INSTRUCTIONAL SEAT	
2400		Less Instructional Seat	In Base Price
2410		Instructional Seat with Seat-belt Available on Cab Tractors only.	559.00
		EXHAUST	
3010		Horizontal Side Exhaust	472.00
3020		Vertical Exhaust Available on Open Operator Station Tractors Only.	In Base Price
3025		Corner Post Deluxe Exhaust Available on Cab Tractors Only.	603.00
		SELECTIVE CONTROL VALVES	
3325		2 Mechanical Stackable Rear SCV	In Base Price
3326		3 Mechanical Stackable Rear SCV	886.00
		MID SELECTIVE CONTROL VALVES	
3400		Less Mid SCVs Requires Code 4010 (Mechanical Rear Hitch Controls)	-967.00
3420		2 Stackable Mid SCVs with Mechanical Joystick control	In Base Price
3430		3 Stackable Mid SCVs with Mechanical Joystick Control	774.00
		REAR POWER TAKE-OFF (PTO)	
3820		Two Speed PTO - 540/540E	In Base Price
		HITCH CONTROLS	
4010		Mechanical Rear Hitch Control Not compatible with Code 2005 or 2065 (Premium Open Operator Station or Premium Cab)	In Base Price
4030		Electronic Hitch Control with Remote Control on LH Fender Not compatible with Code 2010 (Standard Open Operator Station)	475.00
		DRAFT LINK	
4110		Telescoping Draft Links with Ball End - Cat.2	In Base Price
		CENTER LINK	
4210		Mechanical Center Link with Ball Ends - Cat. 2	In Base Price

Code	Attachment Identifier	Description CENTER LINKContinued	List Price Suggested USD (\$)
		STABILIZER	
4420		LH & RH Stabilizer Bar	In Base Price
		LIFT LINK	
4160		LH Only Adjustment Lift Link Right Hand side is Fixed.	In Base Price
		FRONT AXLE	
6020		2WD Front Axle Requires Code 1362 or 1380 (12F/4R SyncShuttle Plus or 16F/16R PowrReverser)	-6,879.00
6040		MFWD Front Axle	In Base Price
		REAR WHEELS AND TIRES	
5103		22.5LL-16.1 In. 6PR R3 (Turf Special) Bias 2WD Requires Code 6103 or 6113.  MFWD Requires Code 6123.	-1,446.00
5121		16.9-30 6PR R1 Bias 2WD Requires Code 6112 or 6113 (Firestone) MFWD Requires Code 6111 (Goodyear)	-2,083.00
5133		460/85R30 (18.4R30) R1W Radial 2WD Requires Code 6112 (Firestone) MFWD Requires Code 6203 (Firestone)	In Base Price
5141		380/85R38 (15.5R38) 125A8 R1W Radial Requires Code 6210 (Firestone)	-1,207.00
5151		230/95R48 134A8 R1W Radial Requires Code 6131 (Kleber) for High Clearance Applications.	224.00
5155		320/85R36 (12.4R36) R1W Radial Requires Code 6180 (Michelin)	-812.00
5180		420/85R30 (16.9R30) R1W Radial Requires Code 6200 (Michelin).	-85.00
5191		460/85R34 (18.4R34) R1W Radial Requires Code 6210 or 6120 (Michelin).	200.00
5192		19.5L-24 In. 10PR R4 Bias 2WD Requires Code 6113 (Firestone). Requires Code 6133 (Goodyear).	-2,106.00
5202		420/85R34 (16.9R34) R1W Radial Requires Code 6210 (Michelin).	-142.00
5203		480/70R34 R1W Radial Requires Code 6211 (Michelin)	889.00
5205		23.1-26 8PR R3 2WD Requires Code 6103 or 6113 (Titan). MFWD Requires Code 6214 (Titan).	-860.00

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		REAR WHEELS AND TIRESContinued	
		REAR TIRE BRAND PREFERENCE	
5999		No Rear Tire Brand Preference	In Base Price
		FRONT WHEELS AND TIRES	
		See Loader Section of the Sales Manual for Front Tire/Loader compatibility information.	
6103		27/12LL-15 In. 6PR R3 (Turf Special) Bias	-1,899.00
6111		11.2-24 6PR R1 Bias Goodyear Brand	-1,142.00
6112		11L - 15 in. 8PR F2 Bias Firestone Brand	-2,335.00
6113		11LL-15 In. 8PR F3 (Truck Type) Bias Firestone Brand	-2,310.00
6120		380/85R24 - 14.9R24 R1W Radial Michelin Brand	754.00
6123		12LL-16.1 6PR R3 (Turf Special) Bias	-1,717.00
6131		230/95R32 126A8 R1W Radial Kleber Brand. Recommended for High Clearance Applications	330.00
6133		12.5/80-18 In. 12PR R4 Bias Goodyear Brand	-1,533.00
6180		280/85R24 (11.2R24) R1W Radial <i>Michelin Brand</i>	-109.00
6200		320/85R24 (12.4R24) R1W Radial <i>Michelin Brand</i>	Same Price
6203		320/85R24 (12.4R24) R1W Radial Firestone Brand	In Base Price
6210		340/85R24 (13.6R24) 125A8 R1W Radial Michelin or Firestone Brand	606.00
6211		380/70R24 R1W Radial Michelin Brand	891.00
6214		44X18-20 4PR R3 Bias Titan Brand	-707.00
		FRONT TIRE BRAND PREFERENCE	
6799		No Front Tire Brand Preference	In Base Price
		CAB OPERATOR'S STATION	
8280		Rear Window Wiper In Base Equipment for R4 Premium Cab. Option applies to Standard Cab Only.	285.00

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		CAB OPERATOR'S STATIONContinued	
		POWER TAKE-OFF (PTO) CONTROLS	
8386		PTO Remote Control and LH and RH Fenders	62.00
		HITCH CYLINDERS	
8458		70 mm Hitch lift cylinder	342.00
		FRONT FENDERS	
8010		Front Fenders - Rigid (Axle Mounted) Front fenders will restrict some front tires	553.00
8015		Front Fenders - Turnable (Axle Mounted) Front fenders will restrict some front tires	850.00
8020		Rear Fender Extensions (Cab) Not Compatible with Narrow Cab.	241.00
		LIGHTING EQUIPMENT	
8725		Beacon Lighting RH mounted - LH side traffic (UK)	208.00
		FRONT LOADER PREPARATION PACKAGES	
8910		Loader Preparation Package  Compatible with 540M (Previously H260) or H310 Loader. Includes loader mounting frames and hood guard	1,681.00
		MISCELLANEOUS	
8300		Cold Weather package - Coolant heater Includes Coolant Heater	88.00
8955		Front Weight Support - (55 kg/121 lbs.)	189.00
8310		High Capacity Fuel Tank Inner Fuel Tank 29 L/7 gal. additional for Open Station and High Crop Models, 31 L/8 gal. additional for Cab. * All Narrow Cab and 5115M models have high capacity tank in base equipment	205.00
		ATTACHMENTS FOR FIELD CONVERSION	
	BPF11130	Autotrac Universal Supplemental Kits AutoTrac Universal Steering Supplemental Kit - "AA" For John Deere FT4 5M Tractors. Requires BPF11129 AutoTrac Universal guidance harness kit and AMS base code 0520PC AutoTrac Universal Kit (use spline PF12168).	220.00

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BPF11129	ATTACHMENTS FOR FIELD CONVERSIONContinued FT4 GreenStar Harness For John Deere FT4 5M Tractors. Includes power supply harness kit and GreenStar harness for non-GreenStar Ready machines. Requires BPF11130 AutoTrac Universal steering supplemental kit - AA and AMS base code 0520PC AutoTrac Universal Kit (use spline PF12168).	511.50
	BLV10950	Backhoes 595 Backhoe Kit	2,633.40
	BSJ10442	Backup Alarm Backup Alarm Kit	162.80
	RE282643	Cab Equipment Leather Steering Wheel	165.43
	AL80126	Rear Mirror Mechanical For Open Station Tractors also order (1) RE244177 (Mounting Kit) per side.	180.40
	AL80127	Rear Mirror Mechanical For Open Station Tractors also order (1) RE244177 (Mounting Kit) per side.	180.40
	DZ102076	Cold Weather Packages Engine Block Heater (110V)	108.37
	BSJ10435	<b>Exhaust</b> Side Exhaust Kit Not compatible with the following tire options: 230/95R48. When installing on a 5M FT4 tractor with a loader installed, also order hose guard W45680.	991.10
	AL156778	Front Axle Hub Extension 60mm, Front, Tread Adjustment Fits MFWD axles Tread setting should not exceed 80 In. for maximum load applications. Kit contains (2) L154685 Hubs, (16) 24M7242 Washers, and (16) L152521 Bolts. Only for axles with 10.82 diameter bolt holes. For other hub thickness, see Parts.	694.10
	LVB25776	Front Fenders Fixed Front Fender Mounting brackets and hardware kit - (MFWD) without loader Requires Fenders (AL180328, AL180330, AL180327) ordered separately through parts.	836.00
	AL180328	Front Fenders 320 mm (12.6 ln) Wide (MFWD) Recommended for use with 8.3-24 and 9.5-24 ln. Tires. Requires Mounting Bracket and Hardware Kit (LVB25776) ordered separately.	75.64
	AL180330	Front Fenders 370 mm (14.6 ln.) Wide (MFWD)  Recommended for use with 13.6-24 In. Tires. Requires Mounting Brackets and Hardware Kit (LVB25776) ordered separately.	89.13
	AL180327	Front Fenders 420 mm (16.5 ln.) Wide (MFWD)  Recommended for use with 13.6-24 ln. Tires. Requires Mounting Brackets and Hardware Kit (LVB25776) ordered separately.	100.26

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued	
	BSJ10387	Front Hitch Front Hitch Attaching Parts - Augusta sourced - R4	4,398.90
	BLV10679	Front Power Take-off (Pto) Auxiliary Front Drive Coupler Kit	997.70
	BW16765	Hood Guards Hood Guard	424.60
	BSJ10441	Hydraulics 3rd Rear SCV (Upgrade from 2 rear SCV) For use with Tractors ALREADY equipped with Dual Rear Valves. Stackable design adds 3rd Function to existing Dual valves. Features: - Selectable detent position remains on first valve (auto kickout, continuous flow, or no detent) - Flow priority to #1 valve - Pressure compensated flow control for running hydraulic motors on #1 valve Compatible with CAB or OPEN Station	974.60
	BSJ10283	CASE DRAIN Supplies non-restricted flow of hydraulic fluid to reservoir. Must have Motor Control Kit (Power Beyond) BSJ10282 Installed.	190.30
	BSJ10465	Oil Collection System Kit contains Dust Caps with Oil Collection Reservoir, Hoses and Brackets (Hardware included).	113.30
	BSJ10282	POWER BEYOND	332.20
	LVB24997	Lighting Auxiliary loader light kit Requires Loader installation.	761.20
	LVB25720	Auxiliary work light kit (2 lights)	151.80
	RE244176	Beacon Light Kit Open Operator Station only	245.66
	BLV10120	Beacon light kit Cab tractors only.	237.60
	BSJ10325	LED HEADLIGHTS	288.20
	BSJ10450	Machine Connectivity JDLink Mounting Kit, Cab models For FT4 5M, 5MH, 5R tractors. JDLink kit to be ordered separately through whole goods (AMS base code 021RPC). Order less antenna (code 2009) then order PFA10879 through parts. (R4)	176.00

			List Price
Code	Attachment Identifier	Description	Suggested USD (\$)
	BSJ10451	ATTACHMENTS FOR FIELD CONVERSIONContinued JDLink Mounting Kit, OOS models For FT4 5M, 5MH, 5ML tractors. JDLink kit to be ordered separately through whole goods (AMS base code 021RPC). Order less antenna (code 2009) then order PFA11136 through parts. (R4)	528.00
	BSJ10330	Mid Selective Control Valves  2 Mechanical Mid-SCV with Joystick lever Includes 2x Mid Control Valve for Tractors not equipped with Mid Control Valve.  Does not include loader side frames.  5ML must also order the following - (1) SJ26965, (1)SJ30284, (1) R251414, (1) SU41309, (10) R94361, (4) 19M9140, (6) 19M9134	1,417.90
	BLV10099	Miscellaneous 1000/540/540E-rpm power take-off (PTO) kit Not compatible with any Tractor equipped with a single speed PTO (540 only). New gear box (assembly required) and reversible PTO stub shaft included.	1,487.20
	RE554568	120 Amp Alternator OOS models only	743.88
	RE555751	200 Amp Alternator Cab models only.	815.82
	BSJ10101	3rd Mid SCV (upgrade from 2 Mid SCV) Stackable design adds 3rd Function to existing 2 Mid SCV valves.	851.40
	AH104259	Ash Tray <i>Must also order</i> (2) 37M7218, (1) AL173370, (1) AL207492, (1) SU49479.	65.64
	LVB25785	Canopy - Deluxe Includes Amber lights front and rear, hard liner and wiring harness. Requires LVB25783 Canopy Mounting Bracket and Hardware Kit ordered separately.	828.30
	LVB25783	Canopy mounting kit Operator Stations Only. Canopy ordered separately.	74.80
	T21709	Category I Interchangeable Hitch Ball Two required.	15.34
	T21706	Category II Interchangeable Hitch Ball Two required.	13.21
	T12553	Center Link Conversion Bushing, Cat. II to Cat. I	13.87
	AR60937	Cigarette Lighter Cab only.	13.94
	RE52682	Convenience Outlet Open Station only. Also order: (1) L157467 strap, (4) 37M70995 screws.	111.08
	R66432	Draft Link Conversion Bushing, Cat. II to Cat. I Two required.	16.72
	LVB25949	Drawbar - Hammerstrap and chain clevis kit Kit contains all necessary parts and hardware (instructions included).	141.90

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	LVB25716	ATTACHMENTS FOR FIELD CONVERSIONContinued Electrohydraulic (EH) hitch right fender switch kit For Electrohydraulic (EH) Hitch ONLY. Only compatible with Cab models	151.80
	BSJ10163	Floodlamp/Work Lights, LED, (4 Lights) Cab Only. Use for Front or Rear.	442.20
	BRE10151	Front Utility Box Must also order Front Utility Box Bracket (BRE10153). Utility Box is intended for front tractor mounting only.	356.40
	BRE10153	Front Utility Box Bracket Compatible only with front suitcase weight R127764 -Region 4 style. You must have a minimum of 4 suitcase weights and a maximum of 22 suitcase weights.	123.20
	R262449	Front Weight Support, 187 Lbs Requires (4) 19M8100 Cap Screws and (4) 24M7242 Washers, ordered separately.	400.58
	LVB25941	Heavy-duty drawbar kit Kit contains Heavy Duty Drawbar with support assembly. Hardware and instructions included.	289.30
	BSJ10125	Instructional Seat Kit, CAB only	614.90
	AL213203	Lockable Filler Cap Fuel Tank	34.06
	BSJ10104	Mid Fuel Tank - OOS ONLY Compatible with 5075M, 5090M, 5100M. Standard on 5115M and 5100MH models. Base Codes 191DLV, 252CLV, 253CLV	223.30
	LVB25727	PowrReverser modulation control kit	156.20
	AT439279	Radio - AM/FM, Bosch (Premium) Cab Only. (Satellite Capable)	697.96
	RE567557	Radio - AM/FM, Bosch (Standard) Cab Only. (Not Satellite Capable)	473.76
	L154683	Rear Axle 1.2 in. Extension (30 mm) Two required. Requires (16) 19M9364 Cap Screws (8 per Extension), ordered separately.	184.69
	L154682	Rear Axle 1.6 in. Extension (40 mm) Two required. Requires (16) 19M8979 Cap Screws (8 per Extension), Ordered Separately.	216.57
	L154684	Rear Axle 4.4 in. Extension (111 mm) Two required. Requires (16) 19M9365 Cap Screws (8 per Extension), Ordered Separately.	305.70
	RE244177	Rear View Mirror Mounting Kit OOS Requires AL80127 and/or AL80126. Kit contains support plates and hardware for one rear view mirror. Mirror not included.	33.07
	RE19428	Safety Chain Support Kit	158.04

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BSJ10122	ATTACHMENTS FOR FIELD CONVERSIONContinued Satellite receiver and antenna only (Bosch specific) All 5M Series Cab Tractors are "Radio Ready," including Radio Wiring Harness and Speakers. Requires Radio Ordered Separately. Requires Radio Subscription Ordered Separately	236.50
	AL77888	Seat Backrest Extension Premium Open Operator Station (Code 2005) Tractors ONLY.	254.55
	AT162291	Seat Backrest Extension Cab Tractors ONLY.	181.42
	AL71345	Security Door Lock Kit	196.90
	AL203265	Service Horn Requires bolt and nut 19m7865 and 14m7298.	41.13
	BSJ10102	Shield Kit, Fuel Tank (under) Not compatible with backhoe attachment.	149.60
	BW16094	Stationary fenders Compatible with H260 and H310 Loader only. Loader ordered separately. Fenders bolt directly to Loader mounting frame assembly.	561.00
	R127764	Weight, front suitcase 43 kg (95 lb) quantity of one	136.40
	R213907	Weight, rear wheel - 43.09 kg (95 lb)  Not compatible on wheels sized 24" or smaller. Maximum of 3 per wheel.	147.40
	BLV10173	Wiper and washer, rear	345.40
	LVB25334	Operator's Station Canopy - Standard Requires LVB25783 Canopy Mounting Bracket and Hardware Kit ordered separately.	476.30
	BRE10015	Cell Phone Mount Kit	62.70
	RE566705	Dual USB Charger Dual USB sockets 4.2 Amp output to simultaneously charge 2 USB devices. Cab models only.	25.96
	RE68495	Power Strip with Six Outlets Cab Tractors ONLY (codes 2050, 2055, or 2060). Requires (2) R205546 and (4) 37M7355 Ordered Separately.	56.28
	BRE10152	Self - Leveling Cup Holder	61.60
	LVB25714	Rear Fenders Rear fender extension Cab tractors only. Interference may occur with some implements when raising the hitch.	221.10
	LVB25066	Rear fender extension kit with work lights  Open Station Tractors only.	465.30

#### **5090M Utility Tractor**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	LVB25976	Rear Hitch iMatch Quick-Hitch Category 1 with adjustable top hook Includes one set of Bushings(LVU15507).  Not compatible with LVB25941 (Heavy Duty Hitch Kit).	365.20
	TY27545	Three-point Hitch Quik-Coupler, Economy, Category 2 Interference may occur when raising the hitch if extended fenders are configured.	580.37

# SORIN DEERE TRACTORS 5090M Utility Tractor Continued THIS PAGE INTENTIONALLY LEFT BLANK

#### 5100M Utility Tractor

**Equipment for Base Machine** 

ENGINE: 100 Engine Horsepower @ 2200 rpm\* 85 PTO Horsepower @ 2100 rpm\* EPA Final Tier 4 Emissions Compliant Turbocharger with Intercooler 4.5L PowerTech Diesel Engine Turbocharger with Intercooler 4 Valve HPCR Dry Type Air Cleaner with Safety Element DEF Tank capacity (3.2 gal) Cold Start Aid - Air Intake Heater Hand and Foot Throttle Key Engine Shut Off Water Separator Bowl TRANSMISSION: EH Differential Lock Hydraulic Oil Cooler Wet Traction Clutch Park Lock Neutral Start Safety Switch REAR AXLE: Flanged Rear Axle Planetary Final Drives FRONT AXLE: Planetary Final Drives STEERING AND BRAKES: Hydrostatic Power Steering Hydraulic Wet Disk Brakes Self-Equalizing and Self-Adjusting HYDRAULIC: Open Center Hydraulic System Tandem Gear Pump 24.7 gpm (94 lpm) Maximum Total Flow -Steering Pump 6.3 gpm (24 lpm) Implement Pump 18.4 gpm (70 lpm) POWER TAKE-OFF SHAFT: Independent "Live" 540 rpm Rear PTO Shaft @ 2100 Engine rpm Economy PTO Setting for 540 PTO rpm @ 1645 Engine Electrohydraulic PTO Engagement Wet PTO Clutch Operator Presence Safety Warning - PTO

Safety Start Switch

Flip Up PTO Shield ROCKSHAFT, HITCH AND DRAWBAR: 65-mm Lift Cylinder Standard Adjustable Straight Drawbar Telescoping Draft Links with Category II Balls Lower Link Draft Sensing INSTRUMENTATION: Electric Fuel Gauge Flashing Warning Lamp High Beam Indicator Light Service Transmission Indicator PTO Speed Indicator/Roll Mode Neutral Indicator (PR Only) Tachometer/Hour Meter Engine Oil Pressure Hydraulic Temperature Indicator Coolant Temperature Gauge Diesel Exhaust Fluid Guage with low DEF Warning Signal Alternator Indicator Light Air Restriction Indicator Light Exhaust Filter Cleaning Switch Roll Mode for Instrument Cluster PTO Engagement Light (Rear PTO) ELECTRICAL: 12-Volt Electrical System One Battery - 925 CCA\*\* with 180 Minute Reserve Capacity 7-Pin ASAE Outlet Socket LIGHTS: Two Front Halogen Headlights Two Turn/Warning Lights Dual Tail Lights MISCELLANEOUS: Slow-moving Vehicle (SMV) Emblem Toolbox \* Manufacturer's Rating \*\* Cold Cranking Amps

			List Price
	Attachment		Suggested
Code	Identifier	Description	USD (\$)

#### Select One Code From Each Required Category

#### **BASE MACHINE**

253CLV	5100M Utility Tractor	62,818.00
	DESTINATION	
0203	Puerto Rico	Same Price
024H	US Minor Outlying Islands	Same Price
020A	US Virgin Islands	Same Price
0207	Saint Pierre and Miguelon	Same Price

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		DESTINATIONContinued	
0240		<b>Asia</b> American Samoa	Same Price
0245		Guam	Same Price
0202		North America United States	In Base Price
0184		Canada	Same Price
0205		French Quebec	Same Price
		OPERATOR'S MANUAL	
0409		ENGLISH	In Base Price
0413		FRENCH	Same Price
0437		SPANISH	Same Price
		TRANSMISSION	
1362		12F/4R SyncShuttle Plus (30k) Requires Option Code 2010 (Standard OOS) or 2055 (Standard Cab). Requires Option Code 4010 (Mechanical rear hitch)	-3,095.00
1380		16F/16R PowrReverser	In Base Price
1390		32F/16R PowrReverser Hi-Lo (40k) Requires Option Code 6040 (MFWD). Requires Option Code 4030 (ElectroHydraulic (EH) rear hitch). Not compatible with Option Code 2010 (Standard OOS).	1,696.00
1394		32F/16R PowrReverser Hi-Lo (40k) with Creeper Requires Option Code 6040 (MFWD). Requires Option Code 4030 (ElectroHydraulic (EH) rear hitch). Not compatible with Option Code 2010 (Standard OOS).	4,341.00
		OPERATOR'S STATION	
2005		Premium Isolated Open Operator Station Includes all features of Standard Isolated Open Operator Station plus: Fender Extensions with Front Work Lights Requires Option Code 4030 (ElectroHydraulic (EH) rear hitch) 29 U.S. Gallon (111 L) Fuel Tank Capacity	511.00
2010		Standard Isolated Open Operator Station Isolated Open Operator Station with Flat Floor Standard Floor mat Tilt and Telescoping Steering Column 2-Post Isolated Foldable Roll-Over Protection Structure (ROPS) Plexiglass Debris/Air Deflector with Grab Handles Speedometer Deluxe Seat with Swivel, Armrests, and Retractable Seat Belt Beverage Holder Two Rear Work Lights	In Base Price

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
Odd	identifici	OPERATOR'S STATIONContinued Flashing Warning Lights Dual Taillights	σσυ (ψ)
		29 U.S. Gallon (111 L) Fuel Tank Capacity Requires Option Code 4010 (Mechanical rear hitch)	
2055		Standard Cab Deluxe Isolated Cab with Flat Floor Tilt and Telescopic Steering Column Left and Right Side Doors with Steps Air Conditioning and Heater Speedometer Beverage Holder Sunvisor for Front Window 2-Speed Front Windshield Wiper and Washer Two Front/Two Rear Roof-Mounted Work Lights Two Front/Two Rear Roof-Mounted Warning Lights Two Fender-Mounted Taillights Convenience Power Outlet Monitor Mounting Bosses (2 Sets) Swing-Out Rear Window with Two Removable Rear Plugs for Monitor Right-Hand Console Light Radio Preparation (with speakers, wiring) Rear window grab handle Bluetooth Ready 36 U.S. Gallon (139 L) Fuel Tank Capacity 29 U.S. Gallon (111 L) Fuel Tank Capacity (High Crop Cab models)	11,769.00
2060		Requires Option Code 3025 (Deluxe Corner Post Exhaust).  Premium Cab Includes Premium package, all features of Standard Cab plus: Load View Window (Sunroof) with Shade Front Sunshade	13,442.00
		Factory Installed Radio (Bluetooth and Satellite Capable) Rear Window Wiper Radio Antenna Additional Defrost Louvers Requires PowrReverser Transmission (1380, 1382, 1390 or 1394) Requires Option Code 3025 (Deluxe Corner Post Exhaust). Requires Option Code 4030 (ElectroHydraulic (EH) rear hitch) Requires Option code 6040 (MFWD)	
2065		Narrow Cab Includes all features of Standard Cab plus High Capacity Fuel Tank 42 U.S. Gallon (161 L) Fuel Tank Capacity Requires Option Code 3025 or 3010 (Deluxe Corner Post Exhaust or Horizontal Side Exhaust)	12,719.00
		MIRRORS	
2511		Mirror Telescopic LH & RH Available on Cab Tractors only	305.00
2500		Less Rear View Mirrors Available on Cab Tractors only	In Base Price
		SEAT	
2100		Mechanical Suspension seat	In Base Price
2120		Air Suspension seat	849.00

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
2121		SEATContinued Premium Air Suspension Seat Includes heater and low frequency air suspension. Available on Cab Tractors only.	1,353.00
		CAB INSTRUCTIONAL SEAT	
2400		Less Instructional Seat	In Base Price
2410		Instructional Seat with Seat-belt Available on Cab Tractors only.	559.00
		EXHAUST	
3010		Horizontal Side Exhaust	472.00
3020		Vertical Exhaust Available on Open Operator Station Tractors Only.	In Base Price
3025		Corner Post Deluxe Exhaust Available on Cab Tractors Only.	603.00
		SELECTIVE CONTROL VALVES	
3325		2 Mechanical Stackable Rear SCV	In Base Price
3326		3 Mechanical Stackable Rear SCV	886.00
		MID SELECTIVE CONTROL VALVES	
3400		Less Mid SCVs Requires Code 4010 (Mechanical Rear Hitch Controls)	-967.00
3420		2 Stackable Mid SCVs with Mechanical Joystick control	In Base Price
3430		3 Stackable Mid SCVs with Mechanical Joystick Control	774.00
		REAR POWER TAKE-OFF (PTO)	
3820		Two Speed PTO - 540/540E	In Base Price
		HITCH CONTROLS	
4010		Mechanical Rear Hitch Control Not compatible with Code 2005 or 2065 (Premium Open Operator Station or Premium Cab)	In Base Price
4030		Electronic Hitch Control with Remote Control on LH Fender Not compatible with Code 2010 (Standard Open Operator Station)	475.00
		DRAFT LINK	
4110		Telescoping Draft Links with Ball End - Cat.2	In Base Price
		CENTER LINK	
4210		Mechanical Center Link with Ball Ends - Cat. 2	In Base Price

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		CENTER LINKContinued	
		STABILIZER	
4420		LH & RH Stabilizer Bar	In Base Price
		LIFT LINK	
4160		LH Only Adjustment Lift Link Right Hand side is Fixed.	In Base Price
		FRONT AXLE	
6020		2WD Front Axle Requires Code 1362 or 1380 (12F/4R SyncShuttle Plus or 16F/16R PowrReverser)	-6,879.00
6040		MFWD Front Axle	In Base Price
		REAR WHEELS AND TIRES	
5103		22.5LL-16.1 In. 6PR R3 (Turf Special) Bias 2WD Requires Code 6103 or 6113. MFWD Requires Code 6123.	-1,446.00
5121		16.9-30 6PR R1 Bias 2WD Requires Code 6112 or 6113 (Firestone) MFWD Requires Code 6111 (Goodyear)	-2,083.00
5133		460/85R30 (18.4R30) R1W Radial 2WD Requires Code 6112 (Firestone) MFWD Requires Code 6203 (Firestone)	In Base Price
5141		380/85R38 (15.5R38) 125A8 R1W Radial Requires Code 6210 (Firestone)	-1,207.00
5151		230/95R48 134A8 R1W Radial Requires Code 6131 (Kleber) for High Clearance Applications.	224.00
5155		320/85R36 (12.4R36) R1W Radial Requires Code 6180 (Michelin)	-812.00
5180		420/85R30 (16.9R30) R1W Radial Requires Code 6200 (Michelin).	-85.00
5191		460/85R34 (18.4R34) R1W Radial Requires Code 6210 or 6120 (Michelin).	200.00
5192		19.5L-24 ln. 10PR R4 Bias 2WD Requires Code 6113 (Firestone). Requires Code 6133 (Goodyear).	-2,106.00
5202		420/85R34 (16.9R34) R1W Radial Requires Code 6210 (Michelin).	-142.00
5203		480/70R34 R1W Radial Requires Code 6211 (Michelin)	889.00
5205		23.1-26 8PR R3 2WD Requires Code 6103 or 6113 (Titan). MFWD Requires Code 6214 (Titan).	-860.00

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		REAR WHEELS AND TIRESContinued	
		REAR TIRE BRAND PREFERENCE	
5999		No Rear Tire Brand Preference	In Base Price
		FRONT WHEELS AND TIRES	
		See Loader Section of the Sales Manual for Front Tire/Loader compatibility information.	
6103		27/12LL-15 In. 6PR R3 (Turf Special) Bias	-1,899.00
6111		11.2-24 6PR R1 Bias Goodyear Brand	-1,142.00
6112		11L - 15 in. 8PR F2 Bias Firestone Brand	-2,335.00
6113		11LL-15 In. 8PR F3 (Truck Type) Bias Firestone Brand	-2,310.00
6120		380/85R24 - 14.9R24 R1W Radial Michelin Brand	754.00
6123		12LL-16.1 6PR R3 (Turf Special) Bias	-1,717.00
3131		230/95R32 126A8 R1W Radial Kleber Brand. Recommended for High Clearance Applications	330.00
6133		12.5/80-18 In. 12PR R4 Bias Goodyear Brand	-1,533.00
6180		280/85R24 (11.2R24) R1W Radial Michelin Brand	-109.00
6200		320/85R24 (12.4R24) R1W Radial Michelin Brand	Same Price
6203		320/85R24 (12.4R24) R1W Radial Firestone Brand	In Base Price
6210		340/85R24 (13.6R24) 125A8 R1W Radial Michelin or Firestone Brand	606.00
5211		380/70R24 R1W Radial Michelin Brand	891.00
6214		44X18-20 4PR R3 Bias Titan Brand	-707.00
		FRONT TIRE BRAND PREFERENCE	
6799		No Front Tire Brand Preference	In Base Price
		CAB OPERATOR'S STATION	
8280		Rear Window Wiper In Base Equipment for R4 Premium Cab. Option applies to Standard Cab Only.	285.00

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		CAB OPERATOR'S STATIONContinued	
		POWER TAKE-OFF (PTO) CONTROLS	
8386		PTO Remote Control and LH and RH Fenders	62.00
		HITCH CYLINDERS	
8458		70 mm Hitch lift cylinder	342.00
		FRONT FENDERS	
8010		Front Fenders - Rigid (Axle Mounted) Front fenders will restrict some front tires	553.00
8015		Front Fenders - Turnable (Axle Mounted) Front fenders will restrict some front tires	850.00
8020		Rear Fender Extensions (Cab) Not Compatible with Narrow Cab.	241.00
		LIGHTING EQUIPMENT	
8725		Beacon Lighting RH mounted - LH side traffic (UK)	208.00
		FRONT LOADER PREPARATION PACKAGES	
8910		Loader Preparation Package  Compatible with 540M (Previously H260) or H310 Loader. Includes loader mounting frames and hood guard	1,681.00
		MISCELLANEOUS	
8300		Cold Weather package - Coolant heater Includes Coolant Heater	88.00
8955		Front Weight Support - (55 kg/121 lbs.)	189.00
8310		High Capacity Fuel Tank Inner Fuel Tank 29 L/7 gal. additional for Open Station and High Crop Models, 31 L/8 gal. additional for Cab. * All Narrow Cab and 5115M models have high capacity tank in base equipment	205.00
		ATTACHMENTS FOR FIELD CONVERSION	
	BPF11130	Autotrac Universal Supplemental Kits AutoTrac Universal Steering Supplemental Kit - "AA" For John Deere FT4 5M Tractors. Requires BPF11129 AutoTrac Universal guidance harness kit and AMS base code 0520PC AutoTrac Universal Kit (use spline PF12168).	220.00

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BPF11129	ATTACHMENTS FOR FIELD CONVERSIONContinued FT4 GreenStar Harness For John Deere FT4 5M Tractors. Includes power supply harness kit and GreenStar harness for non-GreenStar Ready machines. Requires BPF11130 AutoTrac Universal steering supplemental kit - AA and AMS base code 0520PC AutoTrac Universal Kit (use spline PF12168).	511.50
	BLV10950	Backhoes 595 Backhoe Kit	2,633.40
	BSJ10442	Backup Alarm Backup Alarm Kit	162.80
	RE282643	Cab Equipment Leather Steering Wheel	165.43
	AL80126	Rear Mirror Mechanical For Open Station Tractors also order (1) RE244177 (Mounting Kit) per side.	180.40
	AL80127	Rear Mirror Mechanical For Open Station Tractors also order (1) RE244177 (Mounting Kit) per side.	180.40
	DZ102076	Cold Weather Packages Engine Block Heater (110V)	108.37
	BSJ10435	<b>Exhaust</b> Side Exhaust Kit Not compatible with the following tire options: 230/95R48. When installing on a 5M FT4 tractor with a loader installed, also order hose guard W45680.	991.10
	AL156778	Front Axle Hub Extension 60mm, Front, Tread Adjustment Fits MFWD axles Tread setting should not exceed 80 In. for maximum load applications. Kit contains (2) L154685 Hubs, (16) 24M7242 Washers, and (16) L152521 Bolts. Only for axles with 10.82 diameter bolt holes. For other hub thickness, see Parts.	694.10
	LVB25776	Front Fenders Fixed Front Fender Mounting brackets and hardware kit - (MFWD) without loader Requires Fenders (AL180328, AL180330, AL180327) ordered separately through parts.	836.00
	AL180328	Front Fenders 320 mm (12.6 ln) Wide (MFWD) Recommended for use with 8.3-24 and 9.5-24 ln. Tires. Requires Mounting Bracket and Hardware Kit (LVB25776) ordered separately.	75.64
	AL180330	Front Fenders 370 mm (14.6 ln.) Wide (MFWD)  Recommended for use with 13.6-24 In. Tires. Requires Mounting Brackets and Hardware Kit (LVB25776) ordered separately.	89.13
	AL180327	Front Fenders 420 mm (16.5 ln.) Wide (MFWD)  Recommended for use with 13.6-24 ln. Tires. Requires Mounting Brackets and Hardware Kit (LVB25776) ordered separately.	100.26

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	BSJ10387	Front Hitch Front Hitch Attaching Parts - Augusta sourced - R4	4,398.90
	BLV10679	Front Power Take-off (Pto) Auxiliary Front Drive Coupler Kit	997.70
	BW16765	Hood Guards Hood Guard	424.60
	BSJ10441	Hydraulics 3rd Rear SCV (Upgrade from 2 rear SCV) For use with Tractors ALREADY equipped with Dual Rear Valves. Stackable design adds 3rd Function to existing Dual valves. Features: - Selectable detent position remains on first valve (auto kickout, continuous flow, or no detent) - Flow priority to #1 valve - Pressure compensated flow control for running hydraulic motors on #1 valve Compatible with CAB or OPEN Station	974.60
	BSJ10283	CASE DRAIN Supplies non-restricted flow of hydraulic fluid to reservoir. Must have Motor Control Kit (Power Beyond) BSJ10282 Installed.	190.30
	BSJ10465	Oil Collection System Kit contains Dust Caps with Oil Collection Reservoir, Hoses and Brackets (Hardware included).	113.30
	BSJ10282	POWER BEYOND	332.20
	LVB24997	Lighting Auxiliary loader light kit Requires Loader installation.	761.20
	LVB25720	Auxiliary work light kit (2 lights)	151.80
	RE244176	Beacon Light Kit Open Operator Station only	245.66
	BLV10120	Beacon light kit Cab tractors only.	237.60
	BSJ10325	LED HEADLIGHTS	288.20
	BSJ10450	Machine Connectivity JDLink Mounting Kit, Cab models For FT4 5M, 5MH, 5R tractors. JDLink kit to be ordered separately through whole goods (AMS base code 021RPC). Order less antenna (code 2009) then order PFA10879 through parts. (R4)	176.00

			List Price
Code	Attachment Identifier	Description	Suggested USD (\$)
	BSJ10451	ATTACHMENTS FOR FIELD CONVERSIONContinued JDLink Mounting Kit, OOS models For FT4 5M, 5MH, 5ML tractors. JDLink kit to be ordered separately through whole goods (AMS base code 021RPC). Order less antenna (code 2009) then order PFA11136 through parts. (R4)	528.00
	BSJ10330	Mid Selective Control Valves  2 Mechanical Mid-SCV with Joystick lever Includes 2x Mid Control Valve for Tractors not equipped with Mid Control Valve.  Does not include loader side frames.  5ML must also order the following - (1) SJ26965, (1)SJ30284, (1) R251414, (1) SU41309, (10) R94361, (4) 19M9140, (6) 19M9134	1,417.90
	BLV10099	Miscellaneous 1000/540/540E-rpm power take-off (PTO) kit Not compatible with any Tractor equipped with a single speed PTO (540 only). New gear box (assembly required) and reversible PTO stub shaft included.	1,487.20
	RE554568	120 Amp Alternator OOS models only	743.88
	RE555751	200 Amp Alternator Cab models only.	815.82
	BSJ10101	3rd Mid SCV (upgrade from 2 Mid SCV) Stackable design adds 3rd Function to existing 2 Mid SCV valves.	851.40
	AH104259	Ash Tray <i>Must also order</i> (2) 37M7218, (1) AL173370, (1) AL207492, (1) SU49479.	65.64
	LVB25785	Canopy - Deluxe Includes Amber lights front and rear, hard liner and wiring harness. Requires LVB25783 Canopy Mounting Bracket and Hardware Kit ordered separately.	828.30
	LVB25783	Canopy mounting kit Operator Stations Only. Canopy ordered separately.	74.80
	T21709	Category I Interchangeable Hitch Ball Two required.	15.34
	T21706	Category II Interchangeable Hitch Ball Two required.	13.21
	T12553	Center Link Conversion Bushing, Cat. II to Cat. I	13.87
	AR60937	Cigarette Lighter Cab only.	13.94
	RE52682	Convenience Outlet Open Station only. Also order: (1) L157467 strap, (4) 37M70995 screws.	111.08
	R66432	Draft Link Conversion Bushing, Cat. II to Cat. I Two required.	16.72
	LVB25949	Drawbar - Hammerstrap and chain clevis kit Kit contains all necessary parts and hardware (instructions included).	141.90

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	LVB25716	ATTACHMENTS FOR FIELD CONVERSIONContinued Electrohydraulic (EH) hitch right fender switch kit For Electrohydraulic (EH) Hitch ONLY. Only compatible with Cab models	151.80
	BSJ10163	Floodlamp/Work Lights, LED, (4 Lights) Cab Only. Use for Front or Rear.	442.20
	BRE10151	Front Utility Box Must also order Front Utility Box Bracket (BRE10153). Utility Box is intended for front tractor mounting only.	356.40
	BRE10153	Front Utility Box Bracket Compatible only with front suitcase weight R127764 -Region 4 style. You must have a minimum of 4 suitcase weights and a maximum of 22 suitcase weights.	123.20
	R262449	Front Weight Support, 187 Lbs Requires (4) 19M8100 Cap Screws and (4) 24M7242 Washers, ordered separately.	400.58
	LVB25941	Heavy-duty drawbar kit Kit contains Heavy Duty Drawbar with support assembly. Hardware and instructions included.	289.30
	BSJ10125	Instructional Seat Kit, CAB only	614.90
	AL213203	Lockable Filler Cap Fuel Tank	34.06
	BSJ10104	Mid Fuel Tank - OOS ONLY Compatible with 5075M, 5090M, 5100M. Standard on 5115M and 5100MH models. Base Codes 191DLV, 252CLV, 253CLV	223.30
	LVB25727	PowrReverser modulation control kit	156.20
	AT439279	Radio - AM/FM, Bosch (Premium) Cab Only. (Satellite Capable)	697.96
	RE567557	Radio - AM/FM, Bosch (Standard) Cab Only. (Not Satellite Capable)	473.76
	L154683	Rear Axle 1.2 in. Extension (30 mm) Two required. Requires (16) 19M9364 Cap Screws (8 per Extension), ordered separately.	184.69
	L154682	Rear Axle 1.6 in. Extension (40 mm) Two required. Requires (16) 19M8979 Cap Screws (8 per Extension), Ordered Separately.	216.57
	L154684	Rear Axle 4.4 in. Extension (111 mm) Two required. Requires (16) 19M9365 Cap Screws (8 per Extension), Ordered Separately.	305.70
	RE244177	Rear View Mirror Mounting Kit OOS Requires AL80127 and/or AL80126. Kit contains support plates and hardware for one rear view mirror. Mirror not included.	33.07
	RE19428	Safety Chain Support Kit	158.04

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BSJ10122	ATTACHMENTS FOR FIELD CONVERSIONContinued Satellite receiver and antenna only (Bosch specific) All 5M Series Cab Tractors are "Radio Ready," including Radio Wiring Harness and Speakers. Requires Radio Ordered Separately. Requires Radio Subscription Ordered Separately	236.50
	AL77888	Seat Backrest Extension Premium Open Operator Station (Code 2005) Tractors ONLY.	254.55
	AT162291	Seat Backrest Extension Cab Tractors ONLY.	181.42
	AL71345	Security Door Lock Kit	196.90
	AL203265	Service Horn Requires bolt and nut 19m7865 and 14m7298.	41.13
	BSJ10102	Shield Kit, Fuel Tank (under) Not compatible with backhoe attachment.	149.60
	BW16094	Stationary fenders Compatible with H260 and H310 Loader only. Loader ordered separately. Fenders bolt directly to Loader mounting frame assembly.	561.00
	R127764	Weight, front suitcase 43 kg (95 lb) quantity of one	136.40
	R213907	Weight, rear wheel - 43.09 kg (95 lb) Not compatible on wheels sized 24" or smaller. Maximum of 3 per wheel.	147.40
	BLV10173	Wiper and washer, rear	345.40
	LVB25334	Operator's Station Canopy - Standard Requires LVB25783 Canopy Mounting Bracket and Hardware Kit ordered separately.	476.30
	BRE10015	Cell Phone Mount Kit	62.70
	RE566705	Dual USB Charger Dual USB sockets 4.2 Amp output to simultaneously charge 2 USB devices. Cab models only.	25.96
	RE68495	Power Strip with Six Outlets Cab Tractors ONLY (codes 2050, 2055, or 2060). Requires (2) R205546 and (4) 37M7355 Ordered Separately.	56.28
	BRE10152	Self - Leveling Cup Holder	61.60
	LVB25714	Rear Fenders Rear fender extension Cab tractors only. Interference may occur with some implements when raising the hitch.	221.10
	LVB25066	Rear fender extension kit with work lights  Open Station Tractors only.	465.30

#### **5100M Utility Tractor**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	LVB25976	Rear Hitch iMatch Quick-Hitch Category 1 with adjustable top hook Includes one set of Bushings(LVU15507).  Not compatible with LVB25941 (Heavy Duty Hitch Kit).	365.20
	TY27545	Three-point Hitch Quik-Coupler, Economy, Category 2 Interference may occur when raising the hitch if extended fenders are configured.	580.37

# 5100M Utility Tractor Continued THIS PAGE INTENTIONALLY LEFT BLANK

#### **5115M Utility Tractor**

**Equipment for Base Machine** 

ENGINE: 115 Engine Horsepower @ 2200 rpm\* 100 PTO Horsepower @ 2100 rpm\* EPA Final Tier 4 Emissions Compliant Turbocharger with Intercooler 4.5L PowerTech Diesel Engine Turbocharger with Intercooler 4 Valve HPCR Dry Type Air Cleaner with Safety Element DEF Tank capacity (3.2 gal) Cold Start Aid - Air Intake Heater Hand and Foot Throttle Key Engine Shut-Off Water Separator Bowl TRANSMISSION: EH Differential Lock Hydraulic Oil Cooler Wet Traction Clutch Park Lock Neutral Start Safety Switch REAR AXLE: Flanged Rear Axle Planetary Final Drives FRONT AXLE: Planetary Final Drives STEERING AND BRAKES: Hydrostatic Power Steering Hydraulic Wet Disk Brakes Self-Equalizing and Self-Adjusting HYDRAULIC: Open Center Hydraulic System Tandem Gear Pump 24.7 gpm (94 lpm) Maximum Total Flow -Steering Pump 6.3 gpm (24 lpm) Implement Pump 18.4 gpm (70 lpm) POWER TAKE-OFF SHAFT: Independent "Live" 540 rpm Rear PTO Shaft @ 2100 Engine rpm Economy PTO Setting for 540 PTO rpm @ 1645 Engine Electrohydraulic PTO Engagement Wet PTO Clutch Operator Presence Safety Warning - PTO Safety Start Switch

Flip Up PTO Shield

ROCKSHAFT, HITCH AND DRAWBAR: 65-mm Lift Cylinder Heavy-duty Drawbar Telescoping Draft Links with Category II Balls Lower Link Draft Sensing INSTRUMENTATION: Electric Fuel Gauge Flashing Warning Lamp High Beam Indicator Light Service Transmission Indicator PTO Speed Indicator/Roll Mode Neutral Indicator (PR Only) Tachometer/Hour Meter Engine Oil Pressure Hydraulic Temperature Indicator Coolant Temperature Gauge Diesel Exhaust Fluid Guage with low DEF Warning Signal Alternator Indicator Light Air Restriction Indicator Light Exhaust Filter Cleaning Switch Roll Mode for Instrument Cluster PTO Engagement Light (Rear PTO) ELECTRICAL: 12-Volt Electrical System One Battery - 925 CCA\*\* with 180 Minute Reserve Capacity 7-Pin ASAE Outlet Socket LIGHTS: Two Front Halogen Headlights Two Turn/Warning Lights Two Rear Work Lights
Dual Tail Lights MISCELLANEOUS: Slow-moving Vehicle (SMV) Emblem Toolbox \* Manufacturer's Rating \*\* Cold Cranking Amps

			List Price
	Attachment		Suggested
Code	Identifier	Description	ŪSD (\$)

#### Select One Code From Each Required Category

#### **BASE MACHINE**

254CLV	5115M Utility Tractor	67,661.00
	DESTINATION	
0203	Puerto Rico	Same Price
024H	US Minor Outlying Islands	Same Price
020A	US Virgin Islands	Same Price
0207	Saint Pierre and Miguelon	Same Price

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		DESTINATIONContinued	
0240		<b>Asia</b> American Samoa	Same Price
0245		Guam	Same Price
0202		North America United States	In Base Price
0184		Canada	Same Price
0205		French Quebec	Same Price
		OPERATOR'S MANUAL	
0409		ENGLISH	In Base Price
0413		FRENCH	Same Price
0437		SPANISH	Same Price
		TRANSMISSION	
1362		12F/4R SyncShuttle Plus (30k) Requires Option Code 2010 (Standard OOS) or 2055 (Standard Cab). Requires Option Code 4010 (Mechanical rear hitch)	-3,095.00
1380		16F/16R PowrReverser	In Base Price
1390		32F/16R PowrReverser Hi-Lo (40k) Requires Option Code 6040 (MFWD). Requires Option Code 4030 (ElectroHydraulic (EH) rear hitch). Not compatible with Option Code 2010 (Standard OOS).	1,696.00
1394		32F/16R PowrReverser Hi-Lo (40k) with Creeper Requires Option Code 6040 (MFWD). Requires Option Code 4030 (ElectroHydraulic (EH) rear hitch). Not compatible with Option Code 2010 (Standard OOS).	4,341.00
		OPERATOR'S STATION	
2005		Premium Isolated Open Operator Station Includes all features of Standard Isolated Open Operator Station plus: Fender Extensions with Front Work Lights Requires Option Code 4030 (ElectroHydraulic (EH) rear hitch) 29 U.S. Gallon (111 L) Fuel Tank Capacity	511.00
2010		Standard Isolated Open Operator Station Isolated Open Operator Station with Flat Floor Standard Floor mat Tilt and Telescoping Steering Column 2-Post Isolated Foldable Roll-Over Protection Structure (ROPS) Plexiglass Debris/Air Deflector with Grab Handles Speedometer Deluxe Seat with Swivel, Armrests, and Retractable Seat Belt Beverage Holder Two Rear Work Lights	In Base Price

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		OPERATOR'S STATIONContinued  Flashing Warning Lights  Dual Taillights  29 U.S. Gallon (111 L) Fuel Tank Capacity	,,
		Requires Option Code 4010 (Mechanical rear hitch)	
2055		Standard Cab Deluxe Isolated Cab with Flat Floor Tilt and Telescopic Steering Column Left and Right Side Doors with Steps Air Conditioning and Heater Speedometer Beverage Holder Sunvisor for Front Window 2-Speed Front Windshield Wiper and Washer Two Front/Two Rear Roof-Mounted Work Lights Two Front/Two Rear Roof-Mounted Warning Lights Two Frontented Taillights Convenience Power Outlet Monitor Mounting Bosses (2 Sets) Swing-Out Rear Window with Two Removable Rear Plugs for Monitor Right-Hand Console Light Radio Preparation (with speakers, wiring) Rear window grab handle Bluetooth Ready 36 U.S. Gallon (139 L) Fuel Tank Capacity (High Crop Cab models)	11,769.00
		Requires Option Code 3025 (Deluxe Corner Post Exhaust).	
2060		Premium Cab Includes Premium package, all features of Standard Cab plus: Load View Window (Sunroof) with Shade Front Sunshade Factory Installed Radio (Bluetooth and Satellite Capable) Rear Window Wiper Radio Antenna Additional Defrost Louvers Requires PowrReverser Transmission (1380, 1382, 1390 or 1394) Requires Option Code 3025 (Deluxe Corner Post Exhaust). Requires Option Code 4030 (ElectroHydraulic (EH) rear hitch) Requires Option code 6040 (MFWD)	13,442.00
2065		Narrow Cab Includes all features of Standard Cab plus High Capacity Fuel Tank 42 U.S. Gallon (161 L) Fuel Tank Capacity Requires Option Code 3025 or 3010 (Deluxe Corner Post Exhaust or Horizontal Side Exhaust)	12,719.00
		MIRRORS	
2511		Mirror Telescopic LH & RH Available on Cab Tractors only	305.00
2500		Less Rear View Mirrors  Available on Cab Tractors only	In Base Price
		SEAT	
2100		Mechanical Suspension seat	In Base Price
2120		Air Suspension seat	849.00

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
2121		SEATContinued Premium Air Suspension Seat Includes heater and low frequency air suspension. Available on Cab Tractors only.	1,353.00
		CAB INSTRUCTIONAL SEAT	
2400		Less Instructional Seat	In Base Price
2410		Instructional Seat with Seat-belt Available on Cab Tractors only.	559.00
		EXHAUST	
3010		Horizontal Side Exhaust	472.00
3020		Vertical Exhaust Available on Open Operator Station Tractors Only.	In Base Price
3025		Corner Post Deluxe Exhaust Available on Cab Tractors Only.	603.00
		SELECTIVE CONTROL VALVES	
3325		2 Mechanical Stackable Rear SCV	In Base Price
3326		3 Mechanical Stackable Rear SCV	886.00
		MID SELECTIVE CONTROL VALVES	
3400		Less Mid SCVs Requires Code 4010 (Mechanical Rear Hitch Controls)	-967.00
3420		2 Stackable Mid SCVs with Mechanical Joystick control	In Base Price
3430		3 Stackable Mid SCVs with Mechanical Joystick Control	774.00
		REAR POWER TAKE-OFF (PTO)	
3820		Two Speed PTO - 540/540E	In Base Price
		HITCH CONTROLS	
4010		Mechanical Rear Hitch Control Not compatible with Code 2005 or 2065 (Premium Open Operator Station or Premium Cab)	In Base Price
4030		Electronic Hitch Control with Remote Control on LH Fender Not compatible with Code 2010 (Standard Open Operator Station)	475.00
		DRAFT LINK	
4110		Telescoping Draft Links with Ball End - Cat.2	In Base Price
		CENTER LINK	
4210		Mechanical Center Link with Ball Ends - Cat. 2	In Base Price

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		CENTER LINKContinued	
		STABILIZER	
4420		LH & RH Stabilizer Bar	In Base Price
		LIFT LINK	
4160		LH Only Adjustment Lift Link Right Hand side is Fixed.	In Base Price
		FRONT AXLE	
6040		MFWD Front Axle	In Base Price
		REAR WHEELS AND TIRES	
5103		22.5LL-16.1 In. 6PR R3 (Turf Special) Bias 2WD Requires Code 6103 or 6113. MFWD Requires Code 6123.	-1,446.00
5121		16.9-30 6PR R1 Bias 2WD Requires Code 6112 or 6113 (Firestone) MFWD Requires Code 6111 (Goodyear)	-2,083.00
5133		460/85R30 (18.4R30) R1W Radial 2WD Requires Code 6112 (Firestone) MFWD Requires Code 6203 (Firestone)	In Base Price
5141		380/85R38 (15.5R38) 125A8 R1W Radial Requires Code 6210 (Firestone)	-1,207.00
5151		230/95R48 134A8 R1W Radial Requires Code 6131 (Kleber) for High Clearance Applications.	224.00
5155		320/85R36 (12.4R36) R1W Radial Requires Code 6180 (Michelin)	-812.00
5180		420/85R30 (16.9R30) R1W Radial Requires Code 6200 (Michelin).	-85.00
5191		460/85R34 (18.4R34) R1W Radial Requires Code 6210 or 6120 (Michelin).	200.00
5192		19.5L-24 In. 10PR R4 Bias 2WD Requires Code 6113 (Firestone). Requires Code 6133 (Goodyear).	-2,106.00
5202		420/85R34 (16.9R34) R1W Radial Requires Code 6210 (Michelin).	-142.00
5203		480/70R34 R1W Radial Requires Code 6211 (Michelin)	889.00
5205		23.1-26 8PR R3 2WD Requires Code 6103 or 6113 (Titan). MFWD Requires Code 6214 (Titan).	-860.00

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		REAR TIRE BRAND PREFERENCE	
5999		No Rear Tire Brand Preference	In Base Price
		EDONT WHEELS AND TIDES	
		FRONT WHEELS AND TIRES  See Loader Section of the Sales Manual for Front Tire/Loader compatibility information.	
		see Louder seemon of the sailes manaal for From The Louder companioning information.	
6111		11.2-24 6PR R1 Bias Goodyear Brand	-1,142.00
6120		380/85R24 - 14.9R24 R1W Radial <i>Michelin Brand</i>	754.00
6123		12LL-16.1 6PR R3 (Turf Special) Bias	-1,717.00
6131		230/95R32 126A8 R1W Radial Kleber Brand. Recommended for High Clearance Applications	330.00
6133		12.5/80-18 In. 12PR R4 Bias Goodyear Brand	-1,533.00
6180		280/85R24 (11.2R24) R1W Radial Michelin Brand	-109.00
6200		320/85R24 (12.4R24) R1W Radial Michelin Brand	Same Price
6203		320/85R24 (12.4R24) R1W Radial Firestone Brand	In Base Price
6210		340/85R24 (13.6R24) 125A8 R1W Radial Michelin or Firestone Brand	606.00
6211		380/70R24 R1W Radial Michelin Brand	891.00
6214		44X18-20 4PR R3 Bias Titan Brand	-707.00
		FRONT TIRE BRAND PREFERENCE	
6799		No Front Tire Brand Preference	In Base Price
		CAR ORERATORIC STATION	
8280		CAB OPERATOR'S STATION  Rear Window Wiper  In Base Equipment for R4 Premium Cab. Option applies to Standard Cab Only.	285.00
		POWER TAKE-OFF (PTO) CONTROLS	
8386		PTO Remote Control and LH and RH Fenders	62.00
		HITCH CYLINDERS	
8458		70 mm Hitch lift cylinder	342.00
		FRONT FENDERS	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
8010		FRONT FENDERSContinued Front Fenders - Rigid (Axle Mounted) Front fenders will restrict some front tires	553.00
8015		Front Fenders - Turnable (Axle Mounted) Front fenders will restrict some front tires	850.00
8020		Rear Fender Extensions (Cab) Not Compatible with Narrow Cab.	241.00
		LIGHTING EQUIPMENT	
8725		Beacon Lighting RH mounted - LH side traffic (UK)	208.00
		FRONT LOADER PREPARATION PACKAGES	
8910		Loader Preparation Package Compatible with 540M (Previously H260) or H310 Loader. Includes loader mounting frames and hood guard	1,681.00
		MISCELLANEOUS	
8300		Cold Weather package - Coolant heater Includes Coolant Heater	88.00
8955		Front Weight Support - (55 kg/121 lbs.)	189.00
		ATTACHMENTS FOR FIELD CONVERSION	
	BPF11130	Autotrac Universal Supplemental Kits AutoTrac Universal Steering Supplemental Kit - "AA" For John Deere FT4 5M Tractors. Requires BPF11129 AutoTrac Universal guidance harness kit and AMS base code 0520PC AutoTrac Universal Kit (use spline PF12168).	220.00
	BPF11129	FT4 GreenStar Harness For John Deere FT4 5M Tractors. Includes power supply harness kit and GreenStar harness for non-GreenStar Ready machines. Requires BPF11130 AutoTrac Universal steering supplemental kit - AA and AMS base code 0520PC AutoTrac Universal Kit (use spline PF12168).	511.50
	BLV10950	Backhoes 595 Backhoe Kit	2,633.40
	BSJ10442	Backup Alarm Backup Alarm Kit	162.80
	RE282643	Cab Equipment Leather Steering Wheel	165.43
	AL80126	Rear Mirror Mechanical For Open Station Tractors also order (1) RE244177 (Mounting Kit) per side.	180.40

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	AL80127	ATTACHMENTS FOR FIELD CONVERSIONContinued Rear Mirror Mechanical For Open Station Tractors also order (1) RE244177 (Mounting Kit) per side.	180.40
	DZ102076	Cold Weather Packages Engine Block Heater (110V)	108.37
	BSJ10435	<b>Exhaust</b> Side Exhaust Kit Not compatible with the following tire options: 230/95R48. When installing on a 5M FT4 tractor with a loader installed, also order hose guard W45680.	991.10
	AL156778	Front Axle Hub Extension 60mm, Front, Tread Adjustment Fits MFWD axles Tread setting should not exceed 80 In. for maximum load applications. Kit contains (2) L154685 Hubs, (16) 24M7242 Washers, and (16) L152521 Bolts. Only for axles with 10.82 diameter bolt holes. For other hub thickness, see Parts.	694.10
	LVB25776	Front Fenders Fixed Front Fender Mounting brackets and hardware kit - (MFWD) without loader Requires Fenders (AL180328, AL180330, AL180327) ordered separately through parts.	836.00
	AL180328	Front Fenders 320 mm (12.6 ln) Wide (MFWD) Recommended for use with 8.3-24 and 9.5-24 ln. Tires. Requires Mounting Bracket and Hardware Kit (LVB25776) ordered separately.	75.64
	AL180330	Front Fenders 370 mm (14.6 ln.) Wide (MFWD) Recommended for use with 13.6-24 ln. Tires. Requires Mounting Brackets and Hardware Kit (LVB25776) ordered separately.	89.13
	AL180327	Front Fenders 420 mm (16.5 ln.) Wide (MFWD) Recommended for use with 13.6-24 In. Tires. Requires Mounting Brackets and Hardware Kit (LVB25776) ordered separately.	100.26
	BSJ10387	Front Hitch Front Hitch Attaching Parts - Augusta sourced - R4	4,398.90
	BLV10679	Front Power Take-off (Pto) Auxiliary Front Drive Coupler Kit	997.70
	BW16765	Hood Guards Hood Guard	424.60

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	BSJ10441	Hydraulics 3rd Rear SCV (Upgrade from 2 rear SCV) For use with Tractors ALREADY equipped with Dual Rear Valves. Stackable design adds 3rd Function to existing Dual valves. Features: - Selectable detent position remains on first valve (auto kickout, continuous flow, or no detent) - Flow priority to #1 valve - Pressure compensated flow control for running hydraulic motors on #1 valve Compatible with CAB or OPEN Station	974.60
	BSJ10283	CASE DRAIN Supplies non-restricted flow of hydraulic fluid to reservoir. Must have Motor Control Kit (Power Beyond) BSJ10282 Installed.	190.30
	BSJ10465	Oil Collection System Kit contains Dust Caps with Oil Collection Reservoir, Hoses and Brackets (Hardware included).	113.30
	BSJ10282	POWER BEYOND	332.20
	LVB24997	<b>Lighting</b> Auxiliary loader light kit Requires Loader installation.	761.20
	LVB25720	Auxiliary work light kit (2 lights)	151.80
	RE244176	Beacon Light Kit Open Operator Station only	245.66
	BLV10120	Beacon light kit Cab tractors only.	237.60
	BSJ10325	LED HEADLIGHTS	288.20
	BSJ10450	Machine Connectivity JDLink Mounting Kit, Cab models For FT4 5M, 5MH, 5R tractors. JDLink kit to be ordered separately through whole goods (AMS base code 021RPC). Order less antenna (code 2009) then order PFA10879 through parts. (R4)	176.00
	BSJ10451	JDLink Mounting Kit, OOS models For FT4 5M, 5MH, 5ML tractors. JDLink kit to be ordered separately through whole goods (AMS base code 021RPC). Order less antenna (code 2009) then order PFA11136 through parts. (R4)	528.00
	BSJ10330	Mid Selective Control Valves  2 Mechanical Mid-SCV with Joystick lever Includes 2x Mid Control Valve for Tractors not equipped with Mid Control Valve. Does not include loader side frames. 5ML must also order the following - (1) SJ26965, (1)SJ30284, (1) R251414, (1) SU41309, (10) R94361, (4) 19M9140, (6) 19M9134	1,417.90

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	BLV10099	Miscellaneous 1000/540/540E-rpm power take-off (PTO) kit Not compatible with any Tractor equipped with a single speed PTO (540 only). New gear box (assembly required) and reversible PTO stub shaft included.	1,487.20
	RE554568	120 Amp Alternator OOS models only	743.88
	RE555751	200 Amp Alternator Cab models only.	815.82
	BSJ10101	3rd Mid SCV (upgrade from 2 Mid SCV) Stackable design adds 3rd Function to existing 2 Mid SCV valves.	851.40
	AH104259	Ash Tray Must also order (2) 37M7218, (1) AL173370, (1) AL207492, (1) SU49479.	65.64
	LVB25785	Canopy - Deluxe Includes Amber lights front and rear, hard liner and wiring harness. Requires LVB25783 Canopy Mounting Bracket and Hardware Kit ordered separately.	828.30
	LVB25783	Canopy mounting kit Operator Stations Only. Canopy ordered separately.	74.80
	T21709	Category I Interchangeable Hitch Ball Two required.	15.34
	T21706	Category II Interchangeable Hitch Ball Two required.	13.21
	T12553	Center Link Conversion Bushing, Cat. II to Cat. I	13.87
	AR60937	Cigarette Lighter Cab only.	13.94
	RE52682	Convenience Outlet Open Station only. Also order: (1) L157467 strap, (4) 37M70995 screws.	111.08
	R66432	Draft Link Conversion Bushing, Cat. II to Cat. I Two required.	16.72
	LVB25949	Drawbar - Hammerstrap and chain clevis kit Kit contains all necessary parts and hardware (instructions included).	141.90
	LVB25716	Electrohydraulic (EH) hitch right fender switch kit For Electrohydraulic (EH) Hitch ONLY. Only compatible with Cab models	151.80
	BSJ10163	Floodlamp/Work Lights, LED, (4 Lights) Cab Only. Use for Front or Rear.	442.20
	BRE10151	Front Utility Box Must also order Front Utility Box Bracket (BRE10153). Utility Box is intended for front tractor mounting only.	356.40

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BRE10153	ATTACHMENTS FOR FIELD CONVERSIONContinued Front Utility Box Bracket Compatible only with front suitcase weight R127764 -Region 4 style. You must have a minimum of 4 suitcase weights and a maximum of 22 suitcase weights.	123.20
	R262449	Front Weight Support, 187 Lbs Requires (4) 19M8100 Cap Screws and (4) 24M7242 Washers, ordered separately.	400.58
	BSJ10125	Instructional Seat Kit, CAB only	614.90
	AL213203	Lockable Filler Cap Fuel Tank	34.06
	LVB25727	PowrReverser modulation control kit	156.20
	AT439279	Radio - AM/FM, Bosch (Premium) Cab Only. (Satellite Capable)	697.96
	RE567557	Radio - AM/FM, Bosch (Standard) Cab Only. (Not Satellite Capable)	473.76
	L154683	Rear Axle 1.2 in. Extension (30 mm) Two required. Requires (16) 19M9364 Cap Screws (8 per Extension), ordered separately.	184.69
	L154682	Rear Axle 1.6 in. Extension (40 mm) Two required. Requires (16) 19M8979 Cap Screws (8 per Extension), Ordered Separately.	216.57
	L154684	Rear Axle 4.4 in. Extension (111 mm)  Two required.  Requires (16) 19M9365 Cap Screws (8 per Extension), Ordered Separately.	305.70
	RE244177	Rear View Mirror Mounting Kit OOS Requires AL80127 and/or AL80126. Kit contains support plates and hardware for one rear view mirror. Mirror not included.	33.07
	RE19428	Safety Chain Support Kit	158.04
	BSJ10122	Satellite receiver and antenna only (Bosch specific) All 5M Series Cab Tractors are "Radio Ready," including Radio Wiring Harness and Speakers. Requires Radio Ordered Separately. Requires Radio Subscription Ordered Separately	236.50
	AT162291	Seat Backrest Extension Cab Tractors ONLY.	181.42
	AL71345	Security Door Lock Kit	196.90
	AL203265	Service Horn Requires bolt and nut 19m7865 and 14m7298.	41.13
	BSJ10102	Shield Kit, Fuel Tank (under) Not compatible with backhoe attachment.	149.60
	BW16094	Stationary fenders Compatible with H260 and H310 Loader only. Loader ordered separately. Fenders bolt directly to Loader mounting frame assembly.	561.00

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	R127764	ATTACHMENTS FOR FIELD CONVERSIONContinued Weight, front suitcase 43 kg (95 lb) quantity of one	136.40
	R213907	Weight, rear wheel - 43.09 kg (95 lb)  Not compatible on wheels sized 24" or smaller. Maximum of 3 per wheel.	147.40
	BLV10173	Wiper and washer, rear	345.40
	LVB25334	Operator's Station Canopy - Standard Requires LVB25783 Canopy Mounting Bracket and Hardware Kit ordered separately.	476.30
	BRE10015	Cell Phone Mount Kit	62.70
	RE566705	Dual USB Charger Dual USB sockets 4.2 Amp output to simultaneously charge 2 USB devices. Cab models only.	25.96
	RE68495	Power Strip with Six Outlets Cab Tractors ONLY (codes 2050, 2055, or 2060). Requires (2) R205546 and (4) 37M7355 Ordered Separately.	56.28
	BRE10152	Self - Leveling Cup Holder	61.60
	LVB25714	Rear Fenders Rear fender extension Cab tractors only. Interference may occur with some implements when raising the hitch.	221.10
	LVB25066	Rear fender extension kit with work lights  Open Station Tractors only.	465.30
	TY27545	Three-point Hitch Quik-Coupler, Economy, Category 2 Interference may occur when raising the hitch if extended fenders are configured.	580.37

#### 5090R Utility Tractor - FT4

Equipment for Base Machine

ENGINE: 90 Engine Horsepower @ 2200RPM\*
75 PTO Horsepower @ 2100 RPM\*
EPA Final Tier 4 Compliant with DOC / SCR
4.5L John Deere PowerTech Diesel Engine Turbocharger with Intercooler 4 Valve High Pressure Common Rail Up to 8% Power Bulge +10 HP Intelligent Power Management (non-PTO) Dry Type Air Cleaner with Safety Element Underhood Muffler with Vertical Cornerpost Exhaust Stack Air intake heater Hand and Foot Throttle Key Engine Shut-Off Water Separator Bowl 38 US Gallon (143.9 L) Fuel Tank Capacity 3 US Gallon (11.4 L) DEF Tank Capacity TRANSMISSION: 16F/16R CommandQuad Manual Transmission Electronic Range and Gear Shifting AutoClutch Electronic Park Brake EH Differential Lock Oil Cooler Wet Traction Clutch Neutral Start Safety Switch REAR AXLE, WHEELS AND TIRES: Flanged Rear Axle Planetary Final Drives 8-Position Standard Steel Wheels Two 460/85R30 R1-W Radial Tires FRONT AXLE, WHEELS AND TIRES: Mechanical Front Wheel Drive Planetary Final Drives Electro-Hydraulic MFWD Engagement Two 320/85R24 R1-W Radial Tires STEERING AND BRAKES: Hydrostatic Power Steering Hydraulic Wet Disk Brakes Self-Equalizing and Self-Adjusting Lockable Turning Brakes HYDRAULICS: Open Center Hydraulic System Tandem Gear Pump 25.6 GPM (96.7 LPM) Maximum Total Flow -Steering Pump 6.3 GPM (23.7 LPM) Implement Pump 19.3 GPM (73.0 LPM)
2 Mid & 2 Rear Stackable SCV Control Valves Mechanical Rear SCV controls Seat-Mounted Mechanical Loader Joystick with Electronic Gear Shift switches POWER TAKE-OFF SHAFT: Independent "Live" 540 /1000 RPM Rear PTO Shaft @ 2100 Engine RPM Economy PTO Setting for 540 PTO RPM @ 1645 Engine Reversible 540/1000 PTO Shaft Electro-Hydraulic PTO Engagement Wet PTO Clutch Safety Start Switch Flip Up PTO Shield ROCKSHAFT, HITCH AND DRAWBAR: Electro-hydraulic Hitch with LH Fender controls 75mm Lift Cylinders Heavy Duty Drawbar Telescoping Draft Links with Category II Balls Adjustable Sway Bars Mechanically Adjustable Top Link with Category II

Balls Lower Link Draft Sensing INSTRUMENTATION: Interactive Cornerpost Mounted Display Service, Information, and Stop Alerts Digital Fuel and DEF Gauges Digital Coolant Temperature Gauge Programmable Transmission, Engine, Hydraulic, and Hitch Settings Selectable Run Pages Turn Signal and Hazard Indicator Lights High Beam Indicator Light PTO Speed and Engagement Indicators Gear, Range, and Direction Indicators Speedometer Tachometer Hour Meter
Start Aid Time Remaining Counter Exhaust Filter Cleaning Indicator MFWD Engagement Light Differential Lock Engagement Light ELECTRICAL: 12-Volt Electrical System
One Battery - 950 CCA\*\* with 180 Minute Reserve Capacity
Battery Boost Terminals 7-Pin ASAE Outlet Socket 200 Amp Alternator LIGHTING: Two Front Halogen Headlights Two Front Halogen Work Lights Two Side Halogen Work Lights Two Rear Halogen Work Lights
Two Front and Two Rear Turn/Warning Lights Dual Tail Lights STANDARD CAB OPERATOR STATION Tilt and Telescopic Steering Column Left and Right Hand Opening Doors Left Step Light Floor Mat and Rear Floor Mat Air Conditioning and Heater Scissor-style Front Sunshade 2-speed Front Windshield Wiper Right hand console controls High Back, Cloth Seat with Swivel, Retractable Seat Belt, and Armrests Beverage Holder Under seat storage drawer Three 3-pin Convenience Power Outlets 12-volt Power Outlet Radio Preparation (including speakers, wiring) Antenna Auxiliary and USB Jack (non-charging) Bluetooth Ready Monitor Mounting Bosses (A post and B post) Opening rear window with 2 position latch Swing out corner windows with latches MISCELLANEOUS: SMV Emblem Toolbox English Operator's Manual \* Manufacturer's Rating \*\* Cold Cranking Amps

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	]
		BASE MACHINE	
		EX-WORKS Augusta	
1650LV		5090R Utility Tractor - FT4	83,592.00
		DESTINATION	
0202		United States	In Base Price
0203		Puerto Rico	Same Price
020A		US Virgin Islands	Same Price
0184		Canada	Same Price
		OPERATOR'S MANUAL	
0409		English	In Base Price
0413		French	Same Price
0437		Spanish	Same Price
1500		TRANSMISSION  16F/16R CommandQuad Manual (40k)	In Base Price
1502		16F/16R CommandQuad Manual (40k) w/ Creeper Requires PFC Hydraulics Code 3223.	2,645.00
1503		32F/16R Command8 (40K) Requires PFC Hydraulics Code 3223.	3,823.00
		POWER TAKE-OFF (PTO)	
3830		Three Speed PTO - 540/540E/1000	In Base Price
		OPERATOR'S STATION	
2055		Standard Cab with Right Hand Console Controls Isolated Cab with Flat Floor Tan Floormat Rear Tan Floormat Tilt and Telescopic Steering Column Left and Right Side Doors with Steps Air Conditioning and Heat Reconfigurable Cornerpost Display Bluetooth Ready Beverage Holder Scissor-style Sunshade for Front Window 2-Speed Front Windshield Wiper and Washer Two Front/Two Rear Roof-Mounted Halogen Work Lights Two Front/Two Rear Roof-Mounted Warning Lights	In Base Price

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		OPERATOR'S STATIONContinued	.,,
		Two Fender-Mounted Taillights 200 Amp Alternator	
		Convenience Power Outlet	
		3-pole Power Socket (3) Monitor Mounting Bosses (2 Sets)	
		Swing-Out Rear Window with Two Removable Rear Plugs for Monitor Right-Hand Console Light	
		Radio Preparation (with speakers, wiring) Under Seat Storage Drawer	
		Rear window grab handle 2 position rear window latch	
		Square foot throttle pad	
		Coat hook Radio Antenna	
		Auxilary Jack and USB port (non-charging)	
2057		Standard Cab with CommandARM Includes all features of Standard Cab plus CommandArm (Requires PFC hydraulics, code 3223 and EH SCVs, code 3335 or 3336)	1,835.00
2060		Premium Panorama Roof Cab with Right Hand Console Controls Includes all features of Standard Cab plus:	2,273.00
		Fixed Panoramic Sunroof with Shade Deluxe Sound System with Front Corner Mounted Speakers and Subwoofer	
		Factory Installed radio, bluetooth an Satellite Capable Rear Window Wiper	
2062		Premium Panorama Roof Cab with Command Arm (Requires PFC hydraulics and EH	4,108.00
		SCVs) Includes all features of Panorama roof Cab plus CommandArm	
2065		Narrow Cab Includes all features of Standard Cab with Right Hand Console Controls.	950.00
		SEAT	
2120		Standard Cloth Air Suspension Seat	In Base Price
2121		Premium Cloth Air Suspension Seat Includes heating and low frequency air suspension	504.00
		MIRRORS	
2511		Mirror Telescopic LH and RH	In Base Price
		CAB INSTRUCTIONAL SEAT	
2400		Less Instructional Seat	In Base Price
2410		Instructional Seat with Seatbelt	559.00
2410		Instructional Geat with Gealbert	303.00
		EXHAUST	
3025		Deluxe Corner Post Exhaust	In Base Price
		HYDRAULICS	
3221		Open Center Hydraulic System	In Base Price

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
2222		HYDRAULICSContinued	2.050.00
3223		PFC Hydraulic System with 117 l/min (30.9 gpm) hydraulic pump	2,856.00
		REAR SELECTIVE CONTROL VALVES	
3325		2 Mechanical Stackable Rear SCVs One 200 Series SCV and One 450 Series SCV with Deluxe couplers when ordered with PFC Hydraulic System. Requires Right Hand Console Controls. Two 100 Series SCVs when ordered with Open Center Hydrauilic System. Requires Right Hand Console Controls.	In Base Price
3326		3 Mechanical Deluxe Stackable Rear SCVs One 200 Series SCV and Two 450 Series SCVs with Deluxe couplers when ordered with PFC Hydraulic System. Requires Right Hand Console Controls. Two 100 Series SCVs and one 450 Series SCV when ordered with Open Center Hydraulic System. Requires Right Hand Console Controls.	886.00
3335		2 Proportional EH Stackable Rear SCVs Two 450 Series SCVs with Deluxe couplers. Requires CommandARM.	1,635.00
3336		3 Proportional EH Deluxe Stackable Rear SCVs Three 450 Series SCVs with Deluxe couplers. Requires CommandARM.	2,521.00
		MID SELECTIVE CONTROL VALVES	
3400		Less Mid SCV	-967.00
3420		2 Standard Stackable Mid SCV with Mechanical Joystick Control Include Gear Shift switch and Reverser Function	In Base Price
3430		3 Deluxe Mid SCV with Mechanical Joystick Control Includes Third Function Switch, Gear Shift switch, and Reverser Function.	774.00
3435		3 Deluxe Mid EH SCV with Electronic Joystick Control Includes Third Function Switch, Gear Shift switch, and Reverser Function. Requires PFC Hydraulics. All three EH valves are proportional.	2,409.00
		HITCH CONTROLS	
4030		Electrohydraulic (EH) with remote LH fender control	In Base Price
		DRAFT LINK	
4110		Telescoping Draft Links with Ball Ends - Category 2	In Base Price
4160		LIFT LINK  LH Only Adjustable Lift Links	In Base Price
4100		RH Side Fixed.	III Dase Filce
		CENTER LINK	
4210		Mechanical Center Link with Ball Ends - Category 2	In Base Price
4220		Hydraulic Center Link with Ball Ends - Category 2	1,523.00
		STABILIZER	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
4420		STABILIZERContinued  LH and RH Stabilizer Bar	In Base Price
<del>-1120</del>			III Base I nee
		REAR WHEELS AND TIRES	
5115		340/85R38 - 13.6R38 R1W Radial (Mitas) Requires Code 6145.	338.00
5180		420/85R30 - 16.9R30 R1W Radial (Mitas or Michelin) *Mitas not available in R4. Requires code 6180 or 6200 (Michelin).	-85.00
5141		15.5R38 In. 125A8 R1W Radial (Firestone) Requires Code 6210.	-999.00
5151		230/95R48 134A8 R1W Radial (Kleber) Requires Code 6131. High Clearance Applications.	224.00
5155		320/85R36 - 12.4R36 R1W Radial (Michelin) Requires Code 6180.	-812.00
5173		480/70R28 R1W Radial (Mitas) Requires Code 6155.	-57.00
5203		480/70R34 R1W Radial (Mitas or Michelin) Requires Code 6211 *Mitas not available in R4	889.00
5202		420/85R34 - 16.9R34 R1W Radial (Mitas or Michelin) Requires Code 6210. *Mitas not available in R4	-142.00
5229		420/85R38 - 16.9R38 R1W Radial (Mitas or Michelin) *Mitas not available in R4. Requires Code 6120 or 6210 (Michelin).	622.00
5191		460/85R34 - 18.4R34 R1W Radial (Michelin) Requires Code 6210 or Code 6120.	200.00
5205		23.1-26 8PR R3 (Titan) Requires Code 6214.	-860.00
5192		19.5L-24 In. 10PR R4 Bias (Goodyear) Requires Code 6133.	-2,106.00
5133		18.4R30 (460/85R30) R1W (Firestone) Requires Code 6203.	In Base Price
5217		480/80R34 NOKIAN TRI 2 Requires Code 6217	1,491.00
5218		480/80R34 NOKIAN HAKKAPELIITTA Requires Code 6218	1,491.00
		REAR TIRE BRAND PREFERENCE	
5999		No Rear Tire Brand Preference	In Base Price
		FRONT WHEELS AND TIRES	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		FRONT WHEELS AND TIRESContinued See Loader Section of the Sales Manual for Front Tire/Loader compatibility information.	
6120		380/85R24 - 14.9R24 R1W (Mitas or Michelin) *Mitas not available in R4 Not compatible with front turnable fender axle mounted (8015) if loader ready is installed (891A-891B-891D). Order loader mounted fender BW17042.	754.00
6131		230/95R32 126A8 R1W Radial (Kleber) High Clearance Applications. Not compatible with front turnable fender axle mounted (8015)	330.00
6133		12.5/80-18 In. 12PR R4 Bias (Goodyear)	-1,533.00
6145		280/85R28 - 11.2R28 R1W Radial (Mitas)	228.00
6155		380/70R20 R1W Radial (Mitas)	-507.00
6180		280/85R24 - 11.2R24 R1W Radial (Michelin or Mitas) *Mitas not available in R4 Not compatible with front turnable fender axle mounted (8015) if Narrow cab option 2065 is selected	-109.00
6200		320/85R24 - 12.4R24 R1W Radial (Michelin or Mitas) *Mitas not available in R4 Not compatible with front turnable fender axle mounted (8015) if Narrow cab option 2065 is selected	Same Price
6203		12.4R24 (320/85R24) R1W (Firestone)	In Base Price
6210		340/85R24 - 13.6R24 In. 125A8 R1W Radial (Mitas, Michelin, or Firestone) *Mitas not available in R4	606.00
6211		380/70R24 R1W Radial (Mitas or Michelin) *Mitas not available in R4	891.00
6214		44X18-20 In. 4PR R3 Bias (Titan)	-707.00
6217		400/80R24 NOKIAN TRI 2	1,637.00
6218		400/80R24 NOKIAN HAKKAPELIITTA	1,637.00
		FRONT TIRE BRAND PREFERENCE	
6799		No Front Tire Brand Preference	In Base Price
		FRONT AXLE	
6040		MFWD Front Axle without Suspension	In Base Price
		DOWER TAKE OFF (RTO) CONTROLS	
8386		POWER TAKE-OFF (PTO) CONTROLS PTO Remote Control and LH and RH Fenders	62.00
		OPERATOR'S STATION	
8210		Leather Wrapped Steering Wheel	170.00
8261		Mechanical Cab Suspension	1,553.00

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
8280		OPERATOR'S STATIONContinued Rear Window Wiper In Base Equipment for R4 Premium Cab. Option applies to Standard Cab Only.	285.00
		HYDRAULICS	
8320		SCV Oil Spillage Collector	153.00
8446		HITCH CONTROLS  Remote EH Hitch Control on RH Fender  LH Fender Control in Base Equipment.	475.00
		HITCH CYLINDERS	
8458		High capacity hitch - 80mm lift cylinder	407.00
		FRONT FENDERS	
8015		Front Fenders - Turnable (Axle Mounted)	850.00
8020		REAR FENDERS  Rear Fender Extensions - Cab  Not Compatible with Narrow Cab.  Can touch/contact the implement, in this case order short fender extension from 5M series  LVB25714	241.00
		LIGHTING EQUIPMENT	
8725		Beacon Light LH Side (RH Traffic)	208.00
8731		FULL LED Package Upgrades front work lights, rear work lights and side work lights from Halogen to LED	548.00
8300		COLD WEATHER PACKAGES  Cold Weather Package  Coolant Heater	88.00
		FRONT LOADER PREPARATION PACKAGES	
8910		Loader Preparation Package  Compatible with 540R Loader. Includes loader mounting frames and hood guard	1,681.00
891A		Loader ready package - 2 function Mechanical Midstack SCVs Requires Code 3420 Compatible with 540R Loader. Includes loader mounting frames, hood guard, and tractor half of Multi Coupler (w/ hoses).	1,972.00
891B		Loader ready package - 3 function Mechanical Midstack SCVs Requires Code 3430 Compatible with 540R Loader. Includes loader mounting frames, hood guard, and tractor half of Multi Coupler (w/ hoses).	2,426.00
891D		Loader ready package - 3 function Electrical Midstack SCVs	2,426.00

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		FRONT LOADER PREPARATION PACKAGESContinued Requires Code 3435 Compatible with 540R Loader. Includes loader mounting frames, hood guard, and tractor half of Multi Coupler (w/ hoses).	
		FRONT WEIGHT OPTIONS	
8955		Front Weight Support - (55 kg/121 lbs.)	189.00
		AG MANAGEMENT SOLUTIONS	
8217		iTEC Basic	225.00
		ATTACHMENTS FOR FIELD CONVERSION	
	BSJ10455	Air Pre-cleaner Air filter diverter shield kit	82.50
	BLV10950	Backhoes 595 Backhoe Kit	2,633.40
	BSJ10306	Backup Alarm Backup Alarm Kit	162.80
	AL80126	Cab Equipment Rear Mirror Mechanical	180.40
	AL80127	Rear Mirror Mechanical	180.40
	BSJ10323	Center Link Electrohydraulic (EH) Hitch Right Fender Switch Kit	575.30
	DZ102076	Cold Weather Packages Engine Block Heater (110V)	108.37
	AL156778	Front Axle Hub Extension 60mm, Front, Tread Adjustment Fits MFWD axles Tread setting should not exceed 80 In. for maximum load applications. Kit contains (2) L154685 Hubs, (16) 24M7242 Washers, and (16) L152521 Bolts. Only for axles with 10.82 diameter bolt holes. For other hub thickness, see Parts.	694.10
	AL180330	Front Fenders Front Fenders 370 mm (14.6 In.) Wide (MFWD) Recommended for use with 12.5/80-18, 11.2-24 and 12.4-24 In. Tires. Requires Mounting Bracket and Hardware Kit (BSJ10307) ordered separately. Not compatible with 230/95R32 126A8 In Tires or narrow cab tractor configurations.	89.13

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	AL180327	ATTACHMENTS FOR FIELD CONVERSIONContinued Front Fenders 420 mm (16.5 ln.) Wide (MFWD) Recommended for use with 14.9-20 In and 14.9-24 In Tires. Requires Mounting Bracket and Hardware Kit (BSJ10307) ordered separately. Not compatible with 340/85R28 In Tires.	100.26
	AL180326	Front Fenders 480 mm (18.9 ln) Wide (MFWD)  Recommended for use with 440/65R24, 480/65R24 and 44X18-20 In Tires. Requires Mounting  Bracket and Hardware Kit (BSJ10307) ordered separately.	120.75
	BSJ10285	Front Hitch Front Hitch Requires attaching parts (BSJ10286) ordered seperately.	3,548.60
	BSJ10286	Front Hitch Attaching Parts  Compatible with BSJ10285 (ordered seperately).	850.30
	BLV10679	Front Power Take-off (Pto) Auxiliary Front Drive Coupler Kit	997.70
	BW16765	Hood Guards Hood Guard	424.60
	BSJ10235	Hydraulics 2 Mechanical Mid M-SCV with Joystick (Open Center) Includes components and parts required to install Dual Mid Control Valve on Tractors not equipped with Mid Control Valve.	1,417.90
	BSJ10236	2 Mechanical Mid M-SCV with Joystick (PFC) Includes components and parts required to install Dual Mid Control Valve on Tractors not equipped with Mid Control Valve.	1,607.10
	BSJ10232	2 to 3 Rear Mechanical SCV Conversion Kit (PFC - 200 Series)	880.00
	BSJ10233	2 to 3 Rear Mechanical SCV Conversion Kit (PFC - 450 Series)	1,069.20
	BSJ10383	3 Electrical Mid E-SCV with Joystick on Armrest (EH - PFC) Includes components and parts required to install Triple Mid Control Valve on Tractors not equipped with Mid Control Valve.	1,919.50
	BSJ10234	4th Rear Mechanical SCV Conversion Kit (Open Center - 100 Series)	772.20
	BSJ10245	4th Rear SCV Conversion Kit (PFC - non proportional EH)	1,069.20
	BSJ10428	Hydraulic Case Drain Plumbing (PFC and OC) Supplies non-restricted flow of hydraulic fluid to reservoir. Must have Motor Control Kit (Power Beyond) Installed.	190.30
	BSJ10309	Hydraulic Center Link - Ball Type	1,842.50
	BSJ10255	Hydraulic Center Link - Hook type	1,842.50
	BSJ10465	Oil Collection System Kit contains Dust Caps with Oil Collection Reservoir, Hoses and Brackets (Hardware included).	113.30

			List Price
Code	Attachment Identifier	Description	Suggested USD (\$)
	BSJ10243	ATTACHMENTS FOR FIELD CONVERSIONContinued Plumbing, Hydraulic Motor Return	124.30
	BSJ10241	Power Beyond Kit (Open Center) Kit contains coupler and hose.	332.20
	BSJ10240	Power Beyond Kit (PFC System) Kit contains couplers only.	198.00
	BSJ10237	Triple Mid Non-Proportional E-SCV Conversion Kit (Open Center)  Converting Dual Mid to Triple Mid on Open Center System.  Electrical non-proportional Mid SCV	851.40
	BSJ10238	Triple Mid Non-Proportional E-SCV Conversion Kit (PFC System)  Converting Dual Mid to Triple Mid on PFC System.  Electrical non-proportional Mid SCV	946.00
	BSJ10322	<b>Lighting</b> Auxiliary Loader Light Kit	761.20
	BSJ10317	Beacon Light Kit	181.50
	AL182022	Halogen Work Lights (2) Requires (2) L157372, (2) L176874, (2) AL182022	53.22
	BSJ10325	LED HEADLIGHTS	288.20
	RE573609	LED Side Work Lights (2) Requires (2) L157372, (2) L176875, (2) RE573609	144.28
	AL219331	LED Work Lights (2) Requires (2) L157372,(2) L176874, (2) AL219331	186.51
	BSJ10450	Machine Connectivity  JDLink Mounting Kit, Cab models  For FT4 5M, 5MH, 5R tractors. JDLink kit to be ordered separately through whole goods  (AMS base code 021RPC). Order less antenna (code 2009) then order PFA10879 through  parts. (R4)	176.00
	BSJ10276	Mid Mount Couplers Mid SCV Coupler Kit (6) Adds single couplers to mid valve.	181.50
	BSJ10384	Mid Selective Control Valves 3 Mid E-SCV with Joystick (EH - PFC) - For CommandARM Includes components and parts required to install Triple Mid Control Valve on Tractors not equipped with Mid Control Valve.	4,085.40
	SJ10170	Miscellaneous Antenna	29.96
	AH104259	Ash Tray <i>Must also order</i> (2) 37M7218, (1) AL173370, (1) AL207492, (1) SU49479.	65.64

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	T21709	ATTACHMENTS FOR FIELD CONVERSIONContinued Category I Interchangeable Hitch Ball Two required.	15.34
	T21706	Category II Interchangeable Hitch Ball Two required.	13.21
	T12553	Center Link Conversion Bushing, Cat. II to Cat. I	13.87
	AR60937	Cigarette Lighter	13.94
	LVB25949	Drawbar - Hammerstrap and chain clevis kit Kit contains all necessary parts and hardware (instructions included).	141.90
	AL178270	Field Office	189.54
	BRE10151	Front Utility Box Must also order Front Utility Box Bracket (BRE10153). Utility Box is intended for front tractor mounting only.	356.40
	BRE10153	Front Utility Box Bracket Compatible only with front suitcase weight R127764 -Region 4 style. You must have a minimum of 4 suitcase weights and a maximum of 22 suitcase weights.	123.20
	R262449	Front Weight Support, 187 Lbs Requires (4) 19M7953 Cap Screws and (4) 24M7242 Washers, ordered separately.	400.58
	LVB25941	Heavy-duty drawbar kit Kit contains Heavy Duty Drawbar with support assembly. Hardware and instructions included.	289.30
	BSJ10349	Instructional Seat Kit	614.90
	RE275283	Leather wrapped steering wheel	165.43
	BW17042	Loader Frame Mounted Fenders (Stationary)  Compatible with R Loader only.  Fenders connect directly to loader mounting frame assembly, can easily be removed with pin.	561.00
	AL213203	Lockable Filler Cap Fuel Tank	34.06
	L154683	Rear Axle 1.2 in. Extension (30 mm) Two required. Requires (16) 19M9364 Cap Screws (8 per Extension), ordered separately.	184.69
	L154682	Rear Axle 1.6 in. Extension (40 mm) Two required. Requires (16) 19M8979 Cap Screws (8 per Extension), Ordered Separately.	216.57
	L154684	Rear Axle 4.4 in. Extension (111 mm)  Two required.  Requires (16) 19M9365 Cap Screws (8 per Extension), Ordered Separately.	305.70
	RE19428	Safety Chain Support Kit	158.04
	BSJ10380	Satellite Receiver and Antenna Only (Bosch Specific)  All 5R Series Tractors are "Radio Ready", including Radio Wiring Harness and Speakers.	236.50
	AT162291	Seat Backrest Extension	181.42

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	AL71345	ATTACHMENTS FOR FIELD CONVERSIONContinued Security Door Lock Kit	196.90
	R127764	Weight, front suitcase 43 kg (95 lb) quantity of one	136.40
	R213907	Weight, rear wheel - 43.09 kg (95 lb)  Not compatible on wheels sized 24" or smaller. Maximum of 3 per wheel.	147.40
	BLV10173	Wiper and washer, rear	345.40
	BSJ10361	iTEC Basic - software only Reference installation instructions. Also order AL213360 through JDPoint.	0.00
	RE68495	Operator's Station Power Strip with Six Outlets Requires (1) RE67013, (1) RE67014, and (1) RE67015 Ordered Separately.	56.28
	BRE10152	Self - Leveling Cup Holder	61.60
	BSJ10327	Power Take-off (Pto) Remote PTO Fender Switch Kit	74.80
	RE585066	Radio - AM/FM, Bluetooth Ready, and Satellite Capable	686.05
	LVB25714	Rear Fenders Rear fender extension Cab tractors only. Interference may occur with some implements when raising the hitch.	221.10
	BSJ10307	Turnable Front Fender Mounting brackets and hardware kit - (MFWD) without loader Requires Fenders guards (AL180330, AL180327 or AL180326) ordered separately through parts.	836.00
	LVB25976	Rear Hitch iMatch Quick-Hitch Category 1 with adjustable top hook Includes one set of Bushings(LVU15507).  Not compatible with LVB25941 (Heavy Duty Hitch Kit).	365.20
	BSJ10275	Rear Selective Control Valves 2 to 3 Rear E-SCV Conversion Kit (EH Porportional) - for Command Arm	1,069.20
	BSJ10432	2 to 3 Rear SCV Conversion Kit (Open Center - 450 Series)	974.60
	TY27545	Three-point Hitch Quik-Coupler, Economy, Category 2 Interference may occur when raising the hitch if extended fenders are configured.	580.37

#### 5100R Utility Tractor - FT4

Equipment for Base Machine

ENGINE: 100 Engine Horsepower @ 2200RPM\*
85 PTO Horsepower @ 2100 RPM\*
EPA Final Tier 4 Compliant with DOC / SCR
4.5L John Deere PowerTech Diesel Engine Turbocharger with Intercooler 4 Valve High Pressure Common Rail Up to 8% Power Bulge +10 HP Intelligent Power Management (non-PTO) Dry Type Air Cleaner with Safety Element Underhood Muffler with Vertical Cornerpost Exhaust Stack Air intake heater Hand and Foot Throttle Key Engine Shut-Off Water Separator Bowl 38 US Gallon (143.9 L) Fuel Tank Capacity 3 US Gallon (11.4 L) DEF Tank Capacity TRANSMISSION: 16F/16R CommandQuad Manual Transmission Electronic Range and Gear Shifting AutoClutch Electronic Park Brake EH Differential Lock Oil Cooler Wet Traction Clutch Neutral Start Safety Switch REAR AXLE, WHEELS AND TIRES: Flanged Rear Axle Planetary Final Drives 8-Position Standard Steel Wheels Two 460/85R30 R1-W Radial Tires FRONT AXLE, WHEELS AND TIRES: Mechanical Front Wheel Drive Planetary Final Drives Electro-Hydraulic MFWD Engagement Two 320/85R24 R1-W Radial Tires STEERING AND BRAKES: Hydrostatic Power Steering Hydraulic Wet Disk Brakes Self-Equalizing and Self-Adjusting Lockable Turning Brakes HYDRAULICS: Open Center Hydraulic System Tandem Gear Pump 25.6 GPM (96.7 LPM) Maximum Total Flow -Steering Pump 6.3 GPM (23.7 LPM) Implement Pump 19.3 GPM (73.0 LPM)
2 Mid & 2 Rear Stackable SCV Control Valves Mechanical Rear SCV controls Seat-Mounted Mechanical Loader Joystick with Electronic Gear Shift switches POWER TAKE-OFF SHAFT: Independent "Live" 540 /1000 RPM Rear PTO Shaft @ 2100 Engine RPM Economy PTO Setting for 540 PTO RPM @ 1645 Engine Reversible 540/1000 PTO Shaft Electro-Hydraulic PTO Engagement Wet PTO Clutch Safety Start Switch Flip Up PTO Shield ROCKSHAFT, HITCH AND DRAWBAR: Electro-hydraulic Hitch with LH Fender controls 75mm Lift Cylinders Heavy Duty Drawbar Telescoping Draft Links with Category II Balls Adjustable Sway Bars Mechanically Adjustable Top Link with Category II

Balls Lower Link Draft Sensing INSTRUMENTATION: Interactive Cornerpost Mounted Display Service, Information, and Stop Alerts Digital Fuel and DEF Gauges Digital Coolant Temperature Gauge Programmable Transmission, Engine, Hydraulic, and Hitch Settings Selectable Run Pages Turn Signal and Hazard Indicator Lights High Beam Indicator Light PTO Speed and Engagement Indicators Gear, Range, and Direction Indicators Speedometer Tachometer Hour Meter
Start Aid Time Remaining Counter Exhaust Filter Cleaning Indicator MFWD Engagement Light Differential Lock Engagement Light ELECTRICAL: 12-Volt Electrical System
One Battery - 950 CCA\*\* with 180 Minute Reserve Capacity
Battery Boost Terminals 7-Pin ASAE Outlet Socket 200 Amp Alternator LIGHTING: Two Front Halogen Headlights Two Front Halogen Work Lights Two Side Halogen Work Lights Two Rear Halogen Work Lights
Two Front and Two Rear Turn/Warning Lights Dual Tail Lights STANDARD CAB OPERATOR STATION Tilt and Telescopic Steering Column Left and Right Hand Opening Doors Left Step Light Floor Mat and Rear Floor Mat Air Conditioning and Heater Scissor-style Front Sunshade 2-speed Front Windshield Wiper Right hand console controls High Back, Cloth Seat with Swivel, Retractable Seat Belt, and Armrests Beverage Holder Under seat storage drawer Three 3-pin Convenience Power Outlets 12-volt Power Outlet Radio Preparation (including speakers, wiring) Antenna Auxiliary and USB Jack (non-charging) Bluetooth Ready Monitor Mounting Bosses (A post and B post) Opening rear window with 2 position latch Swing out corner windows with latches MISCELLANEOUS: SMV Emblem Toolbox English Operator's Manual \* Manufacturer's Rating \*\* Cold Cranking Amps

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	]
		BASE MACHINE	
		EX-WORKS Augusta	
1640LV		5100R Utility Tractor - FT4	87,496.00
		DESTINATION	
0202		United States	In Base Price
0203		Puerto Rico	Same Price
020A		US Virgin Islands	Same Price
0184		Canada	Same Price
		OPERATOR'S MANUAL	
0409		English	In Base Price
0413		French	Same Price
0437		Spanish	Same Price
1500		TRANSMISSION  16F/16R CommandQuad Manual (40k)	In Base Price
1502		16F/16R CommandQuad Manual (40k) w/ Creeper Requires PFC Hydraulics Code 3223.	2,645.00
1503		32F/16R Command8 (40K) Requires PFC Hydraulics Code 3223.	3,823.00
		POWER TAKE-OFF (PTO)	
3830		Three Speed PTO - 540/540E/1000	In Base Price
		OPERATOR'S STATION	
2055		Standard Cab with Right Hand Console Controls Isolated Cab with Flat Floor Tan Floormat Rear Tan Floormat Tilt and Telescopic Steering Column Left and Right Side Doors with Steps Air Conditioning and Heat Reconfigurable Cornerpost Display Bluetooth Ready Beverage Holder Scissor-style Sunshade for Front Window 2-Speed Front Windshield Wiper and Washer Two Front/Two Rear Roof-Mounted Halogen Work Lights Two Front/Two Rear Roof-Mounted Warning Lights	In Base Price

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		OPERATOR'S STATIONContinued Two Fender-Mounted Taillights 200 Amp Alternator	222 (4)
		Convenience Power Outlet 3-pole Power Socket (3) Monitor Mounting Bosses (2 Sets)	
		Swing-Out Rear Window with Two Removable Rear Plugs for Monitor Right-Hand Console Light Radio Preparation (with speakers, wiring)	
		Under Seat Storage Drawer Rear window grab handle 2 position rear window latch	
		Square foot throttle pad Coat hook Radio Antenna Auxilary Jack and USB port (non-charging)	
2057		Standard Cab with CommandARM Includes all features of Standard Cab plus CommandArm (Requires PFC hydraulics, code	1,835.00
		3223 and EH SCVs, code 3335 or 3336)	
2060		Premium Panorama Roof Cab with Right Hand Console Controls Includes all features of Standard Cab plus: Fixed Panoramic Sunroof with Shade	2,273.00
		Deluxe Sound System with Front Corner Mounted Speakers and Subwoofer Factory Installed radio, bluetooth an Satellite Capable Rear Window Wiper	
2062		Premium Panorama Roof Cab with Command Arm (Requires PFC hydraulics and EH SCVs) Includes all features of Panorama roof Cab plus CommandArm	4,108.00
2065		Narrow Cab Includes all features of Standard Cab with Right Hand Console Controls.	950.00
		SEAT	
2120		Standard Cloth Air Suspension Seat	In Base Price
2121		Premium Cloth Air Suspension Seat Includes heating and low frequency air suspension	504.00
		MIRRORS	
2511		Mirror Telescopic LH and RH	In Base Price
		CAB INSTRUCTIONAL SEAT	
2400		Less Instructional Seat	In Base Price
2410		Instructional Seat with Seatbelt	559.00
		EXHAUST	
3025		Deluxe Corner Post Exhaust	In Base Price
		HYDRAULICS	
3221		Open Center Hydraulic System	In Base Price

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
2222		HYDRAULICSContinued	2.050.00
3223		PFC Hydraulic System with 117 l/min (30.9 gpm) hydraulic pump	2,856.00
		REAR SELECTIVE CONTROL VALVES	
3325		2 Mechanical Stackable Rear SCVs One 200 Series SCV and One 450 Series SCV with Deluxe couplers when ordered with PFC Hydraulic System. Requires Right Hand Console Controls. Two 100 Series SCVs when ordered with Open Center Hydrauilic System. Requires Right Hand Console Controls.	In Base Price
3326		3 Mechanical Deluxe Stackable Rear SCVs One 200 Series SCV and Two 450 Series SCVs with Deluxe couplers when ordered with PFC Hydraulic System. Requires Right Hand Console Controls. Two 100 Series SCVs and one 450 Series SCV when ordered with Open Center Hydraulic System. Requires Right Hand Console Controls.	886.00
3335		2 Proportional EH Stackable Rear SCVs Two 450 Series SCVs with Deluxe couplers. Requires CommandARM.	1,635.00
3336		3 Proportional EH Deluxe Stackable Rear SCVs Three 450 Series SCVs with Deluxe couplers. Requires CommandARM.	2,521.00
		MID SELECTIVE CONTROL VALVES	
3400		Less Mid SCV	-967.00
3420		2 Standard Stackable Mid SCV with Mechanical Joystick Control Include Gear Shift switch and Reverser Function	In Base Price
3430		3 Deluxe Mid SCV with Mechanical Joystick Control Includes Third Function Switch, Gear Shift switch, and Reverser Function.	774.00
3435		3 Deluxe Mid EH SCV with Electronic Joystick Control Includes Third Function Switch, Gear Shift switch, and Reverser Function. Requires PFC Hydraulics. All three EH valves are proportional.	2,409.00
		HITCH CONTROLS	
4030		Electrohydraulic (EH) with remote LH fender control	In Base Price
		DRAFT LINK	
4110		Telescoping Draft Links with Ball Ends - Category 2	In Base Price
4160		LIFT LINK  LH Only Adjustable Lift Links	In Base Price
4100		RH Side Fixed.	III Dase Filce
		CENTER LINK	
4210		Mechanical Center Link with Ball Ends - Category 2	In Base Price
4220		Hydraulic Center Link with Ball Ends - Category 2	1,523.00
		STABILIZER	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
4420		STABILIZERContinued  LH and RH Stabilizer Bar	In Base Price
<del>-1120</del>			III Base I nee
		REAR WHEELS AND TIRES	
5115		340/85R38 - 13.6R38 R1W Radial (Mitas) Requires Code 6145.	338.00
5180		420/85R30 - 16.9R30 R1W Radial (Mitas or Michelin) *Mitas not available in R4. Requires code 6180 or 6200 (Michelin).	-85.00
5141		15.5R38 In. 125A8 R1W Radial (Firestone) Requires Code 6210.	-999.00
5151		230/95R48 134A8 R1W Radial (Kleber) Requires Code 6131. High Clearance Applications.	224.00
5155		320/85R36 - 12.4R36 R1W Radial (Michelin) Requires Code 6180.	-812.00
5173		480/70R28 R1W Radial (Mitas) Requires Code 6155.	-57.00
5203		480/70R34 R1W Radial (Mitas or Michelin) Requires Code 6211 *Mitas not available in R4	889.00
5202		420/85R34 - 16.9R34 R1W Radial (Mitas or Michelin) Requires Code 6210. *Mitas not available in R4	-142.00
5229		420/85R38 - 16.9R38 R1W Radial (Mitas or Michelin) *Mitas not available in R4. Requires Code 6120 or 6210 (Michelin).	622.00
5191		460/85R34 - 18.4R34 R1W Radial (Michelin) Requires Code 6210 or Code 6120.	200.00
5205		23.1-26 8PR R3 (Titan) Requires Code 6214.	-860.00
5192		19.5L-24 In. 10PR R4 Bias (Goodyear) Requires Code 6133.	-2,106.00
5133		18.4R30 (460/85R30) R1W (Firestone) Requires Code 6203.	In Base Price
5217		480/80R34 NOKIAN TRI 2 Requires Code 6217	1,491.00
5218		480/80R34 NOKIAN HAKKAPELIITTA Requires Code 6218	1,491.00
		REAR TIRE BRAND PREFERENCE	
5999		No Rear Tire Brand Preference	In Base Price
		FRONT WHEELS AND TIRES	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		FRONT WHEELS AND TIRESContinued See Loader Section of the Sales Manual for Front Tire/Loader compatibility information.	
6120		380/85R24 - 14.9R24 R1W (Mitas or Michelin) *Mitas not available in R4 Not compatible with front turnable fender axle mounted (8015) if loader ready is installed (891A-891B-891D). Order loader mounted fender BW17042.	754.00
6131		230/95R32 126A8 R1W Radial (Kleber) High Clearance Applications. Not compatible with front turnable fender axle mounted (8015)	330.00
6133		12.5/80-18 In. 12PR R4 Bias (Goodyear)	-1,533.00
6145		280/85R28 - 11.2R28 R1W Radial (Mitas)	228.00
6155		380/70R20 R1W Radial (Mitas)	-507.00
6180		280/85R24 - 11.2R24 R1W Radial (Michelin or Mitas) *Mitas not available in R4 Not compatible with front turnable fender axle mounted (8015) if Narrow cab option 2065 is selected	-109.00
6200		320/85R24 - 12.4R24 R1W Radial (Michelin or Mitas) *Mitas not available in R4 Not compatible with front turnable fender axle mounted (8015) if Narrow cab option 2065 is selected	Same Price
6203		12.4R24 (320/85R24) R1W (Firestone)	In Base Price
6210		340/85R24 - 13.6R24 In. 125A8 R1W Radial (Mitas, Michelin, or Firestone) *Mitas not available in R4	606.00
6211		380/70R24 R1W Radial (Mitas or Michelin) *Mitas not available in R4	891.00
6214		44X18-20 In. 4PR R3 Bias (Titan)	-707.00
6217		400/80R24 NOKIAN TRI 2	1,637.00
6218		400/80R24 NOKIAN HAKKAPELIITTA	1,637.00
		FRONT TIRE BRAND PREFERENCE	
6799		No Front Tire Brand Preference	In Base Price
		FRONT AXLE	
6040		MFWD Front Axle without Suspension	In Base Price
		DOWER TAKE OFF (RTO) CONTROLS	
8386		POWER TAKE-OFF (PTO) CONTROLS  PTO Remote Control and LH and RH Fenders	62.00
		ODED A TODIC STATION	
8210		OPERATOR'S STATION  Leather Wrapped Steering Wheel	170.00
8261		Mechanical Cab Suspension	1,553.00
0201		modification on outpositions	1,000.00

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
8280		OPERATOR'S STATIONContinued Rear Window Wiper In Base Equipment for R4 Premium Cab. Option applies to Standard Cab Only.	285.00
		HYDRAULICS	
8320		SCV Oil Spillage Collector	153.00
8446		HITCH CONTROLS  Remote EH Hitch Control on RH Fender	475.00
		LH Fender Control in Base Equipment.	
		HITCH CYLINDERS	
8458		High capacity hitch - 80mm lift cylinder	407.00
		FRONT FENDERS	
8015		Front Fenders - Turnable (Axle Mounted)	850.00
8020		REAR FENDERS  Rear Fender Extensions - Cab  Not Compatible with Narrow Cab.  Can touch/contact the implement, in this case order short fender extension from 5M series  LVB25714	241.00
		LIGHTING EQUIPMENT	
8725		Beacon Light LH Side (RH Traffic)	208.00
8731		FULL LED Package Upgrades front work lights, rear work lights and side work lights from Halogen to LED	548.00
2000		COLD WEATHER PACKAGES	20.00
8300		Cold Weather Package  Coolant Heater	88.00
		EDONT LOADED DEEDADATION DACKAGES	
8910		FRONT LOADER PREPARATION PACKAGES  Loader Preparation Package  Compatible with 540R Loader. Includes loader mounting frames and hood guard	1,681.00
891A		Loader ready package - 2 function Mechanical Midstack SCVs Requires Code 3420 Compatible with 540R Loader. Includes loader mounting frames, hood guard, and tractor half of Multi Coupler (w/ hoses).	1,972.00
891B		Loader ready package - 3 function Mechanical Midstack SCVs Requires Code 3430 Compatible with 540R Loader. Includes loader mounting frames, hood guard, and tractor half of Multi Coupler (w/hoses).	2,426.00
891D		Loader ready package - 3 function Electrical Midstack SCVs	2,426.00

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		FRONT LOADER PREPARATION PACKAGESContinued Requires Code 3435 Compatible with 540R Loader. Includes loader mounting frames, hood guard, and tractor half of Multi Coupler (w/ hoses).	
		FRONT WEIGHT OPTIONS	
8955		Front Weight Support - (55 kg/121 lbs.)	189.00
		AG MANAGEMENT SOLUTIONS	
8217		iTEC Basic	225.00
		ATTACHMENTS FOR FIELD CONVERSION	
	BSJ10455	Air Pre-cleaner Air filter diverter shield kit	82.50
	BLV10950	Backhoes 595 Backhoe Kit	2,633.40
	BSJ10306	Backup Alarm Backup Alarm Kit	162.80
	AL80126	Cab Equipment Rear Mirror Mechanical	180.40
	AL80127	Rear Mirror Mechanical	180.40
	BSJ10323	Center Link Electrohydraulic (EH) Hitch Right Fender Switch Kit	575.30
	DZ102076	Cold Weather Packages Engine Block Heater (110V)	108.37
	AL156778	Front Axle Hub Extension 60mm, Front, Tread Adjustment Fits MFWD axles Tread setting should not exceed 80 In. for maximum load applications. Kit contains (2) L154685 Hubs, (16) 24M7242 Washers, and (16) L152521 Bolts. Only for axles with 10.82 diameter bolt holes. For other hub thickness, see Parts.	694.10
	AL180330	Front Fenders Front Fenders 370 mm (14.6 In.) Wide (MFWD) Recommended for use with 12.5/80-18, 11.2-24 and 12.4-24 In. Tires. Requires Mounting Bracket and Hardware Kit (BSJ10307) ordered separately. Not compatible with 230/95R32 126A8 In Tires or narrow cab tractor configurations.	89.13

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	AL180327	ATTACHMENTS FOR FIELD CONVERSIONContinued Front Fenders 420 mm (16.5 ln.) Wide (MFWD) Recommended for use with 14.9-20 In and 14.9-24 In Tires. Requires Mounting Bracket and Hardware Kit (BSJ10307) ordered separately. Not compatible with 340/85R28 In Tires.	100.26
	AL180326	Front Fenders 480 mm (18.9 ln) Wide (MFWD) Recommended for use with 440/65R24, 480/65R24 and 44X18-20 In Tires. Requires Mounting Bracket and Hardware Kit (BSJ10307) ordered separately.	120.75
	BSJ10285	Front Hitch Front Hitch Requires attaching parts (BSJ10286) ordered seperately.	3,548.60
	BSJ10286	Front Hitch Attaching Parts  Compatible with BSJ10285 (ordered seperately).	850.30
	BLV10679	Front Power Take-off (Pto) Auxiliary Front Drive Coupler Kit	997.70
	BW16765	Hood Guard Hood Guard	424.60
	BSJ10235	Hydraulics 2 Mechanical Mid M-SCV with Joystick (Open Center) Includes components and parts required to install Dual Mid Control Valve on Tractors not equipped with Mid Control Valve.	1,417.90
	BSJ10236	2 Mechanical Mid M-SCV with Joystick (PFC) Includes components and parts required to install Dual Mid Control Valve on Tractors not equipped with Mid Control Valve.	1,607.10
	BSJ10232	2 to 3 Rear Mechanical SCV Conversion Kit (PFC - 200 Series)	880.00
	BSJ10233	2 to 3 Rear Mechanical SCV Conversion Kit (PFC - 450 Series)	1,069.20
	BSJ10383	3 Electrical Mid E-SCV with Joystick on Armrest (EH - PFC) Includes components and parts required to install Triple Mid Control Valve on Tractors not equipped with Mid Control Valve.	1,919.50
	BSJ10234	4th Rear Mechanical SCV Conversion Kit (Open Center - 100 Series)	772.20
	BSJ10245	4th Rear SCV Conversion Kit (PFC - non proportional EH)	1,069.20
	BSJ10428	Hydraulic Case Drain Plumbing (PFC and OC) Supplies non-restricted flow of hydraulic fluid to reservoir. Must have Motor Control Kit (Power Beyond) Installed.	190.30
	BSJ10309	Hydraulic Center Link - Ball Type	1,842.50
	BSJ10255	Hydraulic Center Link - Hook type	1,842.50
	BSJ10465	Oil Collection System Kit contains Dust Caps with Oil Collection Reservoir, Hoses and Brackets (Hardware included).	113.30

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BSJ10243	ATTACHMENTS FOR FIELD CONVERSIONContinued Plumbing, Hydraulic Motor Return	124.30
	BSJ10241	Power Beyond Kit (Open Center) Kit contains coupler and hose.	332.20
	BSJ10240	Power Beyond Kit (PFC System) Kit contains couplers only.	198.00
	BSJ10237	Triple Mid Non-Proportional E-SCV Conversion Kit (Open Center)  Converting Dual Mid to Triple Mid on Open Center System.  Electrical non-proportional Mid SCV	851.40
	BSJ10238	Triple Mid Non-Proportional E-SCV Conversion Kit (PFC System)  Converting Dual Mid to Triple Mid on PFC System.  Electrical non-proportional Mid SCV	946.00
		Lighting	
	BSJ10322	Auxiliary Loader Light Kit	761.20
	BSJ10317	Beacon Light Kit	181.50
	AL182022	Halogen Work Lights (2) Requires (2) L157372, (2) L176874, (2) AL182022	53.22
	BSJ10325	LED HEADLIGHTS	288.20
	RE573609	LED Side Work Lights (2) Requires (2) L157372, (2) L176875, (2) RE573609	144.28
	AL219331	LED Work Lights (2) Requires (2) L157372,(2) L176874, (2) AL219331	186.51
	BSJ10450	Machine Connectivity  JDLink Mounting Kit, Cab models  For FT4 5M, 5MH, 5R tractors. JDLink kit to be ordered separately through whole goods  (AMS base code 021RPC). Order less antenna (code 2009) then order PFA10879 through  parts. (R4)	176.00
	BSJ10276	Mid Mount Couplers Mid SCV Coupler Kit (6) Adds single couplers to mid valve.	181.50
	BSJ10384	Mid Selective Control Valves 3 Mid E-SCV with Joystick (EH - PFC) - For CommandARM Includes components and parts required to install Triple Mid Control Valve on Tractors not equipped with Mid Control Valve.	4,085.40
	SJ10170	Miscellaneous Antenna	29.96
	AH104259	Ash Tray <i>Must also order</i> (2) <i>37M7218</i> , (1) <i>AL173370</i> , (1) <i>AL207492</i> , (1) <i>SU49479</i> .	65.64

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	T21709	ATTACHMENTS FOR FIELD CONVERSIONContinued Category I Interchangeable Hitch Ball Two required.	15.34
	T21706	Category II Interchangeable Hitch Ball Two required.	13.21
	T12553	Center Link Conversion Bushing, Cat. II to Cat. I	13.87
	AR60937	Cigarette Lighter	13.94
	LVB25949	Drawbar - Hammerstrap and chain clevis kit Kit contains all necessary parts and hardware (instructions included).	141.90
	AL178270	Field Office	189.54
	BRE10151	Front Utility Box Must also order Front Utility Box Bracket (BRE10153). Utility Box is intended for front tractor mounting only.	356.40
	BRE10153	Front Utility Box Bracket Compatible only with front suitcase weight R127764 -Region 4 style. You must have a minimum of 4 suitcase weights and a maximum of 22 suitcase weights.	123.20
	R262449	Front Weight Support, 187 Lbs Requires (4) 19M7953 Cap Screws and (4) 24M7242 Washers, ordered separately.	400.58
	LVB25941	Heavy-duty drawbar kit Kit contains Heavy Duty Drawbar with support assembly. Hardware and instructions included.	289.30
	BSJ10349	Instructional Seat Kit	614.90
	RE275283	Leather wrapped steering wheel	165.43
	BW17042	Loader Frame Mounted Fenders (Stationary)  Compatible with R Loader only.  Fenders connect directly to loader mounting frame assembly, can easily be removed with pin.	561.00
	AL213203	Lockable Filler Cap Fuel Tank	34.06
	L154683	Rear Axle 1.2 in. Extension (30 mm) Two required. Requires (16) 19M9364 Cap Screws (8 per Extension), ordered separately.	184.69
	L154682	Rear Axle 1.6 in. Extension (40 mm) Two required. Requires (16) 19M8979 Cap Screws (8 per Extension), Ordered Separately.	216.57
	L154684	Rear Axle 4.4 in. Extension (111 mm)  Two required.  Requires (16) 19M9365 Cap Screws (8 per Extension), Ordered Separately.	305.70
	RE19428	Safety Chain Support Kit	158.04
	BSJ10380	Satellite Receiver and Antenna Only (Bosch Specific)  All 5R Series Tractors are "Radio Ready", including Radio Wiring Harness and Speakers.	236.50
	AT162291	Seat Backrest Extension	181.42

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	AL71345	ATTACHMENTS FOR FIELD CONVERSIONContinued Security Door Lock Kit	196.90
	R127764	Weight, front suitcase 43 kg (95 lb) quantity of one	136.40
	R213907	Weight, rear wheel - 43.09 kg (95 lb)  Not compatible on wheels sized 24" or smaller. Maximum of 3 per wheel.	147.40
	BLV10173	Wiper and washer, rear	345.40
	BSJ10361	iTEC Basic - software only Reference installation instructions. Also order AL213360 through JDPoint.	0.00
	RE68495	Operator's Station Power Strip with Six Outlets Requires (1) RE67013, (1) RE67014, and (1) RE67015 Ordered Separately.	56.28
	BRE10152	Self - Leveling Cup Holder	61.60
	BSJ10327	Power Take-off (Pto) Remote PTO Fender Switch Kit	74.80
	RE585066	Radio - AM/FM, Bluetooth Ready, and Satellite Capable	686.05
	LVB25714	Rear Fenders Rear fender extension Cab tractors only. Interference may occur with some implements when raising the hitch.	221.10
	BSJ10307	Turnable Front Fender Mounting brackets and hardware kit - (MFWD) without loader Requires Fenders guards (AL180330, AL180327 or AL180326) ordered separately through parts.	836.00
	LVB25976	Rear Hitch iMatch Quick-Hitch Category 1 with adjustable top hook Includes one set of Bushings(LVU15507).  Not compatible with LVB25941 (Heavy Duty Hitch Kit).	365.20
	BSJ10275	Rear Selective Control Valves 2 to 3 Rear E-SCV Conversion Kit (EH Porportional) - for Command Arm	1,069.20
	BSJ10432	2 to 3 Rear SCV Conversion Kit (Open Center - 450 Series)	974.60
	TY27545	Three-point Hitch Quik-Coupler, Economy, Category 2 Interference may occur when raising the hitch if extended fenders are configured.	580.37

#### 5115R Utility Tractor - FT4

Equipment for Base Machine

ENGINE: 115 Engine Horsepower @ 2200RPM\* 100 PTO Horsepower @ 2100 RPM\* EPA Final Tier 4 Compliant with DOC / SCR 4.5L John Deere PowerTech Diesel Engine Turbocharger with Intercooler 4 Valve High Pressure Common Rail Up to 8% Power Bulge +10 HP Intelligent Power Management (non-PTO) Dry Type Air Cleaner with Safety Element Underhood Muffler with Vertical Cornerpost Exhaust Stack Air intake heater Hand and Foot Throttle Key Engine Shut-Off Water Separator Bowl 38 US Gallon (143.9 L) Fuel Tank Capacity 3 US Gallon (11.4 L) DEF Tank Capacity TRANSMISSION: 16F/16R CommandQuad Manual Transmission Electronic Range and Gear Shifting AutoClutch Electronic Park Brake EH Differential Lock Oil Cooler Wet Traction Clutch Neutral Start Safety Switch REAR AXLE, WHEELS AND TIRES: Flanged Rear Axle Planetary Final Drives 8-Position Standard Steel Wheels Two 460/85R30 R1-W Radial Tires FRONT AXLE, WHEELS AND TIRES: Mechanical Front Wheel Drive Planetary Final Drives Electro-Hydraulic MFWD Engagement Two 320/85R24 R1-W Radial Tires STEERING AND BRAKES: Hydrostatic Power Steering Hydraulic Wet Disk Brakes Self-Equalizing and Self-Adjusting Lockable Turning Brakes HYDRAULICS: Open Center Hydraulic System Tandem Gear Pump 25.6 GPM (96.7 LPM) Maximum Total Flow -Steering Pump 6.3 GPM (23.7 LPM) Implement Pump 19.3 GPM (73.0 LPM)
2 Mid & 2 Rear Stackable SCV Control Valves Mechanical Rear SCV controls Seat-Mounted Mechanical Loader Joystick with Electronic Gear Shift switches POWER TAKE-OFF SHAFT: Independent "Live" 540 /1000 RPM Rear PTO Shaft @ 2100 Engine RPM Economy PTO Setting for 540 PTO RPM @ 1645 Engine Reversible 540/1000 PTO Shaft Electro-Hydraulic PTO Engagement Wet PTO Clutch Safety Start Switch Flip Up PTO Shield ROCKSHAFT, HITCH AND DRAWBAR: Electro-hydraulic Hitch with LH Fender controls 75mm Lift Cylinders Heavy Duty Drawbar Telescoping Draft Links with Category II Balls Adjustable Sway Bars Mechanically Adjustable Top Link with Category II

Balls Lower Link Draft Sensing INSTRUMENTATION: Interactive Cornerpost Mounted Display Service, Information, and Stop Alerts Digital Fuel and DEF Gauges Digital Coolant Temperature Gauge Programmable Transmission, Engine, Hydraulic, and Hitch Settings Selectable Run Pages Turn Signal and Hazard Indicator Lights High Beam Indicator Light PTO Speed and Engagement Indicators Gear, Range, and Direction Indicators Speedometer Tachometer Hour Meter
Start Aid Time Remaining Counter Exhaust Filter Cleaning Indicator MFWD Engagement Light Differential Lock Engagement Light ELECTRICAL: 12-Volt Electrical System
One Battery - 950 CCA\*\* with 180 Minute Reserve Capacity
Battery Boost Terminals 7-Pin ASAE Outlet Socket 200 Amp Alternator LIGHTING: Two Front Halogen Headlights Two Front Halogen Work Lights Two Side Halogen Work Lights Two Rear Halogen Work Lights
Two Front and Two Rear Turn/Warning Lights Dual Tail Lights STANDARD CAB OPERATOR STATION Tilt and Telescopic Steering Column Left and Right Hand Opening Doors Left Step Light Floor Mat and Rear Floor Mat Air Conditioning and Heater Scissor-style Front Sunshade 2-speed Front Windshield Wiper Right hand console controls High Back, Cloth Seat with Swivel, Retractable Seat Belt, and Armrests Beverage Holder Under seat storage drawer Three 3-pin Convenience Power Outlets 12-volt Power Outlet Radio Preparation (including speakers, wiring) Antenna Auxiliary and USB Jack (non-charging) Bluetooth Ready Monitor Mounting Bosses (A post and B post) Opening rear window with 2 position latch Swing out corner windows with latches MISCELLANEOUS: SMV Emblem Toolbox English Operator's Manual \* Manufacturer's Rating \*\* Cold Cranking Amps

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	]
		BASE MACHINE	
		EX-WORKS Augusta	
1660LV		5115R Utility Tractor - FT4	92,780.00
		DESTINATION	
0202		United States	In Base Price
0203		Puerto Rico	Same Price
020A		US Virgin Islands	Same Price
0184		Canada	Same Price
		OPERATOR'S MANUAL	_
0409		English	In Base Price
0413		French	Same Price
0437		Spanish	Same Price
1500		TRANSMISSION  16F/16R CommandQuad Manual (40k)	In Base Price
1502		16F/16R CommandQuad Manual (40k) w/ Creeper Requires PFC Hydraulics Code 3223.	2,645.00
1503		32F/16R Command8 (40K) Requires PFC Hydraulics Code 3223.	3,823.00
		POWER TAKE-OFF (PTO)	
3830		Three Speed PTO - 540/540E/1000	In Base Price
		OPERATOR'S STATION	
2055		Standard Cab with Right Hand Console Controls Isolated Cab with Flat Floor Tan Floormat Rear Tan Floormat Tilt and Telescopic Steering Column Left and Right Side Doors with Steps Air Conditioning and Heat Reconfigurable Cornerpost Display Bluetooth Ready Beverage Holder Scissor-style Sunshade for Front Window 2-Speed Front Windshield Wiper and Washer Two Front/Two Rear Roof-Mounted Halogen Work Lights Two Front/Two Rear Roof-Mounted Warning Lights	In Base Price

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
Oodo	identifici	OPERATOR'S STATIONContinued Two Fender-Mounted Taillights	ου <b>υ</b> (ψ)
		200 Amp Alternator Convenience Power Outlet	
		3-pole Power Socket (3) Monitor Mounting Bosses (2 Sets)	
		Monuor Mounting Bosses (2 sets) Swing-Out Rear Window with Two Removable Rear Plugs for Monitor Right-Hand Console Light	
		Radio Preparation (with speakers, wiring)	
		Under Seat Storage Drawer Rear window grab handle	
		2 position rear window latch Square foot throttle pad	
		Coat hook Radio Antenna	
		Auxilary Jack and USB port (non-charging)	
2057		Standard Cab with CommandARM Includes all features of Standard Cab plus CommandArm (Requires PFC hydraulics, code 3223 and EH SCVs, code 3335 or 3336)	1,835.00
2060		Premium Panorama Roof Cab with Right Hand Console Controls Includes all features of Standard Cab plus:	2,273.00
		Fixed Panoramic Surroof with Shade Deluxe Sound System with Front Corner Mounted Speakers and Subwoofer	
		Factory Installed radio, bluetooth an Satellite Capable Rear Window Wiper	
2062		Premium Panorama Roof Cab with Command Arm (Requires PFC hydraulics and EH	4,108.00
		SCVs) Includes all features of Panorama roof Cab plus CommandArm	
2065		Narrow Cab Includes all features of Standard Cab with Right Hand Console Controls.	950.00
		SEAT	
2120		Standard Cloth Air Suspension Seat	In Base Price
2121		Premium Cloth Air Suspension Seat Includes heating and low frequency air suspension	504.00
		MIRRORS	
2511		Mirror Telescopic LH and RH	In Base Price
		CAB INSTRUCTIONAL SEAT	
2400		Less Instructional Seat	In Base Price
2410		Instructional Seat with Seatbelt	559.00
3025		EXHAUST  Deluxe Corner Post Exhaust	In Base Price
0020		DOUGLO CONTROL I COL EXTRAGAL	iii base riice
		HYDRAULICS	
3221		Open Center Hydraulic System	In Base Price

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
2222		HYDRAULICSContinued	2.050.00
3223		PFC Hydraulic System with 117 l/min (30.9 gpm) hydraulic pump	2,856.00
		REAR SELECTIVE CONTROL VALVES	
3325		2 Mechanical Stackable Rear SCVs One 200 Series SCV and One 450 Series SCV with Deluxe couplers when ordered with PFC Hydraulic System. Requires Right Hand Console Controls. Two 100 Series SCVs when ordered with Open Center Hydrauilic System. Requires Right Hand Console Controls.	In Base Price
3326		3 Mechanical Deluxe Stackable Rear SCVs One 200 Series SCV and Two 450 Series SCVs with Deluxe couplers when ordered with PFC Hydraulic System. Requires Right Hand Console Controls. Two 100 Series SCVs and one 450 Series SCV when ordered with Open Center Hydraulic System. Requires Right Hand Console Controls.	886.00
3335		2 Proportional EH Stackable Rear SCVs Two 450 Series SCVs with Deluxe couplers. Requires CommandARM.	1,635.00
3336		3 Proportional EH Deluxe Stackable Rear SCVs Three 450 Series SCVs with Deluxe couplers. Requires CommandARM.	2,521.00
		MID SELECTIVE CONTROL VALVES	
3400		Less Mid SCV	-967.00
3420		2 Standard Stackable Mid SCV with Mechanical Joystick Control Include Gear Shift switch and Reverser Function	In Base Price
3430		3 Deluxe Mid SCV with Mechanical Joystick Control Includes Third Function Switch, Gear Shift switch, and Reverser Function.	774.00
3435		3 Deluxe Mid EH SCV with Electronic Joystick Control Includes Third Function Switch, Gear Shift switch, and Reverser Function. Requires PFC Hydraulics. All three EH valves are proportional.	2,409.00
		HITCH CONTROLS	
4030		Electrohydraulic (EH) with remote LH fender control	In Base Price
		DRAFT LINK	
4110		Telescoping Draft Links with Ball Ends - Category 2	In Base Price
4160		LIFT LINK  LH Only Adjustable Lift Links	In Base Price
4100		RH Side Fixed.	III Dase Filce
		CENTER LINK	
4210		Mechanical Center Link with Ball Ends - Category 2	In Base Price
4220		Hydraulic Center Link with Ball Ends - Category 2	1,523.00
		STABILIZER	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
4420		STABILIZERContinued  LH and RH Stabilizer Bar	In Base Price
4420		ETT allu NTT Stabilizer Dai	III Dase Fille
		REAR WHEELS AND TIRES	
5115		340/85R38 - 13.6R38 R1W Radial (Mitas) Requires Code 6145.	338.00
5180		420/85R30 - 16.9R30 R1W Radial (Mitas or Michelin) *Mitas not available in R4. Requires code 6180 or 6200 (Michelin).	-85.00
5141		15.5R38 In. 125A8 R1W Radial (Firestone) Requires Code 6210.	-999.00
5151		230/95R48 134A8 R1W Radial (Kleber) Requires Code 6131. High Clearance Applications.	224.00
5155		320/85R36 - 12.4R36 R1W Radial (Michelin) Requires Code 6180.	-812.00
5173		480/70R28 R1W Radial (Mitas) Requires Code 6155.	-57.00
5203		480/70R34 R1W Radial (Mitas or Michelin) Requires Code 6211 *Mitas not available in R4	889.00
5202		420/85R34 - 16.9R34 R1W Radial (Mitas or Michelin) Requires Code 6210. *Mitas not available in R4	-142.00
5229		420/85R38 - 16.9R38 R1W Radial (Mitas or Michelin) *Mitas not available in R4. Requires Code 6120 or 6210 (Michelin).	622.00
5191		460/85R34 - 18.4R34 R1W Radial (Michelin) Requires Code 6210 or Code 6120.	200.00
5205		23.1-26 8PR R3 (Titan) Requires Code 6214.	-860.00
5192		19.5L-24 In. 10PR R4 Bias (Goodyear) Requires Code 6133.	-2,106.00
5133		18.4R30 (460/85R30) R1W (Firestone) Requires Code 6203.	In Base Price
5217		480/80R34 NOKIAN TRI 2 Requires Code 6217	1,491.00
5218		480/80R34 NOKIAN HAKKAPELIITTA Requires Code 6218	1,491.00
		REAR TIRE BRAND PREFERENCE	
5999		No Rear Tire Brand Preference	In Base Price
		FRONT WHEELS AND TIRES	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		FRONT WHEELS AND TIRESContinued See Loader Section of the Sales Manual for Front Tire/Loader compatibility information.	
6120		380/85R24 - 14.9R24 R1W (Mitas or Michelin) *Mitas not available in R4 Not compatible with front turnable fender axle mounted (8015) if loader ready is installed (891A-891B-891D). Order loader mounted fender BW17042.	754.00
6131		230/95R32 126A8 R1W Radial (Kleber) High Clearance Applications. Not compatible with front turnable fender axle mounted (8015)	330.00
6133		12.5/80-18 In. 12PR R4 Bias (Goodyear)	-1,533.00
6145		280/85R28 - 11.2R28 R1W Radial (Mitas)	228.00
6155		380/70R20 R1W Radial (Mitas)	-507.00
6180		280/85R24 - 11.2R24 R1W Radial (Michelin or Mitas) *Mitas not available in R4 Not compatible with front turnable fender axle mounted (8015) if Narrow cab option 2065 is selected	-109.00
6200		320/85R24 - 12.4R24 R1W Radial (Michelin or Mitas) *Mitas not available in R4 Not compatible with front turnable fender axle mounted (8015) if Narrow cab option 2065 is selected	Same Price
6203		12.4R24 (320/85R24) R1W (Firestone)	In Base Price
6210		340/85R24 - 13.6R24 In. 125A8 R1W Radial (Mitas, Michelin, or Firestone) *Mitas not available in R4	606.00
6211		380/70R24 R1W Radial (Mitas or Michelin) *Mitas not available in R4	891.00
6214		44X18-20 In. 4PR R3 Bias (Titan)	-707.00
6217		400/80R24 NOKIAN TRI 2	1,637.00
6218		400/80R24 NOKIAN HAKKAPELIITTA	1,637.00
		FRONT TIRE BRAND PREFERENCE	
6799		No Front Tire Brand Preference	In Base Price
		FRONT AXLE	
6040		MFWD Front Axle without Suspension	In Base Price
		DOMED TAKE OFF (DTO) CONTROL C	
8386		POWER TAKE-OFF (PTO) CONTROLS  PTO Remote Control and LH and RH Fenders	62.00
<del>-</del>			5=:00
0040		OPERATOR'S STATION	170.00
8210		Leather Wrapped Steering Wheel	170.00
8261		Mechanical Cab Suspension	1,553.00

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
8280		OPERATOR'S STATIONContinued Rear Window Wiper In Base Equipment for R4 Premium Cab. Option applies to Standard Cab Only.	285.00
		HYDRAULICS	
8320		SCV Oil Spillage Collector	153.00
8446		HITCH CONTROLS  Remote EH Hitch Control on RH Fender	475.00
		LH Fender Control in Base Equipment.	
		HITCH CYLINDERS	
8458		High capacity hitch - 80mm lift cylinder	407.00
		FRONT FENDERS	
8015		Front Fenders - Turnable (Axle Mounted)	850.00
8020		REAR FENDERS  Rear Fender Extensions - Cab  Not Compatible with Narrow Cab.  Can touch/contact the implement, in this case order short fender extension from 5M series  LVB25714	241.00
		LIGHTING EQUIPMENT	
8725		Beacon Light LH Side (RH Traffic)	208.00
8731		FULL LED Package Upgrades front work lights, rear work lights and side work lights from Halogen to LED	548.00
		COLD WEATHER PACKAGES	
8300		Cold Weather Package  Coolant Heater	88.00
		FRONT LOADER RREPARATION RACKACES	
8910		FRONT LOADER PREPARATION PACKAGES  Loader Preparation Package  Compatible with 540R Loader. Includes loader mounting frames and hood guard	1,681.00
891A		Loader ready package - 2 function Mechanical Midstack SCVs Requires Code 3420 Compatible with 540R Loader. Includes loader mounting frames, hood guard, and tractor half of Multi Coupler (w/hoses).	1,972.00
891B		Loader ready package - 3 function Mechanical Midstack SCVs Requires Code 3430 Compatible with 540R Loader. Includes loader mounting frames, hood guard, and tractor half of Multi Coupler (w/hoses).	2,426.00
891D		Loader ready package - 3 function Electrical Midstack SCVs	2,426.00

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		FRONT LOADER PREPARATION PACKAGESContinued Requires Code 3435 Compatible with 540R Loader. Includes loader mounting frames, hood guard, and tractor half of Multi Coupler (w/ hoses).	
		FRONT WEIGHT OPTIONS	
8955		Front Weight Support - (55 kg/121 lbs.)	189.00
		AG MANAGEMENT SOLUTIONS	
8217		iTEC Basic	225.00
		ATTACHMENTS FOR FIELD CONVERSION	
	BSJ10455	Air Pre-cleaner Air filter diverter shield kit	82.50
	BLV10950	Backhoes 595 Backhoe Kit	2,633.40
	BSJ10306	Backup Alarm Backup Alarm Kit	162.80
	AL80126	Cab Equipment Rear Mirror Mechanical	180.40
	AL80127	Rear Mirror Mechanical	180.40
	BSJ10323	Center Link Electrohydraulic (EH) Hitch Right Fender Switch Kit	575.30
	DZ102076	Cold Weather Packages Engine Block Heater (110V)	108.37
	AL156778	Front Axle Hub Extension 60mm, Front, Tread Adjustment Fits MFWD axles Tread setting should not exceed 80 In. for maximum load applications. Kit contains (2) L154685 Hubs, (16) 24M7242 Washers, and (16) L152521 Bolts. Only for axles with 10.82 diameter bolt holes. For other hub thickness, see Parts.	694.10
	AL180330	Front Fenders Front Fenders 370 mm (14.6 In.) Wide (MFWD) Recommended for use with 12.5/80-18, 11.2-24 and 12.4-24 In. Tires. Requires Mounting Bracket and Hardware Kit (BSJ10307) ordered separately. Not compatible with 230/95R32 126A8 In Tires or narrow cab tractor configurations.	89.13

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	AL180327	ATTACHMENTS FOR FIELD CONVERSIONContinued Front Fenders 420 mm (16.5 ln.) Wide (MFWD) Recommended for use with 14.9-20 In and 14.9-24 In Tires. Requires Mounting Bracket and Hardware Kit (BSJ10307) ordered separately. Not compatible with 340/85R28 In Tires.	100.26
	AL180326	Front Fenders 480 mm (18.9 ln) Wide (MFWD) Recommended for use with 440/65R24, 480/65R24 and 44X18-20 In Tires. Requires Mounting Bracket and Hardware Kit (BSJ10307) ordered separately.	120.75
	BSJ10285	Front Hitch Front Hitch Requires attaching parts (BSJ10286) ordered seperately.	3,548.60
	BSJ10286	Front Hitch Attaching Parts Compatible with BSJ10285 (ordered seperately).	850.30
	BLV10679	Front Power Take-off (Pto) Auxiliary Front Drive Coupler Kit	997.70
	BW16765	Hood Guards Hood Guard	424.60
	BSJ10235	Hydraulics 2 Mechanical Mid M-SCV with Joystick (Open Center) Includes components and parts required to install Dual Mid Control Valve on Tractors not equipped with Mid Control Valve.	1,417.90
	BSJ10236	2 Mechanical Mid M-SCV with Joystick (PFC) Includes components and parts required to install Dual Mid Control Valve on Tractors not equipped with Mid Control Valve.	1,607.10
	BSJ10232	2 to 3 Rear Mechanical SCV Conversion Kit (PFC - 200 Series)	880.00
	BSJ10233	2 to 3 Rear Mechanical SCV Conversion Kit (PFC - 450 Series)	1,069.20
	BSJ10383	3 Electrical Mid E-SCV with Joystick on Armrest (EH - PFC) Includes components and parts required to install Triple Mid Control Valve on Tractors not equipped with Mid Control Valve.	1,919.50
	BSJ10234	4th Rear Mechanical SCV Conversion Kit (Open Center - 100 Series)	772.20
	BSJ10245	4th Rear SCV Conversion Kit (PFC - non proportional EH)	1,069.20
	BSJ10428	Hydraulic Case Drain Plumbing (PFC and OC) Supplies non-restricted flow of hydraulic fluid to reservoir. Must have Motor Control Kit (Power Beyond) Installed.	190.30
	BSJ10309	Hydraulic Center Link - Ball Type	1,842.50
	BSJ10255	Hydraulic Center Link - Hook type	1,842.50
	BSJ10465	Oil Collection System Kit contains Dust Caps with Oil Collection Reservoir, Hoses and Brackets (Hardware included).	113.30

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BSJ10243	ATTACHMENTS FOR FIELD CONVERSIONContinued Plumbing, Hydraulic Motor Return	124.30
	BSJ10241	Power Beyond Kit (Open Center) Kit contains coupler and hose.	332.20
	BSJ10240	Power Beyond Kit (PFC System) Kit contains couplers only.	198.00
	BSJ10237	Triple Mid Non-Proportional E-SCV Conversion Kit (Open Center)  Converting Dual Mid to Triple Mid on Open Center System.  Electrical non-proportional Mid SCV	851.40
	BSJ10238	Triple Mid Non-Proportional E-SCV Conversion Kit (PFC System)  Converting Dual Mid to Triple Mid on PFC System.  Electrical non-proportional Mid SCV	946.00
		Lighting	
	BSJ10322	Auxiliary Loader Light Kit	761.20
	BSJ10317	Beacon Light Kit	181.50
	AL182022	Halogen Work Lights (2) Requires (2) L157372, (2) L176874, (2) AL182022	53.22
	BSJ10325	LED HEADLIGHTS	288.20
	RE573609	LED Side Work Lights (2) Requires (2) L157372, (2) L176875, (2) RE573609	144.28
	AL219331	LED Work Lights (2) Requires (2) L157372,(2) L176874, (2) AL219331	186.51
	BSJ10450	Machine Connectivity  JDLink Mounting Kit, Cab models  For FT4 5M, 5MH, 5R tractors. JDLink kit to be ordered separately through whole goods  (AMS base code 021RPC). Order less antenna (code 2009) then order PFA10879 through  parts. (R4)	176.00
	BSJ10276	Mid Mount Couplers Mid SCV Coupler Kit (6) Adds single couplers to mid valve.	181.50
	BSJ10384	Mid Selective Control Valves 3 Mid E-SCV with Joystick (EH - PFC) - For CommandARM Includes components and parts required to install Triple Mid Control Valve on Tractors not equipped with Mid Control Valve.	4,085.40
	SJ10170	Miscellaneous Antenna	29.96
	AH104259	Ash Tray <i>Must also order</i> (2) <i>37M7218</i> , (1) <i>AL173370</i> , (1) <i>AL207492</i> , (1) <i>SU49479</i> .	65.64

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	T21709	ATTACHMENTS FOR FIELD CONVERSIONContinued Category I Interchangeable Hitch Ball Two required.	15.34
	T21706	Category II Interchangeable Hitch Ball Two required.	13.21
	T12553	Center Link Conversion Bushing, Cat. II to Cat. I	13.87
	AR60937	Cigarette Lighter	13.94
	LVB25949	Drawbar - Hammerstrap and chain clevis kit Kit contains all necessary parts and hardware (instructions included).	141.90
	AL178270	Field Office	189.54
	BRE10151	Front Utility Box Must also order Front Utility Box Bracket (BRE10153). Utility Box is intended for front tractor mounting only.	356.40
	BRE10153	Front Utility Box Bracket Compatible only with front suitcase weight R127764 -Region 4 style. You must have a minimum of 4 suitcase weights and a maximum of 22 suitcase weights.	123.20
	R262449	Front Weight Support, 187 Lbs Requires (4) 19M7953 Cap Screws and (4) 24M7242 Washers, ordered separately.	400.58
	LVB25941	Heavy-duty drawbar kit Kit contains Heavy Duty Drawbar with support assembly. Hardware and instructions included.	289.30
	BSJ10349	Instructional Seat Kit	614.90
	RE275283	Leather wrapped steering wheel	165.43
	BW17042	Loader Frame Mounted Fenders (Stationary)  Compatible with R Loader only.  Fenders connect directly to loader mounting frame assembly, can easily be removed with pin.	561.00
	AL213203	Lockable Filler Cap Fuel Tank	34.06
	L154683	Rear Axle 1.2 in. Extension (30 mm) Two required. Requires (16) 19M9364 Cap Screws (8 per Extension), ordered separately.	184.69
	L154682	Rear Axle 1.6 in. Extension (40 mm) Two required. Requires (16) 19M8979 Cap Screws (8 per Extension), Ordered Separately.	216.57
	L154684	Rear Axle 4.4 in. Extension (111 mm)  Two required.  Requires (16) 19M9365 Cap Screws (8 per Extension), Ordered Separately.	305.70
	RE19428	Safety Chain Support Kit	158.04
	BSJ10380	Satellite Receiver and Antenna Only (Bosch Specific)  All 5R Series Tractors are "Radio Ready", including Radio Wiring Harness and Speakers.	236.50
	AT162291	Seat Backrest Extension	181.42

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	AL71345	ATTACHMENTS FOR FIELD CONVERSIONContinued Security Door Lock Kit	196.90
	R127764	Weight, front suitcase 43 kg (95 lb) quantity of one	136.40
	R213907	Weight, rear wheel - 43.09 kg (95 lb)  Not compatible on wheels sized 24" or smaller. Maximum of 3 per wheel.	147.40
	BLV10173	Wiper and washer, rear	345.40
	BSJ10361	iTEC Basic - software only Reference installation instructions. Also order AL213360 through JDPoint.	0.00
	RE68495	Operator's Station Power Strip with Six Outlets Requires (1) RE67013, (1) RE67014, and (1) RE67015 Ordered Separately.	56.28
	BRE10152	Self - Leveling Cup Holder	61.60
	BSJ10327	Power Take-off (Pto) Remote PTO Fender Switch Kit	74.80
	RE585066	Radio - AM/FM, Bluetooth Ready, and Satellite Capable	686.05
	LVB25714	Rear Fenders Rear fender extension Cab tractors only. Interference may occur with some implements when raising the hitch.	221.10
	BSJ10307	Turnable Front Fender Mounting brackets and hardware kit - (MFWD) without loader Requires Fenders guards (AL180330, AL180327 or AL180326) ordered separately through parts.	836.00
	LVB25976	Rear Hitch iMatch Quick-Hitch Category 1 with adjustable top hook Includes one set of Bushings(LVU15507).  Not compatible with LVB25941 (Heavy Duty Hitch Kit).	365.20
	BSJ10275	Rear Selective Control Valves 2 to 3 Rear E-SCV Conversion Kit (EH Porportional) - for Command Arm	1,069.20
	BSJ10432	2 to 3 Rear SCV Conversion Kit (Open Center - 450 Series)	974.60
	TY27545	Three-point Hitch Quik-Coupler, Economy, Category 2 Interference may occur when raising the hitch if extended fenders are configured.	580.37

#### 5125R Utility Tractor - FT4

Equipment for Base Machine

ENGINE: 125 Engine Horsepower @ 2200RPM\* 110 PTO Horsepower @ 2100 RPM\* EPA Final Tier 4 Compliant with DOC / SCR 4.5L John Deere PowerTech Diesel Engine Turbocharger with Intercooler 4 Valve High Pressure Common Rail Up to 8% Power Bulge +10 HP Intelligent Power Management (non-PTO) Dry Type Air Cleaner with Safety Element Underhood Muffler with Vertical Cornerpost Exhaust Stack Air intake heater Hand and Foot Throttle Key Engine Shut-Off Water Separator Bowl 38 US Gallon (143.9 L) Fuel Tank Capacity 3 US Gallon (11.4 L) DEF Tank Capacity TRANSMISSION: 16F/16R CommandQuad Manual Transmission Electronic Range and Gear Shifting AutoClutch Electronic Park Brake EH Differential Lock Oil Cooler Wet Traction Clutch Neutral Start Safety Switch REAR AXLE, WHEELS AND TIRES: Flanged Rear Axle Planetary Final Drives 8-Position Standard Steel Wheels Two 460/85R30 R1-W Radial Tires FRONT AXLE, WHEELS AND TIRES: Mechanical Front Wheel Drive Planetary Final Drives Electro-Hydraulic MFWD Engagement Two 320/85R24 R1-W Radial Tires STEERING AND BRAKES: Hydrostatic Power Steering Hydraulic Wet Disk Brakes Self-Equalizing and Self-Adjusting Lockable Turning Brakes HYDRAULICS: Open Center Hydraulic System Tandem Gear Pump 25.6 GPM (96.7 LPM) Maximum Total Flow -Steering Pump 6.3 GPM (23.7 LPM) Implement Pump 19.3 GPM (73.0 LPM)
2 Mid & 2 Rear Stackable SCV Control Valves Mechanical Rear SCV controls Seat-Mounted Mechanical Loader Joystick with Electronic Gear Shift switches POWER TAKE-OFF SHAFT: Independent "Live" 540 /1000 RPM Rear PTO Shaft @ 2100 Engine RPM Economy PTO Setting for 540 PTO RPM @ 1645 Engine Reversible 540/1000 PTO Shaft Electro-Hydraulic PTO Engagement Wet PTO Clutch Safety Start Switch Flip Up PTO Shield ROCKSHAFT, HITCH AND DRAWBAR: Electro-hydraulic Hitch with LH Fender controls 75mm Lift Cylinders Heavy Duty Drawbar Telescoping Draft Links with Category II Balls Adjustable Sway Bars Mechanically Adjustable Top Link with Category II

Balls Lower Link Draft Sensing INSTRUMENTATION: Interactive Cornerpost Mounted Display Service, Information, and Stop Alerts Digital Fuel and DEF Gauges Digital Coolant Temperature Gauge Programmable Transmission, Engine, Hydraulic, and Hitch Settings Selectable Run Pages Turn Signal and Hazard Indicator Lights High Beam Indicator Light PTO Speed and Engagement Indicators Gear, Range, and Direction Indicators Speedometer Tachometer Hour Meter
Start Aid Time Remaining Counter Exhaust Filter Cleaning Indicator MFWD Engagement Light Differential Lock Engagement Light ELECTRICAL: 12-Volt Electrical System
One Battery - 950 CCA\*\* with 180 Minute Reserve Capacity
Battery Boost Terminals 7-Pin ASAE Outlet Socket 200 Amp Alternator LIGHTING: Two Front Halogen Headlights Two Front Halogen Work Lights Two Side Halogen Work Lights Two Rear Halogen Work Lights
Two Front and Two Rear Turn/Warning Lights Dual Tail Lights STANDARD CAB OPERATOR STATION Tilt and Telescopic Steering Column Left and Right Hand Opening Doors Left Step Light Floor Mat and Rear Floor Mat Air Conditioning and Heater Scissor-style Front Sunshade 2-speed Front Windshield Wiper Right hand console controls High Back, Cloth Seat with Swivel, Retractable Seat Belt, and Armrests Beverage Holder Under seat storage drawer Three 3-pin Convenience Power Outlets 12-volt Power Outlet Radio Preparation (including speakers, wiring) Antenna Auxiliary and USB Jack (non-charging) Bluetooth Ready Monitor Mounting Bosses (A post and B post) Opening rear window with 2 position latch Swing out corner windows with latches MISCELLANEOUS: SMV Emblem Toolbox English Operator's Manual \* Manufacturer's Rating \*\* Cold Cranking Amps

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	]
		BASE MACHINE	
		EX-WORKS Augusta	
1670LV		5125R Utility Tractor - FT4	96,145.00
		DESTINATION	
0202		United States	In Base Price
0203		Puerto Rico	Same Price
020A		US Virgin Islands	Same Price
0184		Canada	Same Price
		ODERATORIO MANUAL	
0409		OPERATOR'S MANUAL  English	In Base Price
0413		French	Same Price
0437		Spanish	Same Price
		TRANSMISSION	
1500		16F/16R CommandQuad Manual (40k)	In Base Price
1502		16F/16R CommandQuad Manual (40k) w/ Creeper Requires PFC Hydraulics Code 3223.	2,645.00
1503		32F/16R Command8 (40K) Requires PFC Hydraulics Code 3223.	3,823.00
		POWER TAKE-OFF (PTO)	
3830		Three Speed PTO - 540/540E/1000	In Base Price
		OPERATOR'S STATION	
2055		Standard Cab with Right Hand Console Controls  Isolated Cab with Flat Floor  Tan Floormat Rear Tan Floormat Tilt and Telescopic Steering Column Left and Right Side Doors with Steps Air Conditioning and Heat Reconfigurable Cornerpost Display Bluetooth Ready Beverage Holder Scissor-style Sunshade for Front Window 2-Speed Front Windshield Wiper and Washer Two Front/Two Rear Roof-Mounted Halogen Work Lights Two Front/Two Rear Roof-Mounted Warning Lights	In Base Price

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		OPERATOR'S STATIONContinued	.,,
		Two Fender-Mounted Taillights 200 Amp Alternator	
		Convenience Power Outlet	
		3-pole Power Socket (3) Monitor Mounting Bosses (2 Sets)	
		Swing-Out Rear Window with Two Removable Rear Plugs for Monitor Right-Hand Console Light	
		Radio Preparation (with speakers, wiring) Under Seat Storage Drawer	
		Rear window grab handle 2 position rear window latch	
		Square foot throttle pad	
		Coat hook Radio Antenna	
		Auxilary Jack and USB port (non-charging)	
2057		Standard Cab with CommandARM Includes all features of Standard Cab plus CommandArm (Requires PFC hydraulics, code 3223 and EH SCVs, code 3335 or 3336)	1,835.00
2060		Premium Panorama Roof Cab with Right Hand Console Controls Includes all features of Standard Cab plus:	2,273.00
		Fixed Panoramic Sunroof with Shade Deluxe Sound System with Front Corner Mounted Speakers and Subwoofer	
		Factory Installed radio, bluetooth an Satellite Capable Rear Window Wiper	
2062		Premium Panorama Roof Cab with Command Arm (Requires PFC hydraulics and EH	4,108.00
		SCVs) Includes all features of Panorama roof Cab plus CommandArm	
2065		Narrow Cab Includes all features of Standard Cab with Right Hand Console Controls.	950.00
		SEAT	
2120		Standard Cloth Air Suspension Seat	In Base Price
2121		Premium Cloth Air Suspension Seat Includes heating and low frequency air suspension	504.00
		MIRRORS	
2511		Mirror Telescopic LH and RH	In Base Price
		CAB INSTRUCTIONAL SEAT	
2400		Less Instructional Seat	In Base Price
2410		Instructional Seat with Seatbelt	559.00
2410		Instructional Geat with Gealbert	303.00
		EXHAUST	
3025		Deluxe Corner Post Exhaust	In Base Price
		HYDRAULICS	
3221		Open Center Hydraulic System	In Base Price

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		HYDRAULICSContinued	ζ.,
3223		PFC Hydraulic System with 117 l/min (30.9 gpm) hydraulic pump	2,856.00
		REAR SELECTIVE CONTROL VALVES	
3325		2 Mechanical Stackable Rear SCVs One 200 Series SCV and One 450 Series SCV with Deluxe couplers when ordered with PFC Hydraulic System. Requires Right Hand Console Controls. Two 100 Series SCVs when ordered with Open Center Hydrauilic System. Requires Right Hand Console Controls.	In Base Price
3326		3 Mechanical Deluxe Stackable Rear SCVs One 200 Series SCV and Two 450 Series SCVs with Deluxe couplers when ordered with PFC Hydraulic System. Requires Right Hand Console Controls. Two 100 Series SCVs and one 450 Series SCV when ordered with Open Center Hydraulic System. Requires Right Hand Console Controls.	886.00
3335		2 Proportional EH Stackable Rear SCVs Two 450 Series SCVs with Deluxe couplers. Requires CommandARM.	1,635.00
3336		3 Proportional EH Deluxe Stackable Rear SCVs Three 450 Series SCVs with Deluxe couplers. Requires CommandARM.	2,521.00
		MID SELECTIVE CONTROL VALVES	
3400		Less Mid SCV	-967.00
3420		2 Standard Stackable Mid SCV with Mechanical Joystick Control Include Gear Shift switch and Reverser Function	In Base Price
3430		3 Deluxe Mid SCV with Mechanical Joystick Control Includes Third Function Switch, Gear Shift switch, and Reverser Function.	774.00
3435		3 Deluxe Mid EH SCV with Electronic Joystick Control Includes Third Function Switch, Gear Shift switch, and Reverser Function. Requires PFC Hydraulics. All three EH valves are proportional.	2,409.00
		HITCH CONTROLS	
4030		Electrohydraulic (EH) with remote LH fender control	In Base Price
		DRAFT LINK	
4110		Telescoping Draft Links with Ball Ends - Category 2	In Base Price
		LIFT LINK	
4160		LH Only Adjustable Lift Links RH Side Fixed.	In Base Price
		CENTER LINK	
4210		Mechanical Center Link with Ball Ends - Category 2	In Base Price
4220		Hydraulic Center Link with Ball Ends - Category 2	1,523.00

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
4420		STABILIZERContinued  LH and RH Stabilizer Bar	In Base Price
<del>-1120</del>			III Base I nee
		REAR WHEELS AND TIRES	
5115		340/85R38 - 13.6R38 R1W Radial (Mitas) Requires Code 6145.	338.00
5180		420/85R30 - 16.9R30 R1W Radial (Mitas or Michelin) *Mitas not available in R4. Requires code 6180 or 6200 (Michelin).	-85.00
5141		15.5R38 In. 125A8 R1W Radial (Firestone) Requires Code 6210.	-999.00
5151		230/95R48 134A8 R1W Radial (Kleber) Requires Code 6131. High Clearance Applications.	224.00
5155		320/85R36 - 12.4R36 R1W Radial (Michelin) Requires Code 6180.	-812.00
5173		480/70R28 R1W Radial (Mitas) Requires Code 6155.	-57.00
5203		480/70R34 R1W Radial (Mitas or Michelin) Requires Code 6211 *Mitas not available in R4	889.00
5202		420/85R34 - 16.9R34 R1W Radial (Mitas or Michelin) Requires Code 6210. *Mitas not available in R4	-142.00
5229		420/85R38 - 16.9R38 R1W Radial (Mitas or Michelin) *Mitas not available in R4. Requires Code 6120 or 6210 (Michelin).	622.00
5191		460/85R34 - 18.4R34 R1W Radial (Michelin) Requires Code 6210 or Code 6120.	200.00
5205		23.1-26 8PR R3 (Titan) Requires Code 6214.	-860.00
5192		19.5L-24 In. 10PR R4 Bias (Goodyear) Requires Code 6133.	-2,106.00
5133		18.4R30 (460/85R30) R1W (Firestone) Requires Code 6203.	In Base Price
5217		480/80R34 NOKIAN TRI 2 Requires Code 6217	1,491.00
5218		480/80R34 NOKIAN HAKKAPELIITTA Requires Code 6218	1,491.00
		REAR TIRE BRAND PREFERENCE	
5999		No Rear Tire Brand Preference	In Base Price
		FRONT WHEELS AND TIRES	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		FRONT WHEELS AND TIRESContinued See Loader Section of the Sales Manual for Front Tire/Loader compatibility information.	
6120		380/85R24 - 14.9R24 R1W (Mitas or Michelin) *Mitas not available in R4 Not compatible with front turnable fender axle mounted (8015) if loader ready is installed (891A-891B-891D). Order loader mounted fender BW17042.	754.00
6131		230/95R32 126A8 R1W Radial (Kleber) High Clearance Applications. Not compatible with front turnable fender axle mounted (8015)	330.00
6133		12.5/80-18 In. 12PR R4 Bias (Goodyear)	-1,533.00
6145		280/85R28 - 11.2R28 R1W Radial (Mitas)	228.00
6155		380/70R20 R1W Radial (Mitas)	-507.00
6180		280/85R24 - 11.2R24 R1W Radial (Michelin or Mitas) *Mitas not available in R4 Not compatible with front turnable fender axle mounted (8015) if Narrow cab option 2065 is selected	-109.00
6200		320/85R24 - 12.4R24 R1W Radial (Michelin or Mitas) *Mitas not available in R4 Not compatible with front turnable fender axle mounted (8015) if Narrow cab option 2065 is selected	Same Price
6203		12.4R24 (320/85R24) R1W (Firestone)	In Base Price
6210		340/85R24 - 13.6R24 In. 125A8 R1W Radial (Mitas, Michelin, or Firestone) *Mitas not available in R4	606.00
6211		380/70R24 R1W Radial (Mitas or Michelin) *Mitas not available in R4	891.00
6214		44X18-20 In. 4PR R3 Bias (Titan)	-707.00
6217		400/80R24 NOKIAN TRI 2	1,637.00
6218		400/80R24 NOKIAN HAKKAPELIITTA	1,637.00
		FRONT TIRE BRAND PREFERENCE	
6799		No Front Tire Brand Preference	In Base Price
		FRONT AXLE	
6040		MFWD Front Axle without Suspension	In Base Price
		DOMED TAKE OFF (DTO) CONTROL C	
8386		POWER TAKE-OFF (PTO) CONTROLS  PTO Remote Control and LH and RH Fenders	62.00
<del>-</del>			5=:00
0040		OPERATOR'S STATION	170.00
8210		Leather Wrapped Steering Wheel	170.00
8261		Mechanical Cab Suspension	1,553.00

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
8280		OPERATOR'S STATIONContinued Rear Window Wiper In Base Equipment for R4 Premium Cab. Option applies to Standard Cab Only.	285.00
		HYDRAULICS	
8320		SCV Oil Spillage Collector	153.00
8446		HITCH CONTROLS  Remote EH Hitch Control on RH Fender  LH Fender Control in Base Equipment.	475.00
		HITCH CYLINDERS	
8458		High capacity hitch - 80mm lift cylinder	407.00
		FRONT FENDERS	
8015		Front Fenders - Turnable (Axle Mounted)	850.00
8020		REAR FENDERS  Rear Fender Extensions - Cab  Not Compatible with Narrow Cab.  Can touch/contact the implement, in this case order short fender extension from 5M series  LVB25714	241.00
		LIGHTING EQUIPMENT	
8725		Beacon Light LH Side (RH Traffic)	208.00
8731		FULL LED Package Upgrades front work lights, rear work lights and side work lights from Halogen to LED	548.00
8300		COLD WEATHER PACKAGES  Cold Weather Package  Coolant Heater	88.00
		FRONT LOADER PREPARATION PACKAGES	
8910		Loader Preparation Package  Compatible with 540R Loader. Includes loader mounting frames and hood guard	1,681.00
891A		Loader ready package - 2 function Mechanical Midstack SCVs Requires Code 3420 Compatible with 540R Loader. Includes loader mounting frames, hood guard, and tractor half of Multi Coupler (w/ hoses).	1,972.00
891B		Loader ready package - 3 function Mechanical Midstack SCVs Requires Code 3430 Compatible with 540R Loader. Includes loader mounting frames, hood guard, and tractor half of Multi Coupler (w/ hoses).	2,426.00
891D		Loader ready package - 3 function Electrical Midstack SCVs	2,426.00

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		FRONT LOADER PREPARATION PACKAGESContinued Requires Code 3435 Compatible with 540R Loader. Includes loader mounting frames, hood guard, and tractor half of Multi Coupler (w/ hoses).	
		FRONT WEIGHT OPTIONS	
8955		Front Weight Support - (55 kg/121 lbs.)	189.00
		AG MANAGEMENT SOLUTIONS	
8217		iTEC Basic	225.00
		ATTACHMENTS FOR FIELD CONVERSION	
	BSJ10455	Air Pre-cleaner Air filter diverter shield kit	82.50
	BLV10950	Backhoes 595 Backhoe Kit	2,633.40
	BSJ10306	Backup Alarm Backup Alarm Kit	162.80
	AL80126	Cab Equipment Rear Mirror Mechanical	180.40
	AL80127	Rear Mirror Mechanical	180.40
	BSJ10323	Center Link Electrohydraulic (EH) Hitch Right Fender Switch Kit	575.30
	DZ102076	Cold Weather Packages Engine Block Heater (110V)	108.37
	AL156778	Front Axle Hub Extension 60mm, Front, Tread Adjustment Fits MFWD axles Tread setting should not exceed 80 In. for maximum load applications. Kit contains (2) L154685 Hubs, (16) 24M7242 Washers, and (16) L152521 Bolts. Only for axles with 10.82 diameter bolt holes. For other hub thickness, see Parts.	694.10
	AL180330	Front Fenders Front Fenders 370 mm (14.6 ln.) Wide (MFWD) Recommended for use with 12.5/80-18, 11.2-24 and 12.4-24 In. Tires. Requires Mounting Bracket and Hardware Kit (BSJ10307) ordered separately. Not compatible with 230/95R32 126A8 In Tires or narrow cab tractor configurations.	89.13

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	AL180327	ATTACHMENTS FOR FIELD CONVERSIONContinued Front Fenders 420 mm (16.5 ln.) Wide (MFWD) Recommended for use with 14.9-20 In and 14.9-24 In Tires. Requires Mounting Bracket and Hardware Kit (BSJ10307) ordered separately. Not compatible with 340/85R28 In Tires.	100.26
	AL180326	Front Fenders 480 mm (18.9 ln) Wide (MFWD) Recommended for use with 440/65R24, 480/65R24 and 44X18-20 In Tires. Requires Mounting Bracket and Hardware Kit (BSJ10307) ordered separately.	120.75
	BSJ10285	Front Hitch Front Hitch Requires attaching parts (BSJ10286) ordered seperately.	3,548.60
	BSJ10286	Front Hitch Attaching Parts  Compatible with BSJ10285 (ordered seperately).	850.30
	BLV10679	Front Power Take-off (Pto) Auxiliary Front Drive Coupler Kit	997.70
	BW16765	Hood Guard Hood Guard	424.60
	BSJ10235	Hydraulics 2 Mechanical Mid M-SCV with Joystick (Open Center) Includes components and parts required to install Dual Mid Control Valve on Tractors not equipped with Mid Control Valve.	1,417.90
	BSJ10236	2 Mechanical Mid M-SCV with Joystick (PFC) Includes components and parts required to install Dual Mid Control Valve on Tractors not equipped with Mid Control Valve.	1,607.10
	BSJ10232	2 to 3 Rear Mechanical SCV Conversion Kit (PFC - 200 Series)	880.00
	BSJ10233	2 to 3 Rear Mechanical SCV Conversion Kit (PFC - 450 Series)	1,069.20
	BSJ10383	3 Electrical Mid E-SCV with Joystick on Armrest (EH - PFC) Includes components and parts required to install Triple Mid Control Valve on Tractors not equipped with Mid Control Valve.	1,919.50
	BSJ10234	4th Rear Mechanical SCV Conversion Kit (Open Center - 100 Series)	772.20
	BSJ10245	4th Rear SCV Conversion Kit (PFC - non proportional EH)	1,069.20
	BSJ10428	Hydraulic Case Drain Plumbing (PFC and OC) Supplies non-restricted flow of hydraulic fluid to reservoir. Must have Motor Control Kit (Power Beyond) Installed.	190.30
	BSJ10309	Hydraulic Center Link - Ball Type	1,842.50
	BSJ10255	Hydraulic Center Link - Hook type	1,842.50
	BSJ10465	Oil Collection System Kit contains Dust Caps with Oil Collection Reservoir, Hoses and Brackets (Hardware included).	113.30

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BSJ10243	ATTACHMENTS FOR FIELD CONVERSIONContinued Plumbing, Hydraulic Motor Return	124.30
	BSJ10241	Power Beyond Kit (Open Center) Kit contains coupler and hose.	332.20
	BSJ10240	Power Beyond Kit (PFC System) Kit contains couplers only.	198.00
	BSJ10237	Triple Mid Non-Proportional E-SCV Conversion Kit (Open Center)  Converting Dual Mid to Triple Mid on Open Center System.  Electrical non-proportional Mid SCV	851.40
	BSJ10238	Triple Mid Non-Proportional E-SCV Conversion Kit (PFC System)  Converting Dual Mid to Triple Mid on PFC System.  Electrical non-proportional Mid SCV	946.00
		Lighting	
	BSJ10322	Auxiliary Loader Light Kit	761.20
	BSJ10317	Beacon Light Kit	181.50
	AL182022	Halogen Work Lights (2) Requires (2) L157372, (2) L176874, (2) AL182022	53.22
	BSJ10325	LED HEADLIGHTS	288.20
	RE573609	LED Side Work Lights (2) Requires (2) L157372, (2) L176875, (2) RE573609	144.28
	AL219331	LED Work Lights (2) Requires (2) L157372,(2) L176874, (2) AL219331	186.51
	BSJ10450	Machine Connectivity  JDLink Mounting Kit, Cab models  For FT4 5M, 5MH, 5R tractors. JDLink kit to be ordered separately through whole goods  (AMS base code 021RPC). Order less antenna (code 2009) then order PFA10879 through  parts. (R4)	176.00
	BSJ10276	Mid Mount Couplers Mid SCV Coupler Kit (6) Adds single couplers to mid valve.	181.50
	BSJ10384	Mid Selective Control Valves 3 Mid E-SCV with Joystick (EH - PFC) - For CommandARM Includes components and parts required to install Triple Mid Control Valve on Tractors not equipped with Mid Control Valve.	4,085.40
	SJ10170	Miscellaneous Antenna	29.96
	AH104259	Ash Tray <i>Must also order</i> (2) <i>37M7218</i> , (1) <i>AL173370</i> , (1) <i>AL207492</i> , (1) <i>SU49479</i> .	65.64

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	T21709	ATTACHMENTS FOR FIELD CONVERSIONContinued Category I Interchangeable Hitch Ball Two required.	15.34
	T21706	Category II Interchangeable Hitch Ball Two required.	13.21
	T12553	Center Link Conversion Bushing, Cat. II to Cat. I	13.87
	AR60937	Cigarette Lighter	13.94
	LVB25949	Drawbar - Hammerstrap and chain clevis kit Kit contains all necessary parts and hardware (instructions included).	141.90
	AL178270	Field Office	189.54
	BRE10151	Front Utility Box Must also order Front Utility Box Bracket (BRE10153). Utility Box is intended for front tractor mounting only.	356.40
	BRE10153	Front Utility Box Bracket Compatible only with front suitcase weight R127764 -Region 4 style. You must have a minimum of 4 suitcase weights and a maximum of 22 suitcase weights.	123.20
	R262449	Front Weight Support, 187 Lbs Requires (4) 19M7953 Cap Screws and (4) 24M7242 Washers, ordered separately.	400.58
	LVB25941	Heavy-duty drawbar kit Kit contains Heavy Duty Drawbar with support assembly. Hardware and instructions included.	289.30
	BSJ10349	Instructional Seat Kit	614.90
	RE275283	Leather wrapped steering wheel	165.43
	BW17042	Loader Frame Mounted Fenders (Stationary)  Compatible with R Loader only.  Fenders connect directly to loader mounting frame assembly, can easily be removed with pin.	561.00
	AL213203	Lockable Filler Cap Fuel Tank	34.06
	L154683	Rear Axle 1.2 in. Extension (30 mm) Two required. Requires (16) 19M9364 Cap Screws (8 per Extension), ordered separately.	184.69
	L154682	Rear Axle 1.6 in. Extension (40 mm) Two required. Requires (16) 19M8979 Cap Screws (8 per Extension), Ordered Separately.	216.57
	L154684	Rear Axle 4.4 in. Extension (111 mm)  Two required.  Requires (16) 19M9365 Cap Screws (8 per Extension), Ordered Separately.	305.70
	RE19428	Safety Chain Support Kit	158.04
	BSJ10380	Satellite Receiver and Antenna Only (Bosch Specific)  All 5R Series Tractors are "Radio Ready", including Radio Wiring Harness and Speakers.	236.50
	AT162291	Seat Backrest Extension	181.42

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	AL71345	ATTACHMENTS FOR FIELD CONVERSIONContinued Security Door Lock Kit	196.90
	R127764	Weight, front suitcase 43 kg (95 lb) quantity of one	136.40
	R213907	Weight, rear wheel - 43.09 kg (95 lb)  Not compatible on wheels sized 24" or smaller. Maximum of 3 per wheel.	147.40
	BLV10173	Wiper and washer, rear	345.40
	BSJ10361	iTEC Basic - software only Reference installation instructions. Also order AL213360 through JDPoint.	0.00
	RE68495	Operator's Station Power Strip with Six Outlets Requires (1) RE67013, (1) RE67014, and (1) RE67015 Ordered Separately.	56.28
	BRE10152	Self - Leveling Cup Holder	61.60
	BSJ10327	Power Take-off (Pto) Remote PTO Fender Switch Kit	74.80
	RE585066	Radio - AM/FM, Bluetooth Ready, and Satellite Capable	686.05
	LVB25714	Rear Fenders Rear fender extension Cab tractors only. Interference may occur with some implements when raising the hitch.	221.10
	BSJ10307	Turnable Front Fender Mounting brackets and hardware kit - (MFWD) without loader Requires Fenders guards (AL180330, AL180327 or AL180326) ordered separately through parts.	836.00
	LVB25976	Rear Hitch iMatch Quick-Hitch Category 1 with adjustable top hook Includes one set of Bushings(LVU15507).  Not compatible with LVB25941 (Heavy Duty Hitch Kit).	365.20
	BSJ10275	Rear Selective Control Valves 2 to 3 Rear E-SCV Conversion Kit (EH Porportional) - for Command Arm	1,069.20
	BSJ10432	2 to 3 Rear SCV Conversion Kit (Open Center - 450 Series)	974.60
	TY27545	Three-point Hitch Quik-Coupler, Economy, Category 2 Interference may occur when raising the hitch if extended fenders are configured.	580.37

#### 5075GV Narrow Specialty Tractor

**Equipment for Base Machine** 

Engine: 73 (54 kW) 97/68EC Engine Horsepower @ 2300\* RPM 62 (46 kW) PTO Horsepower @ 1900\*\* RPM 4-Cylinder Turbocharged FPT F34 Engine 3.4 L Displacement EPA Final Tier 4 Final Compliant (Aftertreatment: DOC/DPF) Dry Air Cleaner with Safety Element Common Rail Electronic Fuel Injection Hand and Foot Throttle Viscous Fan Water Separation Bowl Engine Shut Off with Key Maintenance Free Closed Cooling System Radiator Screen 22.7 U.S. Gallon (86 L) Fuel Tank Capacity Transmission: Differential Lock Neutral Start Safety Switch Mirrors Left-Hand and Right-Hand  $\bar{\text{Final}}$  Drive with three Planetary Gears Flanged Rear Axles Steering and Brakes:
Hydrostatic Power Steering
Hydraulic Wet-Disk Rear Breaks, Self-Equalizing and Self-Adjusting Five Oil Cooled Hydraulically Actuated Disk Brakes per side. Secondary Park Break Hydraulics: Open Center Hydraulic System Hitch Control with Center link Draft Sensing Independent " Live 540/540E RPM rear PTO shaft Safety Start Switch Rockshaft, Hitch, and Drawbar: Mechanical Rockshaft

Swinging Drawbar plus Hammer Strap 3 Point (category I) Hitch and Sway Blocks Convertible to Category IN  $\,$ Adjustable Drawbar Instrumentation: Electric Fuel Gauge Tachometer/Hour Meter Oil Pressure Indicator Light Coolant Temperature Gauge Alternator Indicator Light Air Restriction Indicator Light Turn Signal Indicator Light High Beam Indicator Light PTO Engagement Light Speedometer Digital Display - Hour Meter Electrical: 12-Volt (100 amps) Electrical system 95 Amp Alternator Lights: Two Front Halogen headlights Two Rear Warning and Turn lights Dual Tail Lights Miscellaneous: Beverage Holder on Left-Hand Side Console Tool Box SMV Emblem One Piece Tilt-up hood Extra CEE Administration Fee Premium Container Shipment \*Manufacturer s Rating \*\* Factory Observed

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	]
		BASE MACHINE	
		EX-WORKS Port of Entry	
0514AT		5075GV Narrow Specialty Tractor	36,359.00
		DESTINATION	
0202		USA Requires code 0409 (English)	In Base Price
0184		Canada Requires code 0409 (English) or 0413 (French)	Same Price
		OPERATOR'S MANUAL, DECALS, AND MONITORS	
0409		English Operator's Manual and Decal Kit	In Base Price

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
0.110		OPERATOR'S MANUAL, DECALS, AND MONITORSContinued	0 5:
0413		French Operator's Manual and Decal Kit	Same Price
		TRANSMISSION	
1340		12F/12R SyncReverser Transmission with 540/540E PTO Includes: Oil cooler, neutral start safety switch, servo assisted Power Take-Off (PTO) actuation, and electrohydraulic differential lock actuation. Requires: Code 6020 two-wheel drive (2WD).	In Base Price
1341		12F/12R SyncReverser Transmission with 540/540E PTO Includes: Oil cooler, neutral start safety switch, servo assisted Power Take-Off (PTO) actuation, electrohydraulic Mechanical Front-Wheel Drive (MFWD) and differential lock actuation. Requires: Code 6040 four-wheel drive (4WD).	Same Price
1380		24F/12R PowrReverser Transmission with 540/540E PTO (includes creeper) Includes: Oil cooler, neutral start safety switch, electrohydraulic Power-Take Off (PTO) actuation, electrohydraulic Mechanical Front-Wheel Drive (MFWD) and differential lock actuation and de-clutch button and hi-low selection on the gear lever. Requires: Code 6040 four-wheel drive (4WD).	4,618.00
		OPERATOR'S STATION	
2000		Standard Isolated Open Operator Station Two post Roll Roll-Over Protective Structure (ROPS). Basic Polyvinyl Chloride (PVC) seat. Air Deflector with Grab Handles. Fixed right-hand steering wheel. Right-hand and Left-Hand access and egress with steps. Right-Hand Gear and Left-Hand Range Levers. Swing-Out front two post ROPS. Blinker lever with integrated lighting functions. Position lights as per North America Requirement. Power socket as per North America Requirement (7-pin). Cigarette Lighter (12-V power socket). Rear working light. Digital Read Out. Base rear fender. Requires: 12F/12R 2WD (1340) or 12F/12R, 4WD (1341).	In Base Price
2005		Premium Isolated Open Operator Station Two Roll Roll-Over Protective Structure (ROPS). Air suspended Polyvinyl Chloride (PVC) seat. Air Deflector with Grab Handles. Tiltable & Telescopic steering wheel. Mechanical remote control. Right-Hand and Left-Hand access and egress with steps. Right-Hand and Left-Hand Range Levers. Swing Out front two post ROPS. Blinker lever with integrated lighting functions. Position lights as per North America Requirement. Power socket as per North America Requirement (7-pin). Cigarette lighter (12-V power socket). Rear working light. Digital Read Out. Base rear fender. Requires: 24F/12R, 4WD (1380).	950.00
2055		Standard Cab Two front and two rear H3 working lights.	10,506.00

Cada	Attachment	December	List Price Suggested
Code	Identifier	OPERATOR'S STATIONContinued Openable front windscreen and rear window. Comfort Textile seat. Fixed Steering Wheel. Opening Right-Hand and Left-Hand door with steps. Right-Hand Gear and Left-Hand Range Levers. Swing Out Front window (One Position). Swing Out Rear window. Sun visor integrated with the cab roof. Blinker lever with integrated lighting functions. 1-Speed Front Windshield Wiper with Washer. Cab with Air Conditioning and Heating. Radio ready (includes glass antenna and wiring). Position lights as per North America Requirement. Power socket as per NA Requirement (7-pin). Cigarette lighter (12-V power socket). Two storage areas. Digital Read Out. Base rear Fender.	USD (\$)
2065		Requires: 12F/12R, 2WD (1340) or 12F/12R, 4WD (1341).  Premium Cab Two front and two rear H3 working lights. Openable front windscreen and rear window. Super Deluxe Textile seat. Tiltable and Telescopic Steering Wheel. Rear Wiper. Internal cab Mirror. Mechanical Remote Control. Opening Right-Hand and Left-Hand door with steps. Right-Hand Gear and Left-Hand Range Levers. Swing Out Front window (One Position). Swing Out Rear window. Sun visor integrated with the cab roof. Blinker lever with integrated lighting functions. 1-Speed Front Windshield Wiper with Washer. Cab with Air Conditioning and Heating. Radio ready (includes glass antenna and wiring). Position lights as per North America Requirement. Power socket as per North America Requirement (7-pin). Cigarette lighter (12-V power socket). Two storage areas. Digital Read Out. Base rear Fender. Requires: 12/F12R, 4WD (1341) or 24F/12R, 4WD (1380).	11,470.00
		EXHAUST	
3011		Horizontal Exhaust	In Base Price
3020		Vertical Exhaust Stack Available on cab tractors only (2055 or 2065)	150.00
3022		Vertical A Cornerpost Exhaust Available on cab tractors only (2055 or 2065)	600.00
		HYDRAULIC PUMP	
3220		Two Pump Hydraulic System Hydraulic Flow equals 17 gpm (64.7 L/min) plus 7.6 gpm (28.9 L/min) at 2300 rpm.	In Base Price
3225		Three Pump Hydraulic System	750.00

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		HYDRAULIC PUMPContinued  Hydraulic Flow equals 17 gpm (64.7 L/min) plus 7.6 gpm (28.9 L/min) plus an additional 7.6 gpm (28.9 L/min) at 2300 rpm.	
		REAR SELECTIVE CONTROL VALVES	
3312		Two Rear Selective Control Valves (SCVs) with lever controls One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure). One Single Acting (SA) and Double Acting (DA) SCVs (detent in float plus zero leak). Quick Push and Pull Couplers. Oil Spillage Collector Cup. Flow divider. Not orderable with Code 3225 (Three-Pump Hydraulic System).	In Base Price
3334		Three Rear Selective Control Valves (SCVs) with lever controls  One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure).  One Single Acting (SA) and Double Acting (DA) SCVs (detent in float plus zero leak).  One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure).  Quick Push and Pull Couplers.  Oil Spillage Collector Cup.  Flow control.	1,039.00
3347		Four Rear Selective Control Valves (SCVs) with lever controls One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure). One Single Acting (SA) and Double Acting (DA) SCVs (detent in float plus zero leak). One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure). One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure). Quick Push and Pull Couplers. Oil Spillage Collector Cup. Flow control.	2,078.00
		MID SELECTIVE CONTROL VALVES	
3400		Less Mid-Mounted Couplers	In Base Price
3450		Five Mid-Mounted Couplers on Right-Hand Side Requires three rear remote SCVs (code 3334)	1,236.00
3470		Seven Mid-Mounted Couplers (Five on Right-Hand and Two on Left-Hand) Requires four rear remote SCVs (code 3347)	1,730.00
		REAR WHEELS AND TIRES	
5113		380/85R 28 Mitas Requires Code 6287 and Code 2055 or 2065.	870.00
5115		340/85R 28 Mitas AC85 Requires code 6288	622.00
5116		320/85R 28 Mitas AC85 Requires code 6125 or 6288	320.00
5119		280/85R 28 Mitas AC85 Requires code 6124, 6129, or 6290	In Base Price
5122		340/85R 24 Mitas Requires code 6124, 6290, 6129, 6289	351.00

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
5124		REAR WHEELS AND TIRESContinued 320/85R 24 Mitas AC85 Requires code 6129 or 6290	-229.00
5126		320/85R 24 Trelleborg Requires code 6111 or 6290	-683.00
5127		340/85 R 24 Trelleborg Requires code 6111 or 6290	161.00
5128		340/85R 28 Trelleborg Requires code 6286	450.00
5129		360/70R 28 Trelleborg Requires code 6113	470.00
5133		380/70R 24 Mitas AC 70 T Requires code 6290.	525.00
5135		420/70R 28 Mitas AC 70 T Requires code 6287	1,288.00
5137		360/70R 24 Mitas AC 70 T Requires code 6124 or 6143	461.00
5138		250.85R 28 Kleber Requires code 6109 or 6129	-230.00
5139		9.50R 28 Kleber Requires code 6124	-380.00
5140		380/70R 24 Trelleborg TM700 Requires code 6111	325.00
		FRONT WHEELS AND TIRES	
6109		6.00-16 Trelleborg IM110 Heavy Duty (2 position rims) Diagonal Tire Requires code 6040	190.00
6111		260/70R 16 Trelleborg TM700 Heavy Duty (2 position rims) Requires code 6040	1,020.00
6113		280/70R 16 Trelleborg Heavy Duty (2 position rims)  Requires code 6040	1,040.00
6124		6.00-16 Mitas TF-03 - Diagonal Tire Requires code 6020	In Base Price
6125		6.50-16 Mitas TF-03 - Diagonal Tire Requires code 6020	Same Price
6129		6.50-16 Mitas Heavy Duty (2 position rims) Diagonal Tire Requires code 6040	220.00
6143		240/70R 16 Mitas AC 70 T Requires code 6040	900.00
6286		8.25-16 Trelleborg Heavy Duty (2 position rims)  Requires code 6040	340.00

# **5075GV Narrow Specialty Tractor**Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		FRONT WHEELS AND TIRESContinued	
6287		280/70R 18 MITAS AC 70 T Heavy Duty (2 position rims) Requires code 6040	1,117.00
6288		7.50R16 Super Vigne Heavy Duty (2 position rims) Requires code 6040	708.00
6289		10.0/75-15.3 Mitas Heavy Duty (2 position rims) Requires code 6040	388.00
6290		260/70R 16 Mitas AC 70 T Heavy Duty (2 position rims) Requires code 6040	940.00
		AXLE	
6020		Two-Wheel Drive (2WD)	In Base Price
6040		Four-Wheel Drive (4WD)	8,270.00
		POWER TAKE-OFF (PTO)	
3822		Mechanical actuation 540 and 540E rpm Shiftable without GD Power Take-Off (PTO) With PTO shaft cover With Safety start switch Requires code 1340 or 1341	In Base Price
3826		ElectroHydraulic actuation 540 and 540E rpm Without GD Power Take-Off (PTO). With PTO shaft cover. With Safety start switch. Requires code 1380	Same Price
		THREE-POINT HITCH	
4130		3-Point Hitch with Fixed Ball Ends for Draft Links	In Base Price
4131		3-Point Hitch with Adjustable Ball Ends for Draft Links	300.00
4132		3-Point Hitch with Adjustable Quick Couplers for Draft Links - hook ends	425.00
		THREE-POINT HITCH ROD	
4151		Hydraulic Lift Rod	625.00
4152		Mechanical Lift Rod	In Base Price
		FRONT ATTACHMENTS	
4002		Base weight 150 Lbs (68 kg)	In Base Price
8230		MIRRORS Rear view cab mirror	65.00
0230		EDONT ETABLES	65.00

**FRONT FENDERS** 

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
8014		FRONT FENDERSContinued Stationary Front Fenders 2WD version - Width: 8.9 inches (225 mm) Requires code 6020	380.00
8017		Stationary Front Fenders 4WD version - Width: 8.9 inches (225 mm)  Requires code 6040	380.00
		REAR FENDERS	
8022		Rear Fender Extension - Width: 3.1 inches (80 mm)  Not compatible with Code 8023	240.00
8023		Rear Fender Extension - Width: 6.3 inches (160 mm)  Not compatible with Code 8022.	295.00
		HITCH CONTROLS	
8446		Mechanical remote control for 3-point hitch	325.00
		DRAWBAR	
8455		Ball Kit for Draft Links (Category 1 and 1N) Requires: Code 4132 (3-Point Hitch with Adjustable Quick Couplers for Draft Links - hook ends).	47.00
844T		Horizontal Drawbar (Category 1) Not orderable with Code 844U.	55.00
844U		Horizontal Drawbar (Category 2) Not orderable with Code 844T.	93.00
		LIGHTING FOLUDMENT	
8731		LIGHTING EQUIPMENT Two H4 Belt-Line Lights Requires: Codes 2055 or 2065 (cab options).	250.00
8725		Beacon Light	150.00
		ELECTRICITY	
8745		Mechanical Battery Switch	157.00
		ATTACHMENTS FOR FIELD CONVERSION	
	ER064913	Front Fenders Mechanical remote hitch control for CAB	520.11
	ER064912	Mechanical remote hitch control for OOS	520.11
	ER064898	Hydraulics 5 mid mounted couplers for CAB Tractors equipped with 3 mech.SCV with flow control Requires three rear remote SCVs.	1,975.84

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	ER064897	<b>ATTACHMENTS FOR FIELD CONVERSIONContinued</b> 5 mid mounted couplers for OOS Tractors equipped with 3 mech.SCV with flow control <i>Requires three rear remote SCVs</i> .	1,975.84
	ER064906	7 mid mounted couplers for CAB Tractors equipped with 4 mech.SCV with flow control 5 on RH and 2 on LH. Requires four rear remote SCVs.	2,764.73
	ER064899	7 mid mounted couplers for OOS Tractors equipped with 4 mech.SCV with flow control 5 on RH and 2 on LH. Requires four rear remote SCVs.	2,764.73
	ER064891	Double-acting Rear SCV with QUICK PUSH & PULL COUPLER at Position III , (detent in pressure and detent in float+high pe	1,281.39
	ER064892	Double-acting Rear SCV with QUICK PUSH & PULL COUPLER at Position III , (detent in pressure and detent in float+high pe	1,281.39
	ER064907	Lighting Beacon Light Kit Cab tractors only	189.62
	ER064908	Two beltline-mounted H4 headlights	316.04
	ER064768	Miscellaneous Beacon Light OOS tractors Open Operator Station only. (Code 2000 and 2005).	181.50
	ER064623	Carbon Air Filter	385.00
	ER064909	Horizontal Exhaust	764.19
	ER064627	Single Hydraulic Lift Rod for Right Hand Side	852.50
	ER064622	Wiper with Washer Kit - Rear Window	343.20
	ER064763	Rear Fenders 2WD Stationnary Front Fenders 10.4 In (225mm) Wide	459.80
	ER064762	MFWD Stationnary Front Fenders 10.4 In (225mm) Wide	459.80
	ER064765	Rear Fender Extensions 3.1 In (80 mm) Wide	290.40
	ER064764	Rear Fender Extensions 6.3 In (160 mm) Wide	357.50

#### **5090GV Narrow Specialty Tractor**

**Equipment for Base Machine** 

Engine: 90 (67.1 kW) 97/68EC Engine Horsepower @ 2300\* RPM 78 (58 kW) PTO Horsepower @ 2000\*\* RPM 4-Cylinder Turbocharged FPT F34 Engine 3.4 L Displacement EPA Final Tier 4 Final Compliant (Aftertreatment: DOC/SCR)
2.7 U.S. Gallon (10.3 L)DEF Tank Dry Air Cleaner with Safety Element Common Rail Electronic Fuel Injection Hand and Foot Throttle Viscous Fan Water Separation Bowl Engine Shut Off with Key Maintenance Free Closed Cooling System Radiator Screen 19.9 U.S. Gallon (75.5 L) Fuel Tank Capacity Transmission: Differential Lock Neutral Start Safety Switch Mirrors Left-Hand and Right-Hand Axle: Final Drive with three Planetary Gears Flanged Rear Axles Steering and Brakes: Hydrostatic Power Steering Hydraulic Wet-Disk Rear Breaks, Self-Equalizing and Self-Adjusting Five Oil Cooled Hydraulically Actuated Disk Brakes per side. Secondary Park Break Hydraulics: Open Center Hydraulic System Hitch Control with Center link Draft Sensing

Independent " Live 540/540E RPM rear PTO shaft

Safety Start Switch
Rockshaft, Hitch, and Drawbar:

Mechanical Rockshaft Swinging Drawbar plus Hammer Strap 3 Point (category I) Hitch and Sway Blocks Convertible to Category IN Adjustable Drawbar Instrumentation: Electric Fuel Gauge Tachometer/Hour Meter Oil Pressure Indicator Light Coolant Temperature Gauge Alternator Indicator Light Air Restriction Indicator Light Turn Signal Indicator Light High Beam Indicator Light PTO Engagement Light Speedometer Digital Display - Hour Meter Electrical: 12-Volt (100 amps) Electrical system 95 Amp Alternator Lights: Two Front Halogen headlights Two Rear Warning and Turn lights Dual Tail Lights Miscellaneous: Beverage Holder on Left-Hand Side Console Tool Box SMV Emblem One Piece Tilt-up hood Extra CEE Administration Fee Premium Container Shipment \*Manufacturer s Rating \*\* Factory Observed

	Attachment		List Price Suggested
Code	Identifier	Description	USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
		EX-WORKS Port of Entry	
2734AT		5090GV Narrow Specialty Tractor	46,883.00
		DESTINATION	
0202		USA Requires code 0409 (English)	In Base Price
0184		Canada Requires code 0409 (English) or 0413 (French)	Same Price
		OPERATOR'S MANUAL, DECALS, AND MONITORS	
0409		English Operator's Manual and Decal Kit	In Base Price

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
0.440		OPERATOR'S MANUAL, DECALS, AND MONITORS Continued	0 5:
0413		French Operator's Manual and Decal Kit	Same Price
		TRANSMISSION	
1340		12F/12R SyncReverser Transmission with 540/540E PTO Includes: Oil cooler, neutral start safety switch, servo assisted Power Take-Off (PTO) actuation, and electrohydraulic differential lock actuation. Requires: Code 6020 two-wheel drive (2WD).	In Base Price
1341		12F/12R SyncReverser Transmission with 540/540E PTO Includes: Oil cooler, neutral start safety switch, servo assisted Power Take-Off (PTO) actuation, electrohydraulic Mechanical Front-Wheel Drive (MFWD) and differential lock actuation. Requires: Code 6040 four-wheel drive (4WD).	Same Price
1380		24F/12R PowrReverser Transmission with 540/540E PTO (includes creeper) Includes: Oil cooler, neutral start safety switch, electrohydraulic Power-Take Off (PTO) actuation, electrohydraulic Mechanical Front-Wheel Drive (MFWD) and differential lock actuation and de-clutch button and hi-low selection on the gear lever. Requires: Code 6040 four-wheel drive (4WD).	4,618.00
		OPERATOR'S STATION	
2000		Standard Isolated Open Operator Station Two post Roll Roll-Over Protective Structure (ROPS). Basic Polyvinyl Chloride (PVC) seat. Air Deflector with Grab Handles. Fixed right-hand steering wheel. Right-hand and Left-Hand access and egress with steps. Right-Hand Gear and Left-Hand Range Levers. Swing-Out front two post ROPS. Blinker lever with integrated lighting functions. Position lights as per North America Requirement. Power socket as per North America Requirement (7-pin). Cigarette Lighter (12-V power socket). Rear working light. Digital Read Out. Base rear fender. Requires: 12F/12R 2WD (1340) or 12F/12R, 4WD (1341).	In Base Price
2005		Premium Isolated Open Operator Station Two Roll Roll-Over Protective Structure (ROPS). Air suspended Polyvinyl Chloride (PVC) seat. Air Deflector with Grab Handles. Tiltable & Telescopic steering wheel. Mechanical remote control. Right-Hand and Left-Hand access and egress with steps. Right-Hand and Left-Hand Range Levers. Swing Out front two post ROPS. Blinker lever with integrated lighting functions. Position lights as per North America Requirement. Power socket as per North America Requirement (7-pin). Cigarette lighter (12-V power socket). Rear working light. Digital Read Out. Base rear fender. Requires: 24F/12R, 4WD (1380).	950.00
2055		Standard Cab Two front and two rear H3 working lights.	10,506.00

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		OPERATOR'S STATIONContinued  Openable front windscreen and rear window.  Comfort Textile seat.  Fixed Steering Wheel.  Opening Right-Hand and Left-Hand door with steps.  Right-Hand Gear and Left-Hand Range Levers.  Swing Out Front window (One Position).  Swing Out Rear window.  Sun visor integrated with the cab roof.  Blinker lever with integrated lighting functions.  1-Speed Front Windshield Wiper with Washer.  Cab with Air Conditioning and Heating.  Radio ready (includes glass antenna and wiring).  Position lights as per North America Requirement.  Power socket as per NA Requirement (7-pin).  Cigarette lighter (12-V power socket).  Two storage areas.  Digital Read Out.  Base rear Fender.  Requires: 12F/12R, 2WD (1340) or 12F/12R, 4WD (1341).	
2065		Premium Cab Two front and two rear H3 working lights. Openable front windscreen and rear window. Super Deluxe Textile seat. Tiltable and Telescopic Steering Wheel. Rear Wiper. Internal cab Mirror. Mechanical Remote Control. Opening Right-Hand and Left-Hand door with steps. Right-Hand Gear and Left-Hand Range Levers. Swing Out Front window (One Position). Swing Out Rear window. Sun visor integrated with the cab roof. Blinker lever with integrated lighting functions. 1-Speed Front Windshield Wiper with Washer. Cab with Air Conditioning and Heating. Radio ready (includes glass antenna and wiring). Position lights as per North America Requirement. Power socket as per North America Requirement (7-pin). Cigarette lighter (12-V power socket). Two storage areas. Digital Read Out. Base rear Fender. Requires: 12/F12R, 4WD (1341) or 24F/12R, 4WD (1380).	11,470.00
		EXHAUST	
3010		Horizontal Exhaust	In Base Price
3020		Vertical Exhaust Stack Available on cab tractors only (2055 or 2065)	150.00
3022		Vertical A Cornerpost Exhaust Available on cab tractors only (2055 or 2065)	600.00
		HYDRAULIC PUMP	
3220		Two Pump Hydraulic System Hydraulic Flow equals 17 gpm (64.7 L/min) plus 7.6 gpm (28.9 L/min) at 2300 rpm.	In Base Price
3225		Three Pump Hydraulic System	750.00

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		HYDRAULIC PUMPContinued  Hydraulic Flow equals 17 gpm (64.7 L/min) plus 7.6 gpm (28.9 L/min) plus an additional 7.6 gpm (28.9 L/min) at 2300 rpm.	
		REAR SELECTIVE CONTROL VALVES	
3312		Two Rear Selective Control Valves (SCVs) with lever controls One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure). One Single Acting (SA) and Double Acting (DA) SCVs (detent in float plus zero leak). Quick Push and Pull Couplers. Oil Spillage Collector Cup. Flow divider. Not orderable with Code 3225 (Three-Pump Hydraulic System).	In Base Price
3334		Three Rear Selective Control Valves (SCVs) with lever controls  One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure).  One Single Acting (SA) and Double Acting (DA) SCVs (detent in float plus zero leak).  One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure).  Quick Push and Pull Couplers.  Oil Spillage Collector Cup.  Flow control.	1,039.00
3347		Four Rear Selective Control Valves (SCVs) with lever controls One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure). One Single Acting (SA) and Double Acting (DA) SCVs (detent in float plus zero leak). One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure). One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure). Quick Push and Pull Couplers. Oil Spillage Collector Cup. Flow control.	2,078.00
		MID SELECTIVE CONTROL VALVES	
3400		Less Mid-Mounted Couplers	In Base Price
3450		Five Mid-Mounted Couplers on Right-Hand Side Requires three rear remote SCVs (code 3334)	1,236.00
3470		Seven Mid-Mounted Couplers (Five on Right-Hand and Two on Left-Hand) Requires four rear remote SCVs (code 3347)	1,730.00
		REAR WHEELS AND TIRES	
5113		380/85R 28 Mitas Requires Code 6287 and Code 2055 or 2065.	870.00
5115		340/85R 28 Mitas AC85 Requires code 6288	622.00
5116		320/85R 28 Mitas AC85 Requires code 6125 or 6288	320.00
5119		280/85R 28 Mitas AC85 Requires code 6124, 6129, or 6290	In Base Price
5122		340/85R 24 Mitas Requires code 6124, 6290, 6129, 6289	351.00

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
5124		REAR WHEELS AND TIRESContinued 320/85R 24 Mitas AC85 Requires code 6129 or 6290	-229.00
5126		320/85R 24 Trelleborg Requires code 6111 or 6290	-683.00
5127		340/85 R 24 Trelleborg Requires code 6111 or 6290	161.00
5128		340/85R 28 Trelleborg Requires code 6286	450.00
5129		360/70R 28 Trelleborg Requires code 6113	470.00
5133		380/70R 24 Mitas AC 70 T Requires code 6290.	525.00
5135		420/70R 28 Mitas AC 70 T Requires code 6287	1,288.00
5137		360/70R 24 Mitas AC 70 T Requires code 6124 or 6143	461.00
5138		250.85R 28 Kleber Requires code 6109 or 6129	-230.00
5139		9.50R 28 Kleber Requires code 6124	-380.00
5140		380/70R 24 Trelleborg TM700 Requires code 6111	325.00
		FRONT WHEELS AND TIRES	
6109		6.00-16 Trelleborg IM110 Heavy Duty (2 position rims) Diagonal Tire Requires code 6040	190.00
6111		260/70R 16 Trelleborg TM700 Heavy Duty (2 position rims) Requires code 6040	1,020.00
6113		280/70R 16 Trelleborg Heavy Duty (2 position rims) Requires code 6040	1,040.00
6124		6.00-16 Mitas TF-03 - Diagonal Tire Requires code 6020	In Base Price
6125		6.50-16 Mitas TF-03 - Diagonal Tire Requires code 6020	Same Price
6129		6.50-16 Mitas Heavy Duty (2 position rims) Diagonal Tire Requires code 6040	220.00
6143		240/70R 16 Mitas AC 70 T Requires code 6040	900.00
6286		8.25-16 Trelleborg Heavy Duty (2 position rims) Requires code 6040	340.00

## **5090GV Narrow Specialty Tractor**Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		FRONT WHEELS AND TIRESContinued	
6287		280/70R 18 MITAS AC 70 T Heavy Duty (2 position rims) Requires code 6040	1,117.00
6288		7.50R16 Super Vigne Heavy Duty (2 position rims) Requires code 6040	708.00
6289		10.0/75-15.3 Mitas Heavy Duty (2 position rims) Requires code 6040	388.00
6290		260/70R 16 Mitas AC 70 T Heavy Duty (2 position rims) Requires code 6040	940.00
		AXLE	
6020		Two-Wheel Drive (2WD)	In Base Price
6040		Four-Wheel Drive (4WD)	8,270.00
		POWER TAKE-OFF (PTO)	
3822		Mechanical actuation 540 and 540E rpm Shiftable without GD Power Take-Off (PTO) With PTO shaft cover With Safety start switch Requires code 1340 or 1341	In Base Price
3826		ElectroHydraulic actuation 540 and 540E rpm Without GD Power Take-Off (PTO). With PTO shaft cover. With Safety start switch. Requires code 1380	Same Price
		THREE-POINT HITCH	
4130		3-Point Hitch with Fixed Ball Ends for Draft Links	In Base Price
4131		3-Point Hitch with Adjustable Ball Ends for Draft Links	300.00
4132		3-Point Hitch with Adjustable Quick Couplers for Draft Links - hook ends	425.00
		THREE-POINT HITCH ROD	
4151		Hydraulic Lift Rod	625.00
4152		Mechanical Lift Rod	In Base Price
		FRONT ATTACHMENTS	
4002		Base weight 150 Lbs (68 kg)	In Base Price
8230		MIRRORS Rear view cab mirror	65.00
0200		EDONT ETAIDED	03.00

**FRONT FENDERS** 

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
8014		FRONT FENDERSContinued Stationary Front Fenders 2WD version - Width: 8.9 inches (225 mm) Requires code 6020	380.00
8017		Stationary Front Fenders 4WD version - Width: 8.9 inches (225 mm) Requires code 6040	380.00
		REAR FENDERS	
8022		Rear Fender Extension - Width: 3.1 inches (80 mm) Not compatible with Code 8023	240.00
8023		Rear Fender Extension - Width: 6.3 inches (160 mm)  Not compatible with Code 8022.	295.00
		HITCH CONTROLS	
8446		Mechanical remote control for 3-point hitch	325.00
		DRAWBAR	
8455		Ball Kit for Draft Links (Category 1 and 1N) Requires: Code 4132 (3-Point Hitch with Adjustable Quick Couplers for Draft Links - hook ends).	47.00
844T		Horizontal Drawbar (Category 1) Not orderable with Code 844U.	55.00
844U		Horizontal Drawbar (Category 2) Not orderable with Code 844T.	93.00
		LIGHTING EQUIPMENT	
8731		Two H4 Belt-Line Lights Requires: Codes 2055 or 2065 (cab options).	250.00
8725		Beacon Light	150.00
		ELECTRICITY	
8746		Electronic Battery Switch	628.00
		ENGINE	
8220		Intelligent Power Management (IPM) Requires PR Transmission (code 1380)	1,185.00
		ATTACHMENTS FOR FIELD CONVERSION	
	ER064913	Front Fenders Mechanical remote hitch control for CAB	520.11
	ER064912	Mechanical remote hitch control for OOS	520.11

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	ER064898	<b>Hydraulics</b> 5 mid mounted couplers for CAB Tractors equipped with 3 mech.SCV with flow control <i>Requires three rear remote SCVs.</i>	1,975.84
	ER064897	5 mid mounted couplers for OOS Tractors equipped with 3 mech.SCV with flow control <i>Requires three rear remote SCVs</i> .	1,975.84
	ER064906	7 mid mounted couplers for CAB Tractors equipped with 4 mech.SCV with flow control 5 on RH and 2 on LH. Requires four rear remote SCVs.	2,764.73
	ER064899	7 mid mounted couplers for OOS Tractors equipped with 4 mech.SCV with flow control 5 on RH and 2 on LH. Requires four rear remote SCVs.	2,764.73
	ER064891	Double-acting Rear SCV with QUICK PUSH & PULL COUPLER at Position III , (detent in pressure and detent in float+high pe	1,281.39
	ER064892	Double-acting Rear SCV with QUICK PUSH & PULL COUPLER at Position III , (detent in pressure and detent in float+high pe	1,281.39
	ER064907	Lighting Beacon Light Kit Cab tractors only	189.62
	ER064908	Two beltline-mounted H4 headlights	316.04
	ER064768	Miscellaneous Beacon Light OOS tractors Open Operator Station only. (Code 2000 and 2005).	181.50
	ER064623	Carbon Air Filter	385.00
	ER064910	Horizontal Exhaust	767.70
	ER064627	Single Hydraulic Lift Rod for Right Hand Side	852.50
	ER064622	Wiper with Washer Kit - Rear Window	343.20
		Rear Fenders	
	ER064763	2WD Stationnary Front Fenders 10.4 In (225mm) Wide	459.80
	ER064762	MFWD Stationnary Front Fenders 10.4 In (225mm) Wide	459.80
	ER064765	Rear Fender Extensions 3.1 In (80 mm) Wide	290.40
	ER064764	Rear Fender Extensions 6.3 In (160 mm) Wide	357.50

#### **5075GN Narrow Specialty Tractor**

**Equipment for Base Machine** 

Engine: 73 (54 kW) 97/68EC Engine Horsepower @ 2300\* RPM 62 (46 kW) PTO Horsepower @ 1900\*\* RPM 4-Cylinder Turbocharged FPT F34 Engine 3.4 L Displacement EPA Final Tier 4 Final Compliant (Aftertreatment: DOC/DPF) Dry Air Cleaner with Safety Element Common Rail Electronic Fuel Injection Hand and Foot Throttle Viscous Fan Water Separation Bowl Engine Shut Off with Key Maintenance Free Closed Cooling System Radiator Screen 22.7 U.S. Gallon (86 L) Fuel Tank Capacity Transmission: Differential Lock Neutral Start Safety Switch Mirrors Left-Hand and Right-Hand  $\bar{\text{Final}}$  Drive with three Planetary Gears Flanged Rear Axles Steering and Brakes: Hydrostatic Power Steering Hydraulic Wet-Disk Rear Breaks, Self-Equalizing and Self-Adjusting Five Oil Cooled Hydraulically Actuated Disk Brakes per side. Secondary Park Break Hydraulics: Open Center Hydraulic System

Hitch Control with Center link Draft Sensing

Mechanical Rockshaft Swinging Drawbar plus Hammer Strap 3 Point (category II) Hitch and Sway Blocks Convertible to Category I/IN Adjustable Drawbar Instrumentation: Electric Fuel Gauge Tachometer/Hour Meter Oil Pressure Indicator Light Coolant Temperature Gauge Alternator Indicator Light Air Restriction Indicator Light Turn Signal Indicator Light High Beam Indicator Light PTO Engagement Light Speedometer Digital Display - Hour Meter Electrical: 12-Volt (100 amps) Electrical system 95 Amp Alternator Lights: Two Front Halogen headlights Two Rear Warning and Turn lights Dual Tail Lights Miscellaneous: Beverage Holder on Left-Hand Side Console Tool Box SMV Emblem One Piece Tilt-up hood Extra CEE Administration Fee Premium Container Shipment \*Manufacturer s Rating \*\* Factory Observed

Independent "Live 540/540E RPM rear PTO shaft
Safety Start Switch
Rockshaft, Hitch, and Drawbar:

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
		EX-WORKS Port of Entry	
0414AT		5075GN Narrow Specialty Tractor	36,359.00
		DESTINATION	
0202		USA Requires code 0409 (English)	In Base Price
0184		Canada Requires code 0409 (English) or 0413 (French)	Same Price
		OPERATOR'S MANUAL, DECALS, AND MONITORS	
0409	_	English Operator's Manual and Decal Kit	In Base Price

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
0.440		OPERATOR'S MANUAL, DECALS, AND MONITORS Continued	0 5:
0413		French Operator's Manual and Decal Kit	Same Price
		TRANSMISSION	
1340		12F/12R SyncReverser Transmission with 540/540E PTO Includes: Oil cooler, neutral start safety switch, servo assisted Power Take-Off (PTO) actuation, and electrohydraulic differential lock actuation. Requires: Code 6020 two-wheel drive (2WD).	In Base Price
1341		12F/12R SyncReverser Transmission with 540/540E PTO Includes: Oil cooler, neutral start safety switch, servo assisted Power Take-Off (PTO) actuation, electrohydraulic Mechanical Front-Wheel Drive (MFWD) and differential lock actuation. Requires: Code 6040 four-wheel drive (4WD).	Same Price
1380		24F/12R PowrReverser Transmission with 540/540E PTO (includes creeper) Includes: Oil cooler, neutral start safety switch, electrohydraulic Power-Take Off (PTO) actuation, electrohydraulic Mechanical Front-Wheel Drive (MFWD) and differential lock actuation and de-clutch button and hi-low selection on the gear lever. Requires: Code 6040 four-wheel drive (4WD).	4,618.00
		OPERATOR'S STATION	
2000		Standard Isolated Open Operator Station Two post Roll Roll-Over Protective Structure (ROPS). Basic Polyvinyl Chloride (PVC) seat. Air Deflector with Grab Handles. Fixed right-hand steering wheel. Right-hand and Left-Hand access and egress with steps. Right-Hand Gear and Left-Hand Range Levers. Swing-Out front two post ROPS. Blinker lever with integrated lighting functions. Position lights as per North America Requirement. Power socket as per North America Requirement (7-pin). Cigarette Lighter (12-V power socket). Rear working light. Digital Read Out. Base rear fender. Requires: 12F/12R 2WD (1340) or 12F/12R, 4WD (1341).	In Base Price
2005		Premium Isolated Open Operator Station Two Roll Roll-Over Protective Structure (ROPS). Air suspended Polyvinyl Chloride (PVC) seat. Air Deflector with Grab Handles. Tiltable & Telescopic steering wheel. Mechanical remote control. Right-Hand and Left-Hand access and egress with steps. Right-Hand and Left-Hand Range Levers. Swing Out front two post ROPS. Blinker lever with integrated lighting functions. Position lights as per North America Requirement. Power socket as per North America Requirement (7-pin). Cigarette lighter (12-V power socket). Rear working light. Digital Read Out. Base rear fender. Requires: 24F/12R, 4WD (1380).	950.00
2055		Standard Cab Two front and two rear H3 working lights.	10,506.00

Cada	Attachment	December	List Price Suggested
Code	Identifier	OPERATOR'S STATIONContinued Openable front windscreen and rear window. Comfort Textile seat. Fixed Steering Wheel. Opening Right-Hand and Left-Hand door with steps. Right-Hand Gear and Left-Hand Range Levers. Swing Out Front window (One Position). Swing Out Rear window. Sun visor integrated with the cab roof. Blinker lever with integrated lighting functions. 1-Speed Front Windshield Wiper with Washer. Cab with Air Conditioning and Heating. Radio ready (includes glass antenna and wiring). Position lights as per North America Requirement. Power socket as per NA Requirement (7-pin). Cigarette lighter (12-V power socket). Two storage areas. Digital Read Out. Base rear Fender.	USD (\$)
2065		Requires: 12F/12R, 2WD (1340) or 12F/12R, 4WD (1341).  Premium Cab Two front and two rear H3 working lights. Openable front windscreen and rear window. Super Deluxe Textile seat. Tiltable and Telescopic Steering Wheel. Rear Wiper. Internal cab Mirror. Mechanical Remote Control. Opening Right-Hand and Left-Hand door with steps. Right-Hand Gear and Left-Hand Range Levers. Swing Out Front window (One Position). Swing Out Rear window. Sun visor integrated with the cab roof. Blinker lever with integrated lighting functions. 1-Speed Front Windshield Wiper with Washer. Cab with Air Conditioning and Heating. Radio ready (includes glass antenna and wiring). Position lights as per North America Requirement. Power socket as per North America Requirement (7-pin). Cigarette lighter (12-V power socket). Two storage areas. Digital Read Out. Base rear Fender. Requires: 12/F12R, 4WD (1341) or 24F/12R, 4WD (1380).	11,470.00
		EXHAUST	_
3011		Horizontal Exhaust	In Base Price
3020		Vertical Exhaust Stack Available on cab tractors only (2055 or 2065)	150.00
3022		Vertical A Cornerpost Exhaust Available on cab tractors only (2055 or 2065)	600.00
		HYDRAULIC PUMP	
3220		Two Pump Hydraulic System Hydraulic Flow equals 17 gpm (64.7 L/min) plus 7.6 gpm (28.9 L/min) at 2300 rpm.	In Base Price
3225		Three Pump Hydraulic System	750.00

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		HYDRAULIC PUMPContinued  Hydraulic Flow equals 17 gpm (64.7 L/min) plus 7.6 gpm (28.9 L/min) plus an additional 7.6 gpm (28.9 L/min) at 2300 rpm.	
		REAR SELECTIVE CONTROL VALVES	
3312		Two Rear Selective Control Valves (SCVs) with lever controls One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure). One Single Acting (SA) and Double Acting (DA) SCVs (detent in float plus zero leak). Quick Push and Pull Couplers. Oil Spillage Collector Cup. Flow divider. Not orderable with Code 3225 (Three-Pump Hydraulic System).	In Base Price
3334		Three Rear Selective Control Valves (SCVs) with lever controls  One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure).  One Single Acting (SA) and Double Acting (DA) SCVs (detent in float plus zero leak).  One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure).  Quick Push and Pull Couplers.  Oil Spillage Collector Cup.  Flow control.	1,039.00
3347		Four Rear Selective Control Valves (SCVs) with lever controls One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure). One Single Acting (SA) and Double Acting (DA) SCVs (detent in float plus zero leak). One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure). One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure). Quick Push and Pull Couplers. Oil Spillage Collector Cup. Flow control.	2,078.00
		MID SELECTIVE CONTROL VALVES	
3400		Less Mid-Mounted Couplers	In Base Price
3450		Five Mid-Mounted Couplers on Right-Hand Side Requires three rear remote SCVs (code 3334)	1,236.00
3470		Seven Mid-Mounted Couplers (Five on Right-Hand and Two on Left-Hand) Requires four rear remote SCVs (code 3347)	1,730.00
		REAR WHEELS AND TIRES	
5109		380/85R 28 Trelleborg TM600 Requires code 6166 and Code 2055 or 2065	566.00
5113		380/85R 28 Mitas Requires Code 6166 or 6287 and Code 2055 or 2065.	870.00
5115		340/85R 28 Mitas AC85 Requires code 6110, 6125, 6286, 6287, or 6288	622.00
5116		320/85R 28 Mitas AC85 Requires code 6124 or 6288	320.00
5119		280/85R 28 Mitas AC85 Requires code 6124 or 6290	In Base Price

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
5122		REAR WHEELS AND TIRESContinued 340/85R 24 Mitas Requires code 6124	351.00
5123		480/65R 28 Mitas AC65 Requires code 6287	1,820.00
5133		380/70R 24 Mitas AC 70 T Requires code 6290.	525.00
5135		420/70R 28 Mitas AC 70 T Requires code 6287	1,288.00
		FRONT WHEELS AND TIRES	
6110		7.50-16 Mitas TF-03 - Diagonal Tire Requires code 6020	60.00
6124		6.00-16 Mitas TF-03 - Diagonal Tire Requires code 6020	In Base Price
6125		6.50-16 Mitas TF-03 - Diagonal Tire Requires code 6020	Same Price
6166		7.50R18 Super Vigne Heavy Duty (2 position rims) Requires code 6040	889.00
6286		8.25-16 Trelleborg Heavy Duty (2 position rims)  Requires code 6040	340.00
6287		280/70R 18 MITAS AC 70 T Heavy Duty (2 position rims) Requires code 6040	1,117.00
6288		7.50R16 Super Vigne Heavy Duty (2 position rims) Requires code 6040	708.00
6290		260/70R 16 Mitas AC 70 T Heavy Duty (2 position rims) Requires code 6040	940.00
		AXLE	
6020		Two-Wheel Drive (2WD)	In Base Price
6040		Four-Wheel Drive (4WD)	8,270.00
		POWER TAKE-OFF (PTO)	
3822		Mechanical actuation 540 and 540E rpm Shiftable without GD Power Take-Off (PTO) With PTO shaft cover With Safety start switch Requires code 1340 or 1341	In Base Price

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
3826		POWER TAKE-OFF (PTO)Continued ElectroHydraulic actuation 540 and 540E rpm Without GD Power Take-Off (PTO). With PTO shaft cover. With Safety start switch. Requires code 1380	Same Price
		THREE-POINT HITCH	
4130		3-Point Hitch with Fixed Ball Ends for Draft Links	In Base Price
4131		3-Point Hitch with Adjustable Ball Ends for Draft Links	300.00
4132		3-Point Hitch with Adjustable Quick Couplers for Draft Links - hook ends	425.00
		THREE-POINT HITCH ROD	
4151		Hydraulic Lift Rod	625.00
4152		Mechanical Lift Rod	In Base Price
		FRONT ATTACHMENTS	
4002		Base weight 150 Lbs (68 kg)	In Base Price
		MIRRORS	
8230		Rear view cab mirror	65.00
		HYDRAULICS	
8490		Additional Lift Cylinder max lift capacity at ball ends: 3 tons	375.00
		FRONT FENDERS	
8014		Stationary Front Fenders 2WD version - Width: 8.9 inches (225 mm) Requires code 6020	380.00
8016		Rigid Front Fenders 4WD version - Width: 10.4 inches (265 mm) Requires code 6040	450.00
		REAR FENDERS	
8022		Rear Fender Extension - Width: 3.1 inches (80 mm)  Not compatible with Code 8023	240.00
8023		Rear Fender Extension - Width: 6.3 inches (160 mm)  Not compatible with Code 8022.	295.00
		HITCH CONTROLS	
8446		Mechanical remote control for 3-point hitch	325.00

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
8455		DRAWBARContinued Ball Kit for Draft Links (Category 1 and 1N) Requires: Code 4132 (3-Point Hitch with Adjustable Quick Couplers for Draft Links - hook ends).	47.00
844T		Horizontal Drawbar (Category 1) Not orderable with Code 844U.	55.00
844U		Horizontal Drawbar (Category 2) Not orderable with Code 844T.	93.00
8731		LIGHTING EQUIPMENT Two H4 Belt-Line Lights Requires: Codes 2055 or 2065 (cab options).	250.00
8725		Beacon Light	150.00
8745		ELECTRICITY Mechanical Battery Switch	157.00
8313		FUEL TANK  External Fuel Tank  Only Available on GN models	204.00
		ATTACHMENTS FOR FIELD CONVERSION	
	ER064913	Front Fenders Mechanical remote hitch control for CAB	520.11
	ER064912	Mechanical remote hitch control for OOS	520.11
	ER064898	Hydraulics 5 mid mounted couplers for CAB Tractors equipped with 3 mech.SCV with flow control Requires three rear remote SCVs.	1,975.84
	ER064897	5 mid mounted couplers for OOS Tractors equipped with 3 mech.SCV with flow control Requires three rear remote SCVs.	1,975.84
	ER064906	7 mid mounted couplers for CAB Tractors equipped with 4 mech.SCV with flow control 5 on RH and 2 on LH. Requires four rear remote SCVs.	2,764.73
	ER064899	7 mid mounted couplers for OOS Tractors equipped with 4 mech.SCV with flow control 5 on RH and 2 on LH. Requires four rear remote SCVs.	2,764.73
	ER064891	Double-acting Rear SCV with QUICK PUSH & PULL COUPLER at Position III , (detent in pressure and detent in float+high pe	1,281.39
	ER064892	Double-acting Rear SCV with QUICK PUSH & PULL COUPLER at Position III , (detent in pressure and detent in float+high pe	1,281.39

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	ER064911	ATTACHMENTS FOR FIELD CONVERSIONContinued Single Hydraulic Lift Rod for Right Hand Side	890.67
	ER064907	Lighting Beacon Light Kit Cab tractors only	189.62
	ER064908	Two beltline-mounted H4 headlights	316.04
	ER064890	Miscellaneous Air seat suspension kit (Cab Only) Kit contains seat and seat suspension to change mechanical to air suspension. Only compatible with 5GN models.	756.20
	ER064768	Beacon Light OOS tractors Open Operator Station only. (Code 2000 and 2005).	181.50
	ER064623	Carbon Air Filter	385.00
	ER064909	Horizontal Exhaust	764.19
	ER064805	Wiper with Washer Kit - Rear Window	343.20
		Rear Fenders	
	ER064763	2WD Stationnary Front Fenders 10.4 In (225mm) Wide	459.80
	ER064761	MFWD Rigid Front Fenders 10.4 In (265 mm) Wide	544.50
	ER064765	Rear Fender Extensions 3.1 In (80 mm) Wide	290.40
	ER064764	Rear Fender Extensions 6.3 In (160 mm) Wide	357.50

#### **5090GN Narrow Specialty Tractor**

**Equipment for Base Machine** 

Engine: 90 (67.1 kW) 97/68EC Engine Horsepower @ 2300\* RPM 78 (58 kW) PTO Horsepower @ 2000\*\* RPM 4-Cylinder Turbocharged FPT F34 Engine 3.4 L Displacement EPA Final Tier 4 Final Compliant (Aftertreatment: DOC/SCR)
2.7 U.S. Gallon (10.3 L)DEF Tank Dry Air Cleaner with Safety Element Common Rail Electronic Fuel Injection Hand and Foot Throttle Viscous Fan Water Separation Bowl Engine Shut Off with Key Maintenance Free Closed Cooling System Radiator Screen 19.9 U.S. Gallon (75.5 L) Fuel Tank Capacity Transmission: Differential Lock Neutral Start Safety Switch Mirrors Left-Hand and Right-Hand Axle: Final Drive with three Planetary Gears Flanged Rear Axles Steering and Brakes:
Hydrostatic Power Steering
Hydraulic Wet-Disk Rear Breaks, Self-Equalizing and Self-Adjusting Five Oil Cooled Hydraulically Actuated Disk Brakes per side. Secondary Park Break Hydraulics: Open Center Hydraulic System Hitch Control with Center link Draft Sensing

Independent " Live 540/540E RPM rear PTO shaft

Safety Start Switch

Rockshaft, Hitch, and Drawbar:

Mechanical Rockshaft Swinging Drawbar plus Hammer Strap 3 Point (category II) Hitch and Sway Blocks Convertible to Category I/IN Adjustable Drawbar Instrumentation: Electric Fuel Gauge Tachometer/Hour Meter Oil Pressure Indicator Light Coolant Temperature Gauge Alternator Indicator Light Air Restriction Indicator Light Turn Signal Indicator Light High Beam Indicator Light PTO Engagement Light Speedometer Digital Display - Hour Meter Electrical: 12-Volt (100 amps) Electrical system 95 Amp Alternator Lights: Two Front Halogen headlights Two Rear Warning and Turn lights Dual Tail Lights Miscellaneous: Beverage Holder on Left-Hand Side Console Tool Box SMV Emblem One Piece Tilt-up hood Extra CEE Administration Fee Premium Container Shipment \*Manufacturer s Rating \*\* Factory Observed

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
		EX-WORKS Port of Entry	
0444AT		5090GN Narrow Specialty Tractor	46,883.00
		DESTINATION	
0202		USA Requires code 0409 (English)	In Base Price
0184		Canada Requires code 0409 (English) or 0413 (French)	Same Price
		OPERATOR'S MANUAL, DECALS, AND MONITORS	
0409		English Operator's Manual and Decal Kit	In Base Price

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
0413		OPERATOR'S MANUAL, DECALS, AND MONITORSContinued French Operator's Manual and Decal Kit	Same Price
0410		Treffort Operator 3 Marida and Decar Nit	Carrie i fice
		TRANSMISSION	
1340		12F/12R SyncReverser Transmission with 540/540E PTO Includes:	In Base Price
		Oil cooler, neutral start safety switch, servo assisted Power Take-Off (PTO) actuation, and electrohydraulic differential lock actuation. Requires: Code 6020 two-wheel drive (2WD).	
1341		12F/12R SyncReverser Transmission with 540/540E PTO Includes:	Same Price
		Oil cooler, neutral start safety switch, servo assisted Power Take-Off (PTO) actuation, electrohydraulic Mechanical Front-Wheel Drive (MFWD) and differential lock actuation. Requires: Code 6040 four-wheel drive (4WD).	
1380		24F/12R PowrReverser Transmission with 540/540E PTO (includes creeper)	4,618.00
		Includes: Oil cooler, neutral start safety switch, electrohydraulic Power-Take Off (PTO) actuation, electrohydraulic Mechanical Front-Wheel Drive (MFWD) and differential lock actuation and de-clutch button and hi-low selection on the gear lever. Requires: Code 6040 four-wheel drive (4WD).	
		OPERATOR'S STATION	
2000		Standard Isolated Open Operator Station Two post Roll Roll-Over Protective Structure (ROPS). Basic Polyvinyl Chloride (PVC) seat. Air Deflector with Grab Handles. Fixed right-hand steering wheel. Right-hand and Left-Hand access and egress with steps. Right-Hand Gear and Left-Hand Range Levers. Swing-Out front two post ROPS. Blinker lever with integrated lighting functions. Position lights as per North America Requirement. Power socket as per North America Requirement (7-pin). Cigarette Lighter (12-V power socket). Rear working light. Digital Read Out. Base rear fender. Requires: 12F/12R 2WD (1340) or 12F/12R, 4WD (1341).	In Base Price
2005		Premium Isolated Open Operator Station Two Roll Roll-Over Protective Structure (ROPS). Air suspended Polyvinyl Chloride (PVC) seat. Air Deflector with Grab Handles. Tiltable & Telescopic steering wheel. Mechanical remote control. Right-Hand and Left-Hand access and egress with steps. Right-Hand and Left-Hand Range Levers. Swing Out front two post ROPS. Blinker lever with integrated lighting functions. Position lights as per North America Requirement. Power socket as per North America Requirement (7-pin). Cigarette lighter (12-V power socket). Rear working light. Digital Read Out. Base rear fender. Requires: 24F/12R, 4WD (1380).	950.00
2055		Standard Cab Two front and two rear H3 working lights.	10,506.00

Onda	Attachment	December 1 and 1 a	List Price Suggested
Code	Identifier	OPERATOR'S STATIONContinued Openable front windscreen and rear window. Comfort Textile seat. Fixed Steering Wheel. Opening Right-Hand and Left-Hand door with steps. Right-Hand Gear and Left-Hand Range Levers. Swing Out Front window (One Position). Swing Out Rear window. Sun visor integrated with the cab roof. Blinker lever with integrated lighting functions. 1-Speed Front Windshield Wiper with Washer. Cab with Air Conditioning and Heating. Radio ready (includes glass antenna and wiring). Position lights as per North America Requirement. Power socket as per NA Requirement (7-pin). Cigarette lighter (12-V power socket). Two storage areas. Digital Read Out. Base rear Fender.	USD (\$)
2065		Requires: 12F/12R, 2WD (1340) or 12F/12R, 4WD (1341).  Premium Cab Two front and two rear H3 working lights. Openable front windscreen and rear window. Super Deluxe Textile seat. Tiltable and Telescopic Steering Wheel. Rear Wiper. Internal cab Mirror. Mechanical Remote Control. Opening Right-Hand and Left-Hand door with steps. Right-Hand Gear and Left-Hand Range Levers. Swing Out Front window (One Position). Swing Out Rear window. Sun visor integrated with the cab roof. Blinker lever with integrated lighting functions. 1-Speed Front Windshield Wiper with Washer. Cab with Air Conditioning and Heating. Radio ready (includes glass antenna and wiring). Position lights as per North America Requirement. Power socket as per North America Requirement (7-pin). Cigarette lighter (12-V power socket). Two storage areas. Digital Read Out. Base rear Fender. Requires: 12/F12R, 4WD (1341) or 24F/12R, 4WD (1380).	11,470.00
		EXHAUST	
3010		Horizontal Exhaust	In Base Price
3020		Vertical Exhaust Stack Available on cab tractors only (2055 or 2065)	150.00
3022		Vertical A Cornerpost Exhaust Available on cab tractors only (2055 or 2065)	600.00
		HYDRAULIC PUMP	
3220		Two Pump Hydraulic System Hydraulic Flow equals 17 gpm (64.7 L/min) plus 7.6 gpm (28.9 L/min) at 2300 rpm.	In Base Price
3225		Three Pump Hydraulic System	750.00

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		HYDRAULIC PUMPContinued  Hydraulic Flow equals 17 gpm (64.7 L/min) plus 7.6 gpm (28.9 L/min) plus an additional 7.6 gpm (28.9 L/min) at 2300 rpm.	
		REAR SELECTIVE CONTROL VALVES	
3312		Two Rear Selective Control Valves (SCVs) with lever controls One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure). One Single Acting (SA) and Double Acting (DA) SCVs (detent in float plus zero leak). Quick Push and Pull Couplers. Oil Spillage Collector Cup. Flow divider. Not orderable with Code 3225 (Three-Pump Hydraulic System).	In Base Price
3334		Three Rear Selective Control Valves (SCVs) with lever controls  One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure).  One Single Acting (SA) and Double Acting (DA) SCVs (detent in float plus zero leak).  One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure).  Quick Push and Pull Couplers.  Oil Spillage Collector Cup.  Flow control.	1,039.00
3347		Four Rear Selective Control Valves (SCVs) with lever controls One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure). One Single Acting (SA) and Double Acting (DA) SCVs (detent in float plus zero leak). One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure). One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure). Quick Push and Pull Couplers. Oil Spillage Collector Cup. Flow control.	2,078.00
		MID SELECTIVE CONTROL VALVES	
3400		Less Mid-Mounted Couplers	In Base Price
3450		Five Mid-Mounted Couplers on Right-Hand Side Requires three rear remote SCVs (code 3334)	1,236.00
3470		Seven Mid-Mounted Couplers (Five on Right-Hand and Two on Left-Hand) Requires four rear remote SCVs (code 3347)	1,730.00
		REAR WHEELS AND TIRES	
5109		380/85R 28 Trelleborg TM600 Requires code 6166 and Code 2055 or 2065	566.00
5113		380/85R 28 Mitas Requires Code 6166 or 6287 and Code 2055 or 2065.	870.00
5115		340/85R 28 Mitas AC85 Requires code 6110, 6125, 6286, 6287, or 6288	622.00
5116		320/85R 28 Mitas AC85 Requires code 6124 or 6288	320.00
5119		280/85R 28 Mitas AC85 Requires code 6124 or 6290	In Base Price

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
5122		REAR WHEELS AND TIRESContinued 340/85R 24 Mitas Requires code 6124	351.00
5123		480/65R 28 Mitas AC65 Requires code 6287	1,820.00
5133		380/70R 24 Mitas AC 70 T Requires code 6290.	525.00
5135		420/70R 28 Mitas AC 70 T Requires code 6287	1,288.00
		FRONT WHEELS AND TIRES	
6110		7.50-16 Mitas TF-03 - Diagonal Tire Requires code 6020	60.00
6124		6.00-16 Mitas TF-03 - Diagonal Tire Requires code 6020	In Base Price
6125		6.50-16 Mitas TF-03 - Diagonal Tire Requires code 6020	Same Price
6166		7.50R18 Super Vigne Heavy Duty (2 position rims) Requires code 6040	889.00
6286		8.25-16 Trelleborg Heavy Duty (2 position rims)  Requires code 6040	340.00
6287		280/70R 18 MITAS AC 70 T Heavy Duty (2 position rims) Requires code 6040	1,117.00
6288		7.50R16 Super Vigne Heavy Duty (2 position rims) Requires code 6040	708.00
6290		260/70R 16 Mitas AC 70 T Heavy Duty (2 position rims) Requires code 6040	940.00
		AXLE	
6020		Two-Wheel Drive (2WD)	In Base Price
6040		Four-Wheel Drive (4WD)	8,270.00
		POWER TAKE-OFF (PTO)	
3822		Mechanical actuation 540 and 540E rpm Shiftable without GD Power Take-Off (PTO) With PTO shaft cover With Safety start switch Requires code 1340 or 1341	In Base Price

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
3826		POWER TAKE-OFF (PTO)Continued ElectroHydraulic actuation 540 and 540E rpm Without GD Power Take-Off (PTO). With PTO shaft cover. With Safety start switch. Requires code 1380	Same Price
		THREE-POINT HITCH	
4130		3-Point Hitch with Fixed Ball Ends for Draft Links	In Base Price
4131		3-Point Hitch with Adjustable Ball Ends for Draft Links	300.00
4132		3-Point Hitch with Adjustable Quick Couplers for Draft Links - hook ends	425.00
		THREE-POINT HITCH ROD	
4151		Hydraulic Lift Rod	625.00
4152		Mechanical Lift Rod	In Base Price
		FRONT ATTACHMENTS	
4002		Base weight 150 Lbs (68 kg)	In Base Price
		MIRRORS	
8230		Rear view cab mirror	65.00
		HYDRAULICS	
8490		Additional Lift Cylinder max lift capacity at ball ends: 3 tons	375.00
		FRONT FENDERS	
8014		Stationary Front Fenders 2WD version - Width: 8.9 inches (225 mm) Requires code 6020	380.00
8016		Rigid Front Fenders 4WD version - Width: 10.4 inches (265 mm)  Requires code 6040	450.00
		REAR FENDERS	
8022		Rear Fender Extension - Width: 3.1 inches (80 mm) Not compatible with Code 8023	240.00
8023		Rear Fender Extension - Width: 6.3 inches (160 mm)  Not compatible with Code 8022.	295.00
8446		HITCH CONTROLS  Mechanical remote control for 3-point hitch	325.00
		DRAWBAR	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
8455		DRAWBARContinued Ball Kit for Draft Links (Category 1 and 1N) Requires: Code 4132 (3-Point Hitch with Adjustable Quick Couplers for Draft Links - hook ends).	47.00
844T		Horizontal Drawbar (Category 1) Not orderable with Code 844U.	55.00
844U		Horizontal Drawbar (Category 2) Not orderable with Code 844T.	93.00
		LIGHTING EQUIPMENT	
8731		Two H4 Belt-Line Lights Requires: Codes 2055 or 2065 (cab options).	250.00
8725		Beacon Light	150.00
		ELECTRICITY	
8746		Electronic Battery Switch	628.00
8220		ENGINE Intelligent Power Management (IPM) Requires PR Transmission (code 1380)	1,185.00
		FUEL TANK	
8313		External Fuel Tank Only Available on GN models	204.00
		ATTACHMENTS FOR FIELD CONVERSION	
	ER064913	Front Fenders Mechanical remote hitch control for CAB	520.11
	ER064912	Mechanical remote hitch control for OOS	520.11
	ER064898	<b>Hydraulics</b> 5 mid mounted couplers for CAB Tractors equipped with 3 mech.SCV with flow control <i>Requires three rear remote SCVs</i> .	1,975.84
	ER064897	5 mid mounted couplers for OOS Tractors equipped with 3 mech.SCV with flow control <i>Requires three rear remote SCVs</i> .	1,975.84
	ER064906	7 mid mounted couplers for CAB Tractors equipped with 4 mech.SCV with flow control 5 on RH and 2 on LH.  Requires four rear remote SCVs.	2,764.73
	ER064899	7 mid mounted couplers for OOS Tractors equipped with 4 mech.SCV with flow control 5 on RH and 2 on LH.  Requires four rear remote SCVs.	2,764.73

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	ER064891	ATTACHMENTS FOR FIELD CONVERSIONContinued  Double-acting Rear SCV with QUICK PUSH & PULL COUPLER at Position III, (detent in pressure and detent in float+high pe	1,281.39
	ER064892	Double-acting Rear SCV with QUICK PUSH & PULL COUPLER at Position III , (detent in pressure and detent in float+high pe	1,281.39
	ER064911	Single Hydraulic Lift Rod for Right Hand Side	890.67
	ER064907	Lighting Beacon Light Kit Cab tractors only	189.62
	ER064908	Two beltline-mounted H4 headlights	316.04
	ER064890	Miscellaneous Air seat suspension kit (Cab Only) Kit contains seat and seat suspension to change mechanical to air suspension. Only compatible with 5GN models.	756.20
	ER064768	Beacon Light OOS tractors  Open Operator Station only. (Code 2000 and 2005).	181.50
	ER064623	Carbon Air Filter	385.00
	ER064910	Horizontal Exhaust	767.70
	ER064805	Wiper with Washer Kit - Rear Window	343.20
		Rear Fenders	
	ER064763	2WD Stationnary Front Fenders 10.4 In (225mm) Wide	459.80
	ER064761	MFWD Rigid Front Fenders 10.4 In (265 mm) Wide	544.50
	ER064765	Rear Fender Extensions 3.1 In (80 mm) Wide	290.40
	ER064764	Rear Fender Extensions 6.3 In (160 mm) Wide	357.50

#### 5100GN Narrow Specialty Tractor

**Equipment for Base Machine** 

Engine: 100 (74.6 kW) 97/68EC Engine Horsepower @ 2300\* RPM 84 (63 kW) PTO Horsepower @ 2000\*\* RPM 4-Cylinder Turbocharged FPT F34 Engine 3.4 L Displacement EPA Final Tier 4 Final Compliant (Aftertreatment: DOC/SCR) 2.7 U.S. Gallon (10.3 L)DEF Tank
Dry Air Cleaner with Safety Element Common Rail Electronic Fuel Injection Hand and Foot Throttle Viscous Fan Water Separation Bowl Engine Shut Off with Key Maintenance Free Closed Cooling System Radiator Screen 19.9 U.S. Gallon (75.5 L) Fuel Tank Capacity Transmission: Differential Lock Neutral Start Safety Switch Mirrors Left-Hand and Right-Hand Axle: Final Drive with three Planetary Gears Flanged Rear Axles Steering and Brakes: Hydrostatic Power Steering Hydraulic Wet-Disk Rear Breaks, Self-Equalizing and Self-Adjusting Five Oil Cooled Hydraulically Actuated Disk Brakes per side. Secondary Park Break Hydraulics: Open Center Hydraulic System Hitch Control with Center link Draft Sensing Independent " Live 540/540E RPM rear PTO shaft Safety Start Switch Rockshaft, Hitch, and Drawbar:

Mechanical Rockshaft Swinging Drawbar plus Hammer Strap 3 Point (category II) Hitch and Sway Blocks Convertible to Category I/IN Adjustable Drawbar Instrumentation: Electric Fuel Gauge Tachometer/Hour Meter Oil Pressure Indicator Light Coolant Temperature Gauge Alternator Indicator Light Air Restriction Indicator Light Turn Signal Indicator Light High Beam Indicator Light PTO Engagement Light Speedometer Digital Display - Hour Meter Electrical: 12-Volt (100 amps) Electrical system 95 Amp Alternator Lights: Two Front Halogen headlights Two Rear Warning and Turn lights Dual Tail Lights Miscellaneous: Beverage Holder on Left-Hand Side Console Tool Box SMV Emblem One Piece Tilt-up hood Extra CEE Administration Fee Premium Container Shipment \*Manufacturer s Rating \*\* Factory Observed

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	]
		BASE MACHINE	
		EX-WORKS Port of Entry	
0434AT		5100GN Narrow Specialty Tractor	57,713.00
		DESTINATION	
0202		USA Requires code 0409 (English)	In Base Price
0184		Canada Requires code 0409 (English) or 0413 (French)	Same Price
		OPERATOR'S MANUAL, DECALS, AND MONITORS	
0409		English Operator's Manual and Decal Kit	In Base Price

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
0.440		OPERATOR'S MANUAL, DECALS, AND MONITORSContinued	0 5:
0413		French Operator's Manual and Decal Kit	Same Price
		TRANSMISSION	
1340		12F/12R SyncReverser Transmission with 540/540E PTO Includes: Oil cooler, neutral start safety switch, servo assisted Power Take-Off (PTO) actuation, and electrohydraulic differential lock actuation. Requires: Code 6020 two-wheel drive (2WD).	In Base Price
1341		12F/12R SyncReverser Transmission with 540/540E PTO Includes: Oil cooler, neutral start safety switch, servo assisted Power Take-Off (PTO) actuation, electrohydraulic Mechanical Front-Wheel Drive (MFWD) and differential lock actuation. Requires: Code 6040 four-wheel drive (4WD).	Same Price
1380		24F/12R PowrReverser Transmission with 540/540E PTO (includes creeper) Includes: Oil cooler, neutral start safety switch, electrohydraulic Power-Take Off (PTO) actuation, electrohydraulic Mechanical Front-Wheel Drive (MFWD) and differential lock actuation and de-clutch button and hi-low selection on the gear lever. Requires: Code 6040 four-wheel drive (4WD).	4,618.00
		OPERATOR'S STATION	
2000		Standard Isolated Open Operator Station Two post Roll Roll-Over Protective Structure (ROPS). Basic Polyvinyl Chloride (PVC) seat. Air Deflector with Grab Handles. Fixed right-hand steering wheel. Right-hand and Left-Hand access and egress with steps. Right-Hand Gear and Left-Hand Range Levers. Swing-Out front two post ROPS. Blinker lever with integrated lighting functions. Position lights as per North America Requirement. Power socket as per North America Requirement (7-pin). Cigarette Lighter (12-V power socket). Rear working light. Digital Read Out. Base rear fender. Requires: 12F/12R 2WD (1340) or 12F/12R, 4WD (1341).	In Base Price
2005		Premium Isolated Open Operator Station Two Roll Roll-Over Protective Structure (ROPS). Air suspended Polyvinyl Chloride (PVC) seat. Air Deflector with Grab Handles. Tiltable & Telescopic steering wheel. Mechanical remote control. Right-Hand and Left-Hand access and egress with steps. Right-Hand and Left-Hand Range Levers. Swing Out front two post ROPS. Blinker lever with integrated lighting functions. Position lights as per North America Requirement. Power socket as per North America Requirement (7-pin). Cigarette lighter (12-V power socket). Rear working light. Digital Read Out. Base rear fender. Requires: 24F/12R, 4WD (1380).	950.00
2055		Standard Cab Two front and two rear H3 working lights.	10,506.00

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		OPERATOR'S STATIONContinued  Openable front windscreen and rear window.  Comfort Textile seat.  Fixed Steering Wheel.  Opening Right-Hand and Left-Hand door with steps.  Right-Hand Gear and Left-Hand Range Levers.  Swing Out Front window (One Position).  Swing Out Rear window.  Sun visor integrated with the cab roof.  Blinker lever with integrated lighting functions.  1-Speed Front Windshield Wiper with Washer.  Cab with Air Conditioning and Heating.  Radio ready (includes glass antenna and wiring).  Position lights as per North America Requirement.  Power socket as per NA Requirement (7-pin).  Cigarette lighter (12-V power socket).  Two storage areas.  Digital Read Out.  Base rear Fender.  Requires: 12F/12R, 2WD (1340) or 12F/12R, 4WD (1341).	
2065		Premium Cab Two front and two rear H3 working lights. Openable front windscreen and rear window. Super Deluxe Textile seat. Tiltable and Telescopic Steering Wheel. Rear Wiper. Internal cab Mirror. Mechanical Remote Control. Opening Right-Hand and Left-Hand door with steps. Right-Hand Gear and Left-Hand Range Levers. Swing Out Front window (One Position). Swing Out Rear window. Sun visor integrated with the cab roof. Blinker lever with integrated lighting functions. 1-Speed Front Windshield Wiper with Washer. Cab with Air Conditioning and Heating. Radio ready (includes glass antenna and wiring). Position lights as per North America Requirement. Power socket as per North America Requirement (7-pin). Cigarette lighter (12-V power socket). Two storage areas. Digital Read Out. Base rear Fender. Requires: 12/F12R, 4WD (1341) or 24F/12R, 4WD (1380).	11,470.00
		EXHAUST	
3010		Horizontal Exhaust	In Base Price
3020		Vertical Exhaust Stack Available on cab tractors only (2055 or 2065)	150.00
3022		Vertical A Cornerpost Exhaust Available on cab tractors only (2055 or 2065)	600.00
		HYDRAULIC PUMP	
3220		Two Pump Hydraulic System  Hydraulic Flow equals 17 gpm (64.7 L/min) plus 7.6 gpm (28.9 L/min) at 2300 rpm.	In Base Price
3225		Three Pump Hydraulic System	750.00

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		HYDRAULIC PUMPContinued  Hydraulic Flow equals 17 gpm (64.7 L/min) plus 7.6 gpm (28.9 L/min) plus an additional 7.6 gpm (28.9 L/min) at 2300 rpm.	
		REAR SELECTIVE CONTROL VALVES	
3312		Two Rear Selective Control Valves (SCVs) with lever controls One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure). One Single Acting (SA) and Double Acting (DA) SCVs (detent in float plus zero leak). Quick Push and Pull Couplers. Oil Spillage Collector Cup. Flow divider. Not orderable with Code 3225 (Three-Pump Hydraulic System).	In Base Price
3334		Three Rear Selective Control Valves (SCVs) with lever controls  One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure).  One Single Acting (SA) and Double Acting (DA) SCVs (detent in float plus zero leak).  One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure).  Quick Push and Pull Couplers.  Oil Spillage Collector Cup.  Flow control.	1,039.00
3347		Four Rear Selective Control Valves (SCVs) with lever controls One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure). One Single Acting (SA) and Double Acting (DA) SCVs (detent in float plus zero leak). One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure). One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure). Quick Push and Pull Couplers. Oil Spillage Collector Cup. Flow control.	2,078.00
		MID SELECTIVE CONTROL VALVES	
3400		Less Mid-Mounted Couplers	In Base Price
3450		Five Mid-Mounted Couplers on Right-Hand Side Requires three rear remote SCVs (code 3334)	1,236.00
3470		Seven Mid-Mounted Couplers (Five on Right-Hand and Two on Left-Hand) Requires four rear remote SCVs (code 3347)	1,730.00
		REAR WHEELS AND TIRES	
5109		380/85R 28 Trelleborg TM600 Requires code 6166 and Code 2055 or 2065	566.00
5113		380/85R 28 Mitas Requires Code 6166 or 6287 and Code 2055 or 2065.	870.00
5115		340/85R 28 Mitas AC85 Requires code 6110, 6125, 6286, 6287, or 6288	622.00
5116		320/85R 28 Mitas AC85 Requires code 6124 or 6288	320.00
5119		280/85R 28 Mitas AC85 Requires code 6124 or 6290	In Base Price

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
5122		REAR WHEELS AND TIRESContinued 340/85R 24 Mitas Requires code 6124	351.00
5123		480/65R 28 Mitas AC65 Requires code 6287	1,820.00
5133		380/70R 24 Mitas AC 70 T Requires code 6290.	525.00
5135		420/70R 28 Mitas AC 70 T Requires code 6287	1,288.00
		FRONT WHEELS AND TIRES	
6110		7.50-16 Mitas TF-03 - Diagonal Tire Requires code 6020	60.00
6124		6.00-16 Mitas TF-03 - Diagonal Tire Requires code 6020	In Base Price
6125		6.50-16 Mitas TF-03 - Diagonal Tire Requires code 6020	Same Price
6166		7.50R18 Super Vigne Heavy Duty (2 position rims) Requires code 6040	889.00
6286		8.25-16 Trelleborg Heavy Duty (2 position rims)  Requires code 6040	340.00
6287		280/70R 18 MITAS AC 70 T Heavy Duty (2 position rims) Requires code 6040	1,117.00
6288		7.50R16 Super Vigne Heavy Duty (2 position rims) Requires code 6040	708.00
6290		260/70R 16 Mitas AC 70 T Heavy Duty (2 position rims) Requires code 6040	940.00
		AXLE	
6020		Two-Wheel Drive (2WD)	In Base Price
6040		Four-Wheel Drive (4WD)	8,270.00
		POWER TAKE-OFF (PTO)	
3822		Mechanical actuation 540 and 540E rpm Shiftable without GD Power Take-Off (PTO) With PTO shaft cover With Safety start switch Requires code 1340 or 1341	In Base Price

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
3826		POWER TAKE-OFF (PTO)Continued ElectroHydraulic actuation 540 and 540E rpm Without GD Power Take-Off (PTO). With PTO shaft cover. With Safety start switch. Requires code 1380	Same Price
		THREE-POINT HITCH	
4130		3-Point Hitch with Fixed Ball Ends for Draft Links	In Base Price
4131		3-Point Hitch with Adjustable Ball Ends for Draft Links	300.00
4132		3-Point Hitch with Adjustable Quick Couplers for Draft Links - hook ends	425.00
		THREE-POINT HITCH ROD	
4151		Hydraulic Lift Rod	625.00
4152		Mechanical Lift Rod	In Base Price
		FRONT ATTACHMENTS	
4002		Base weight 150 Lbs (68 kg)	In Base Price
8230		MIRRORS Rear view cab mirror	65.00
8490		HYDRAULICS Additional Lift Cylinder max lift capacity at ball ends: 3 tons	375.00
		FRONT FENDERS	
8014		Stationary Front Fenders 2WD version - Width: 8.9 inches (225 mm) Requires code 6020	380.00
8016		Rigid Front Fenders 4WD version - Width: 10.4 inches (265 mm)  Requires code 6040	450.00
8022		REAR FENDERS Rear Fender Extension - Width: 3.1 inches (80 mm)	240.00
		Not compatible with Code 8023	
8023		Rear Fender Extension - Width: 6.3 inches (160 mm)  Not compatible with Code 8022.	295.00
8446		HITCH CONTROLS  Mechanical remote control for 3-point hitch	325.00
		DRAWBAR	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
8455		DRAWBARContinued Ball Kit for Draft Links (Category 1 and 1N) Requires: Code 4132 (3-Point Hitch with Adjustable Quick Couplers for Draft Links - hook ends).	47.00
844T		Horizontal Drawbar (Category 1) Not orderable with Code 844U.	55.00
844U		Horizontal Drawbar (Category 2) Not orderable with Code 844T.	93.00
		LIGHTING EQUIPMENT	
8731		Two H4 Belt-Line Lights Requires: Codes 2055 or 2065 (cab options).	250.00
8725		Beacon Light	150.00
		ELECTRICITY	
8746		Electronic Battery Switch	628.00
8220		ENGINE Intelligent Power Management (IPM) Requires PR Transmission (code 1380)	1,185.00
		FUEL TANK	
8313		External Fuel Tank Only Available on GN models	204.00
		ATTACHMENTS FOR FIELD CONVERSION	
	ER064913	Front Fenders Mechanical remote hitch control for CAB	520.11
	ER064912	Mechanical remote hitch control for OOS	520.11
	ER064898	<b>Hydraulics</b> 5 mid mounted couplers for CAB Tractors equipped with 3 mech.SCV with flow control <i>Requires three rear remote SCVs</i> .	1,975.84
	ER064897	5 mid mounted couplers for OOS Tractors equipped with 3 mech.SCV with flow control <i>Requires three rear remote SCVs</i> .	1,975.84
	ER064906	7 mid mounted couplers for CAB Tractors equipped with 4 mech.SCV with flow control 5 on RH and 2 on LH.  Requires four rear remote SCVs.	2,764.73
	ER064899	7 mid mounted couplers for OOS Tractors equipped with 4 mech.SCV with flow control 5 on RH and 2 on LH.  Requires four rear remote SCVs.	2,764.73

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	ER064891	ATTACHMENTS FOR FIELD CONVERSIONContinued  Double-acting Rear SCV with QUICK PUSH & PULL COUPLER at Position III , (detent in pressure and detent in float+high pe	1,281.39
	ER064892	Double-acting Rear SCV with QUICK PUSH & PULL COUPLER at Position III , (detent in pressure and detent in float+high pe	1,281.39
	ER064911	Single Hydraulic Lift Rod for Right Hand Side	890.67
	ER064907	Lighting Beacon Light Kit Cab tractors only	189.62
	ER064908	Two beltline-mounted H4 headlights	316.04
	ER064890	Miscellaneous Air seat suspension kit (Cab Only) Kit contains seat and seat suspension to change mechanical to air suspension. Only compatible with 5GN models.	756.20
	ER064768	Beacon Light OOS tractors Open Operator Station only. (Code 2000 and 2005).	181.50
	ER064623	Carbon Air Filter	385.00
	ER064910	Horizontal Exhaust	767.70
	ER064805	Wiper with Washer Kit - Rear Window	343.20
		Rear Fenders	
	ER064763	2WD Stationnary Front Fenders 10.4 In (225mm) Wide	459.80
	ER064761	MFWD Rigid Front Fenders 10.4 In (265 mm) Wide	544.50
	ER064765	Rear Fender Extensions 3.1 In (80 mm) Wide	290.40
	ER064764	Rear Fender Extensions 6.3 In (160 mm) Wide	357.50

#### 5075GL Narrow, Low-Profile Tractor

**Equipment for Base Machine** 

Engine: 73 (54 kW) 97/68EC Engine Horsepower @ 2300\* RPM 62 (46 kW) PTO Horsepower @ 1900\*\* RPM 4-Cylinder Turbocharged FPT F34 Engine 3.4 L Displacement EPA Final Tier 4 Final Compliant (Aftertreatment: DOC/DPF) Dry Air Cleaner with Safety Element Common Rail Electronic Fuel Injection Hand and Foot Throttle Viscous Fan Water Separation Bowl Engine Shut Off with Key

Maintenance Free Closed Cooling System Radiator Screen 19 U.S. Gallon (73 L) Fuel Tank Capacity Transmission:

Differential Lock

Neutral Start Safety Switch

Axle: Final Drive with three Planetary Gears Flanged Rear Axles Steering and Brakes:

Hydrostatic Power Steering Hydraulic Wet-Disk Rear Breaks, Self-Equalizing and Self-Adjusting

Five Oil Cooled Hydraulically Actuated Disk Brakes per side.

Secondary Park Break

Hydraulics:

Open Center Hydraulic System Hitch Control with Center link Draft Sensing

0409

Independent "Live 540/540E RPM rear PTO shaft Safety Start Switch

Rockshaft, Hitch, and Drawbar: Mechanical Rockshaft

Adjustable Drawbar plus Hammer Strap 3 Point (category II) Hitch and Sway Blocks Convertible to Category I/IN Less Drawbar

Instrumentation: Electric Fuel Gauge Tachometer/Hour Meter Oil Pressure Indicator Light Coolant Temperature Gauge Alternator Indicator Light Air Restriction Indicator Light Turn Signal Indicator Light High Beam Indicator Light PTO Engagement Light Speedometer

Digital Display - Hour Meter

Electrical: 12-Volt (100 amps) Electrical system 95 Amp Alternator Lights: Two Front Halogen headlights Two Rear Warning and Turn lights Dual Tail Lights

Miscellaneous: Beverage Holder on Left-Hand Side Console SMV Emblem One Piece Tilt-up hood Extra CEE Administration Fee Premium Container Shipment \*Manufacturer's Rating \*\* Factory Observed

In Base Price

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	]

	Color One Code From Each Required Category	
	BASE MACHINE	
	EX-WORKS Port of Entry	
0314AT	5075GL Narrow, Low-Profile Tractor	55,420.00
	DESTINATION	
0202	USA Requires code 0409 (English)	In Base Price
0184	Canada Requires code 0409 (English) or 0413 (French)	Same Price
	OPERATOR'S MANUAL, DECALS, AND MONITORS	

English Operator's Manual and Decal Kit

#### **5075GL Narrow, Low-Profile Tractor**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		OPERATOR'S MANUAL, DECALS, AND MONITORSContinued	
0413		French Operator's Manual and Decal Kit	Same Price
		TRANSMISSION	
1380		24F/12R PowrReverser Transmission with 540/540E PTO (includes creeper) Includes: Oil cooler, neutral start safety switch, PowrReverser Plus, de-clutch button on the gear lever, electrohydraulic Mechanical Front-Wheel Drive (MFWD), Diff lock and PTO actuation.	In Base Price
		OPERATOR'S STATION	
2000		Standard Isolated Open Operator Station Isolated Open Operator Station Two Post Mid Mount Roll-Over Protective Structure (ROPS) RH Gear Levers & LH Range Levers Base seat, Polyvinyl Chloride (PVC) with driver sensor under seat Glass Debris/Air Deflector with Grab Handles Blinker lever with integrated lighting functions Left hand access and egress with steps (No footsteps for 20" tires North American standard Rear power outlet as per North America Requirement (7-Pin) 12V power outlet Rear working light Digital Instrument Panel Read Out	In Base Price
		EXHAUST	
3011		Horizontal Exhaust	In Base Price
		HYDRAULIC PUMP	
3220		Two Pump Hydraulic System Hydraulic Flow equals 17.65 gpm (66.8 L/min) plus 7.8 gpm (29.8 L/min) at 2300 rpm.	In Base Price
3225		Three Pump Hydraulic System Hydraulic Flow equals 17.65 gpm (66.8 L/min) plus 7.8 gpm (29.8 L/min) plus an additional 7.8 gpm (29.8 L/min) at 2300 rpm. Not compatible with code 3312	750.00
		REAR SELECTIVE CONTROL VALVES	
3312		Two Rear Selective Control Valves (SCVs) with lever controls One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure). One Single Acting (SA) and Double Acting (DA) SCVs (detent in float plus zero leak). Quick Push and Pull Couplers. Oil Spillage Collector Cup. Flow divider. Not orderable with Code 3225 (Three-Pump Hydraulic System).	In Base Price
3336		Three Rear Selective Control Valves (SCVs) with lever controls One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure). One Single Acting (SA) and Double Acting (DA) SCVs (detent in float plus zero leak). One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure). Quick Push and Pull Couplers. Oil Spillage Collector Cup. Flow control.	1,039.00

## **5075GL Narrow, Low-Profile Tractor**Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		MID SELECTIVE CONTROL VALVES	
3400		Less Mid-Mounted Couplers	In Base Price
		REAR WHEELS AND TIRES	
5216		380/70R20 Requires code 6165	In Base Price
5217		360/70R24 Requires code 6167	1,198.00
5205		380/70R24 Requires code 6167	1,261.00
5158		440/65R24 Requires code 6333	1,170.00
		FRONT WHEELS AND TIRES	
6165		260/70R16 Heavy Duty (2 position rims)	In Base Price
6167		280/70R16 Heavy Duty (2 position rims)	36.00
6333		280/70R18 Heavy Duty (2 position rims)	96.00
		AXLE	
6051		Four-Wheel Drive (4WD) Flange to Flange is 1155mm	In Base Price
		POWER TAKE-OFF (PTO)	
3826		ElectroHydraulic actuation 540 and 540E rpm Without GD Power Take-Off (PTO). With PTO shaft cover. With Safety start switch. Requires code 1380	In Base Price
		THREE-POINT HITCH	
4132		3-Point Hitch with Adjustable Quick Couplers for Draft Links - hook ends	In Base Price
		THREE-POINT HITCH ROD	
4151		Hydraulic Lift Rod	625.00
4152		Mechanical Lift Rod	In Base Price
		FRONT ATTACHMENTS	
4004		Base weight 150 Lbs (68 kg) without Tow Pin	In Base Price
		REAR FENDERS	
8022		Rear Fender Extension - Width: 3.1 inches (80 mm)  Not compatible with Code 8023	240.00

#### **5075GL Narrow, Low-Profile Tractor**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
8023		REAR FENDERSContinued Rear Fender Extension - Width: 6.3 inches (160 mm) Not compatible with Code 8022.	295.00
		HITCH CONTROLS	
8446		Mechanical remote control for 3-point hitch	325.00
		DRAWBAR	
8455		Ball Kit for Draft Links (Category 1 and 1N) Requires: Code 4132 (3-Point Hitch with Adjustable Quick Couplers for Draft Links - hook ends).	47.00
844T		Horizontal Drawbar (Category 1) Not orderable with Code 844U.	55.00
844U		Horizontal Drawbar (Category 2) Not orderable with Code 844T.	93.00
		LIGHTING EQUIPMENT	
8725		Beacon Light	150.00
		ELECTRICITY	
8745		Mechanical Battery Switch	157.00

#### 5100MH Hi-Crop Specialty Tractor

**Equipment for Base Machine** 

ENGINE: 100 Engine Horsepower @ 2200 rpm\* 85 PTO Horsepower @ 2100 rpm\* EPA Final Tier 4 Emissions Compliant Turbocharger with Intercooler 4.5L PowerTech Diesel Engine Turbocharger with Intercooler 4 Valve HPCR Dry Type Air Cleaner with Safety Element Cold Start Aid - Air Intake Heater Hand and Foot Throttle Key Engine Shut Off Water Separator Bowl
DEF Tank capacity (3.2 gal)
TRANSMISSION: EH Differential Lock Hydraulic Oil Cooler Wet Traction Clutch Park Lock Neutral Start Safety Switch REAR AXLE: Flanged Rear Axle Planetary Final Drives FRONT AXLE: Mechanical Front Wheel Drive Front Axle Planetary Final Drives Electrohydraulic MFWD Engagement via On/Auto/Brake STEERING AND BRAKES: Hydrostatic Power Steering Hydraulic Wet Disk Brakes Self-Equalizing and Self-Adjusting HYDRAULIC: Open Center Hydraulic System
Tandem Gear Pump 24.7 gpm (94 lpm) Maximum Total Flow -Steering Pump 6.3 gpm (24 lpm) Implement Pump 18.4 gpm (70 lpm) Mid SCV (see code for selection) Rear SCV (see code for selection) POWER TAKE-OFF SHAFT: Independent "Live" 540 rpm Rear PTO Shaft @ 2100 Engine rpm Economy PTO Setting for 540 PTO rpm @ 1645 Engine Electrohydraulic PTO Engagement Wet PTO Clutch

Operator Presence Safety Warning - PTO

Safety Start Switch Flip Up PTO Shield ROCKSHAFT, HITCH AND DRAWBAR: 65-mm Lift Cylinder Standard Adjustable Straight Drawbar Telescoping Draft Links with Category II Balls Lower Link Draft Sensing INSTRUMENTATION: Electric Fuel Gauge Coolant Temperature Gauge Diesel Exhaust Fluid Gauge with low DEF Warning Signal Flashing Warning Lamp High Beam Indicator Light Service Transmission Indicator PTO Speed Indicator Neutral Indicator (PR Only) Tachometer/Hour Meter Engine Oil Pressure Hydraulic Temperature Indicator Alternator Indicator Light Air Restriction Indicator Light Exhaust Filter Cleaning Switch Roll Mode for Instrument Cluster PTO Engagement Light (Rear PTO) ELECTRICAL: 12-Volt Electrical System One Battery - 925 CCA\*\* with 180 Minute Reserve Capacity 7-Pin ASAE Outlet Socket LIGHTS: Two Front Halogen Headlights Two Turn/Warning Lights Two Tail Lights MISCELLANEOUS: Slow-moving Vehicle (SMV) Emblem Toolbox \* Manufacturer's Rating \*\* Cold Cranking Amps

			List Price
	Attachment		Suggested
Code	Identifier	Description	USD (\$)

#### Select One Code From Each Required Category

#### **BASE MACHINE**

255CLV	5100MH Hi-Crop Specialty Tractor	68,170.00
	DESTINATION	
0203	Puerto Rico	Same Price
024H	US Minor Outlying Islands	Same Price
020A	US Virgin Islands	Same Price
0207	Saint Pierre and Miguelon	Same Price

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		DESTINATIONContinued	
024F		Norfolk Island	Same Price
0230		<b>Oceania</b> Australia	Same Price
0237		New Zealand	Same Price
0240		Asia American Samoa	Same Price
0245		Guam	Same Price
		North America	
0202		United States	In Base Price
0184		Canada	Same Price
0205		French Quebec	Same Price
		OPERATOR'S MANUAL	
0450		English (Australia & NZ)	Same Price
0409		ENGLISH	In Base Price
0413		FRENCH	Same Price
0437		SPANISH	Same Price
		TRANSMISSION	
1382		16F/16R PowrReverser (40k) with Creeper Requires Option Code 6040 (MFWD)	In Base Price
		OPERATOR'S STATION	
2000		Fixed Open Operator Station Fixed Open Operator Station with Flat Floor Tilt and Telescoping Steering Column 2-Post Isolated Foldable Roll-Over Protection Structure (ROPS) Speedometer Base seat with Flip Up Feature and Retractable Seat Belt 29 U.S. Gallon Fuel Tank Capacity Beverage Holder 90 AMP Alternator Flashing Warning Lights Dual Taillights Single Rear Work Light Requires Mechanical Hitch (code 4010).	In Base Price
2055		Standard Cab Deluxe Isolated Cab with Flat Floor Tilt and Telescopic Steering Column Left and Right Side Doors with Steps	12,573.00

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		OPERATOR'S STATIONContinued  Air Conditioning and Heater Speedometer Beverage Holder Sunvisor for Front Window 2-Speed Front Windshield Wiper and Washer Two Front/Two Rear Roof-Mounted Work Lights Two Front/Two Rear Roof-Mounted Warning Lights Two Fender-Mounted Taillights Convenience Power Outlet Monitor Mounting Bosses (2 Sets) Swing-Out Rear Window with Two Removable Rear Plugs for Monitor Right-Hand Console Light Radio Preparation (with speakers, wiring) Rear window grab handle Bluetooth Ready 36 U.S. Gallon (139 L) Fuel Tank Capacity 29 U.S. Gallon Code 3025 (Deluxe Corner Post Exhaust).	
2060		Premium Cab Includes Premium package, all features of Standard Cab plus: Load View Window (Sunroof) with Shade Front Sunshade Factory Installed Radio (Bluetooth and Satellite Capable) Rear Window Wiper Radio Antenna Additional Defrost Louvers Requires PowrReverser Transmission (1380, 1382, 1390 or 1394) Requires Option Code 3025 (Deluxe Corner Post Exhaust). Requires Option Code 4030 (ElectroHydraulic (EH) rear hitch) Requires Option code 6040 (MFWD)	14,246.00
		MIRRORS	
2511		Mirror Telescopic LH & RH Available on Cab Tractors only	305.00
2500		Less Rear View Mirrors Available on Cab Tractors only	In Base Price
		SEAT	
2100		Mechanical Suspension seat	In Base Price
2120		Air Suspension seat	849.00
2121		Premium Air Suspension Seat Includes heater and low frequency air suspension. Available on Cab Tractors only.	1,353.00
		CAB INSTRUCTIONAL SEAT	
2400		Less Instructional Seat	In Base Price
2410		Instructional Seat with Seat-belt  Available on Cab Tractors only.	559.00

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		EXHAUST	<b></b>
3020		Vertical Exhaust Available on Open Operator Station Tractors Only.	In Base Price
3025		Corner Post Deluxe Exhaust Available on Cab Tractors Only.	603.00
		SELECTIVE CONTROL VALVES	
3325		2 Mechanical Stackable Rear SCV	In Base Price
3326		3 Mechanical Stackable Rear SCV	886.00
		MID SELECTIVE CONTROL VALVES	
3400		Less Mid SCVs Requires Code 4010 (Mechanical Rear Hitch Controls)	-967.00
3420		2 Stackable Mid SCVs with Mechanical Joystick control	In Base Price
3430		3 Stackable Mid SCVs with Mechanical Joystick Control	774.00
		REAR POWER TAKE-OFF (PTO)	
3820		Two Speed PTO - 540/540E	In Base Price
		HITCH CONTROLS	
4010		Mechanical Rear Hitch Control Not compatible with Code 2005 or 2065 (Premium Open Operator Station or Premium Cab)	In Base Price
4030		Electronic Hitch Control with Remote Control on LH Fender Not compatible with Code 2010 (Standard Open Operator Station)	475.00
		DRAFT LINK	
4110		Telescoping Draft Links with Ball End - Cat.2	In Base Price
		CENTER LINK	
4210		Mechanical Center Link with Ball Ends - Cat. 2	In Base Price
		STABILIZER	
4420		LH & RH Stabilizer Bar	In Base Price
		LIFT LINK	
4160		LH Only Adjustment Lift Link Right Hand side is Fixed.	In Base Price
		FRONT AXLE	
6040		MFWD Front Axle	In Base Price
		REAR WHEELS AND TIRES	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
5151		REAR WHEELS AND TIRESContinued 230/95R48 134A8 R1W Radial Requires Code 6132 (Kleber)	1,036.00
5301		230/95R40 122A8 R1 Radial Requires Code 6301.	In Base Price
5302		13.6-38 In. 6PR R2 Tubeless Bias Requires Code 6302 (Firestone).	-656.00
		REAR TIRE BRAND PREFERENCE	
5999		No Rear Tire Brand Preference	In Base Price
		FRONT WHEELS AND TIRES	
6132		230/95R48 134A8 R1W Radial Kleber Brand	1,036.00
6301		230/95R40 122A8 R1 Radial	In Base Price
6302		13.6-38 In. 6PR R2 Tubeless Bias Firestone Brand	-656.00
0700		FRONT TIRE BRAND PREFERENCE	In Dana Drive
6799		No Front Tire Brand Preference	In Base Price
		CAB OPERATOR'S STATION	
8280		Rear Window Wiper In Base Equipment for R4 Premium Cab. Option applies to Standard Cab Only.	285.00
		MISCELLANEOUS	
8300		Cold Weather package - Coolant heater Includes Coolant Heater	88.00
8955		Front Weight Support - (55 kg/121 lbs.)	189.00
		ATTACHMENTS FOR FIELD CONVERSION	
	BPF11130	Autotrac Universal Supplemental Kits AutoTrac Universal Steering Supplemental Kit - "AA" For John Deere FT4 5M Tractors. Requires BPF11129 AutoTrac Universal guidance harness kit and AMS base code 0520PC AutoTrac Universal Kit (use spline PF12168).	220.00

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	BSJ10442	Backup Alarm Backup Alarm Kit	162.80
	RE282643	Cab Equipment Leather Steering Wheel	165.43
	AL80126	Rear Mirror Mechanical For Open Station Tractors also order (1) RE244177 (Mounting Kit) per side.	180.40
	AL80127	Rear Mirror Mechanical For Open Station Tractors also order (1) RE244177 (Mounting Kit) per side.	180.40
	DZ102076	Cold Weather Packages Engine Block Heater (110V)	108.37
	AL156778	Front Axle  Hub Extension 60mm, Front, Tread Adjustment  Fits MFWD and Rear Axles.  Tread setting should not exceed 80 In. for maximum load applications.  Contains (2) L154685 Hubs, (16) 24M7242 washers, and (16) L152521 bolts. Only for axles with 10.82 diameter bolt holes.  For other hub thickness, see Parts.	694.10
	BSJ10387	Front Hitch Front Hitch Attaching Parts - Augusta sourced - R4	4,398.90
	BLV10679	Front Power Take-off (Pto) Auxiliary Front Drive Coupler Kit	997.70
	BW16765	Hood Guards Hood Guard	424.60
	BSJ10441	Hydraulics 3rd Rear SCV (Upgrade from 2 rear SCV) For use with Tractors ALREADY equipped with Dual Rear Valves. Stackable design adds 3rd Function to existing Dual valves. Features: - Selectable detent position remains on first valve (auto kickout, continuous flow, or no detent) - Flow priority to #1 valve - Pressure compensated flow control for running hydraulic motors on #1 valve Compatible with CAB or OPEN Station	974.60
	BSJ10283	CASE DRAIN Supplies non-restricted flow of hydraulic fluid to reservoir. Must have Motor Control Kit (Power Beyond) BSJ10282 Installed.	190.30
	BSJ10465	Oil Collection System Kit contains Dust Caps with Oil Collection Reservoir, Hoses and Brackets (Hardware included).	113.30

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
Oouc	Identifier	ATTACHMENTS FOR FIELD CONVERSIONContinued	<b>ΟΟΣ</b> (ψ)
	BSJ10282	POWER BEYOND	332.20
	LVB25720	Lighting Auxiliary work light kit (2 lights)	151.80
	BSJ10325	LED HEADLIGHTS	288.20
	BSJ10450	Machine Connectivity  JDLink Mounting Kit, Cab models  For FT4 5M, 5MH, 5R tractors. JDLink kit to be ordered separately through whole goods  (AMS base code 021RPC). Order less antenna (code 2009) then order PFA10879 through  parts. (R4)	176.00
	BSJ10451	JDLink Mounting Kit, OOS models For FT4 5M, 5MH, 5ML tractors. JDLink kit to be ordered separately through whole goods (AMS base code 021RPC). Order less antenna (code 2009) then order PFA11136 through parts. (R4)	528.00
	BLV10099	Miscellaneous 1000/540/540E-rpm power take-off (PTO) kit Not compatible with any Tractor equipped with a single speed PTO (540 only). New gear box (assembly required) and reversible PTO stub shaft included.	1,487.20
	RE554568	120 Amp Alternator OOS models only	743.88
	RE555751	200 Amp Alternator Cab models only.	815.82
	BSJ10101	3rd Mid SCV (upgrade from 2 Mid SCV) Stackable design adds 3rd Function to existing 2 Mid SCV valves.	851.40
	AH104259	Ash Tray Must also order (2) 37M7218, (1) AL173370, (1) AL207492, (1) SU49479.	65.64
	LVB25785	Canopy - Deluxe Includes Amber lights front and rear, hard liner and wiring harness. Requires LVB25783 Canopy Mounting Bracket and Hardware Kit ordered separately.	828.30
	LVB25783	Canopy mounting kit Operator Stations Only. Canopy ordered separately.	74.80
	T21709	Category I Interchangeable Hitch Ball Two required.	15.34
	T21706	Category II Interchangeable Hitch Ball Two required.	13.21
	T12553	Center Link Conversion Bushing, Cat. II to Cat. I	13.87
	AR60937	Cigarette Lighter Cab only.	13.94

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	RE52682	ATTACHMENTS FOR FIELD CONVERSIONContinued Convenience Outlet Open Station only. Also order: (1) L157467 strap, (4) 37M70995 screws.	111.08
	R66432	Draft Link Conversion Bushing, Cat. II to Cat. I Two required.	16.72
	LVB25949	Drawbar - Hammerstrap and chain clevis kit Kit contains all necessary parts and hardware (instructions included).	141.90
	BSJ10163	Floodlamp/Work Lights, LED, (4 Lights) Cab Only. Use for Front or Rear.	442.20
	BRE10151	Front Utility Box Must also order Front Utility Box Bracket (BRE10153). Utility Box is intended for front tractor mounting only.	356.40
	BRE10153	Front Utility Box Bracket  Compatible only with front suitcase weight R127764 -Region 4 style. You must have a minimum of 4 suitcase weights and a maximum of 22 suitcase weights.	123.20
	R262449	Front Weight Support, 187 Lbs Requires (4) 19M8100 Cap Screws and (4) 24M7242 Washers, ordered separately.	400.58
	BSJ10125	Instructional Seat Kit, CAB only	614.90
	AL213203	Lockable Filler Cap Fuel Tank	34.06
	LVB25727	PowrReverser modulation control kit	156.20
	AT439279	Radio - AM/FM, Bosch (Premium) Cab Only. (Satellite Capable)	697.96
	RE567557	Radio - AM/FM, Bosch (Standard) Cab Only. (Not Satellite Capable)	473.76
	L154683	Rear Axle 1.2 in. Extension (30 mm) Two required. Requires (16) 19M9364 Cap Screws (8 per Extension), ordered separately.	184.69
	L154682	Rear Axle 1.6 in. Extension (40 mm) Two required. Requires (16) 19M8979 Cap Screws (8 per Extension), Ordered Separately.	216.57
	L154684	Rear Axle 4.4 in. Extension (111 mm)  Two required.  Requires (16) 19M9365 Cap Screws (8 per Extension), Ordered Separately.	305.70
	RE244177	Rear View Mirror Mounting Kit OOS Requires AL80127 and/or AL80126. Kit contains support plates and hardware for one rear view mirror. Mirror not included.	33.07
	BSJ10122	Satellite receiver and antenna only (Bosch specific) All 5M Series Cab Tractors are "Radio Ready," including Radio Wiring Harness and Speakers. Requires Radio Ordered Separately. Requires Radio Subscription Ordered Separately	236.50

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	AT162291	ATTACHMENTS FOR FIELD CONVERSIONContinued Seat Backrest Extension Cab Tractors ONLY.	181.42
	AL71345	Security Door Lock Kit	196.90
	AL203265	Service Horn Requires bolt and nut 19m7865 and 14m7298.	41.13
	R127764	Weight, front suitcase 43 kg (95 lb) quantity of one	136.40
	BLV10173	Wiper and washer, rear	345.40
	LVB25334	Operator's Station Canopy - Standard Requires LVB25783 Canopy Mounting Bracket and Hardware Kit ordered separately.	476.30
	BRE10015	Cell Phone Mount Kit	62.70
	RE566705	Dual USB Charger Dual USB sockets 4.2 Amp output to simultaneously charge 2 USB devices. Cab models only.	25.96
	RE68495	Power Strip with Six Outlets Cab Tractors ONLY (codes 2050, 2055, or 2060). Requires (2) R205546 and (4) 37M7355 Ordered Separately.	56.28
	LVB25501	Seat Armrest Kit Open Station Only, Standard on Cab Tractors.	146.30
	BRE10152	Self - Leveling Cup Holder	61.60
	LVB25714	Rear Fenders Rear fender extension Cab tractors only. Interference may occur with some implements when raising the hitch.	221.10
	LVB25066	Rear fender extension kit with work lights  Open Station Tractors only.	465.30
	LVB25976	Rear Hitch iMatch Quick-Hitch Category 1 with adjustable top hook Includes one set of Bushings(LVU15507). Not compatible with LVB25941 (Heavy Duty Hitch Kit).	365.20
	TY27545	Three-point Hitch Quik-Coupler, Economy, Category 2 Interference may occur when raising the hitch if extended fenders are configured.	580.37
	R266939	Wheel Tread Width Hi-Crop Axle Spacer Kit - 200mm Requires the following be ordered separately: (2) R266939, (28) R281444, (32) 14M7299, (4) 44M7154, (2) R266945, (2) R281497	2,733.93

## AGRICULTURAL PRODUCTS

# JOHN DEERE TRACTORS 5100MH Hi-Crop Specialty Tractor Continued Continued THIS PAGE INTENTIONALLY LEFT BLANK

#### 5100ML Low-Profile Specialty Tractor

**Equipment for Base Machine** 

ENGINE: 100 Engine Horsepower @ 2200 rpm\* 85 PTO Horsepower @ 2100 rpm\* EPA Final Tier 4 Emissions Compliant Turbocharger with Intercooler PowerTech Diesel Engine 4 Valve HPCR Dry Type Air Cleaner with Safety Element Underhood Muffler with Cornerpost Exhaust Stack (Aftertreatment: DOC/SCR) Cold Start Aid - Air IntakeHeater Hand and Foot Throttle Key Engine Shut-Off Water Separator Bowl TRANSMISSION: EH Differential Lock Hydraulic Oil Cooler Wet Traction Clutch Park Lock Neutral Start Safety Switch REAR AXLE: Flanged Rear Axle Planetary Final Drives 8-Position Standard Steel Rear Wheels FRONT AXLE: Mechanical Front Wheel Drive Front Axle Planetary Final Drives Electrohydraulic MFWD Engagement via On/Auto/Brake STEERING AND BRAKES: Hydrostatic Power Steering Hydraulic Wet Disk Brakes Self-Equalizing and Self-Adjusting HYDRAULIC: See code selection for Selective Control Valves (SCVs) and hydraulic system selection POWER TAKE-OFF SHAFT: See code selection for PTO Shaft Electrohydraulic PTO Engagement Wet PTO Clutch Operator Presence Safety Warning - PTO Safety Start Switch Flip Up PTO Shield ROCKSHAFT, HITCH AND DRAWBAR: Heavy Duty Adjustable Drawbar

See code selection for draft link sizing INSTRUMENTATION: Electric Fuel Gauge Flashing Warning Lamp High Beam Indicator Light Service Transmission Indicator PTO Speed Indicator/Roll Mode Neutral Indicator Tachometer/Hour Meter Engine Oil Pressure Hydraulic Temperature Indicator Coolant Temperature Gauge Diesel Exhaust Fluid Gauge with low DEF Warning Signal Alternator Indicator Light Air Restriction Indicator Light Exhaust Filter Cleaning Switch Roll Mode for Instrument Cluster PTO Engagement Light 4WD Engagement Light ELECTRICAL: 12-Volt Electrical System One Battery - 950 CCA\*\* with 180 Minute Reserve Capacity 90 Amp Alternator 7-Pin ASAE Outlet Socket LIGHTS: Two Front Halogen Headlights Two Turn/Warning Lights
Two Rear Work Lights Dual Tail Lights MISCELLANEOUS: Slow-moving Vehicle (SMV) Emblem Front weight support \* Manufacturer's Rating \*\* Cold Cranking Amps

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
		EX-WORKS Augusta, Georgia; Baltimore, Maryland; Benicia, California; Galveston, Texas; Brunswick, Georgia; Port Hueneme, California; Tacoma, Washington.	
198DLV		5100ML Low-Profile Specialty Tractor	64,779.00
		DESTINATION	
0184		North America Canada	Same Price
0202		United States	In Base Price

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		OPERATOR'S MANUAL	
0409		English Operator's Manual and Decal Kit	In Base Price
0413		French Operator's Manual and Decal Kit	Same Price
0437		Spanish Operator's Manual and Decal Kit	Same Price
		TRANSMISSION	
1380		16F/16R PowrReverser Transmission - 540/540E Electrohydraulic (EH) Directional Reverser Electrohydraulic Differential Lock Hydraulic Oil Cooler Wet Traction Clutch Wet PTO Clutch Park Lock Neutral Start Safety Switch B-C-D Range Synchronization 29.6 Gallon Fuel tank 65mm lift cylinders Requires Shiftable 540/540E Rear PTO (code 3820). Requires Open Center Hydraulics (code 3221).	In Base Price
1370		16F/16R PowrQuad Transmission Electrohydraulic (EH) Directional Reverser Electrohydraulic Differential Lock Hydraulic Oil Cooler Wet Traction Clutch Wet PTO Clutch Park Lock Neutral Start Safety Switch 38 Gallon Fuel Tank 75mm lift cylinders Requires Shiftable 540/540E/1000 Rear PTO (code 3830). Requires PFC Hydraulics (code 3223). Requires EH Hitch Controls (code 4030). Requires Fender Extensions (code 8022 or 8024).	4,523.00
1375		16F/16R PowrQuad Transmission with Creeper Electrohydraulic (EH) Directional Reverser Electrohydraulic Differential Lock Hydraulic Oil Cooler Wet Traction Clutch Wet PTO Clutch Park Lock Neutral Start Safety Switch 38 Gallon Fuel Tank 75mm lift cylinders Requires Shiftable 540/540E/1000 Rear PTO (code 3830). Requires PFC Hydraulics (code 3223). Requires EH Hitch Controls (code 4030). Requires Fender Extensions (code 8022 or 8024).	7,168.00
1385		32F/16R PowrQuad Transmisson Electrohydraulic (EH) Directional Reverser Electrohydraulic Differential Lock Hydraulic Oil Cooler Wet Traction Clutch Wet PTO Clutch Park Lock Neutral Start Safety Switch 38 Gallon Fuel Tank 75mm lift cylinders Requires Shiftable 540/540E/1000 Rear PTO (code 3830).	6,219.00

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		TRANSMISSIONContinued Requires PFC Hydraulics (code 3223). Requires EH Hitch Controls (code 4030). Requires Fender Extensions (code 8022 or 8024).	
		OPERATOR'S STATION	
2010		Isolated Open Operator Station  Low Profile Isolated Open Operator Station with Flat Floor  Tilt and Telescopic Steering Column  Low Profile 2-Post Foldable Roll-Over Protection Structure (ROPS)  Inboard mounted controls  Low Profile steering wheel  Speedometer  Beverage Holder  Foldable flashing Warning Lights  Dual Taillights	In Base Price
		SEAT	
2110		Mechanical Suspension Seat	Same Price
2115		Low Profile Seat	In Base Price
		EXHAUST	
3010		Horizontal Side Exhaust	In Base Price
		HYDRAULICS	
3221		Open Center Hydraulic System	In Base Price
3223		PFC Hydraulic System	2,814.00
		REAR SELECTIVE CONTROL VALVES	
3330		Triple Stackable Rear Deluxe Valve with Lever Controls Features: Three Selectable Detent Positions on #1 Valve (Auto Kickout, Continuous Flow, or No Detent). Float Position on EACH Valve. Flow Priority to #1 Valve. Pressure Compensated Flow Control for running Hydraulic Motors on #1 Valve.	In Base Price
		MID SELECTIVE CONTROL VALVES	
3400		Less Mid Valve Does not include side frames.	In Base Price
3410		Less Mid Valve, Add Engine Side Frames	247.50
3420		Dual Stackable Mid Valve with Joystick Control <i>Includes side frames.</i>	1,289.00
		POWER TAKE-OFF (PTO)	
3820		Shiftable 540 / 540E Rear PTO	In Base Price
3830		Three Speed PTO - 540/540E/1000 Requires PFC Hydraulics (Code 3223)	794.00

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		POWER TAKE-OFF (PTO)Continued	
		HITCH CONTROLS	
4010		Mechanical Hitch Control Requires Open Center Hydraulics (Code 3221)	In Base Price
4030		Electronic Hitch Control Requires PFC Hydraulics (code 3223) and Fender Extensions (Code 8022 or 8024).	475.00
		DRAFT LINK	
4110		Telescoping Draft Links (Cat. 2) Requires Cat. 2 Center Link (Code 4210) or Cat. 2 Hydraulic Center Link with Ball End (Code 4220)	In Base Price
4105		Telescoping Draft Links (Cat. 3) Requires PFC Hydraulics (Code 3223) Requires Cat. 3 Center Link (Code 4215)	Same Price
		LIFT LINK	
4160		Left Hand Only Adjustable Lift Links  Right side fixed	In Base Price
		CENTER LINK	
4210		Mechanical Center Link (Cat. 2) Requires Cat 2. Draft Links (Code 4110).	In Base Price
4215		Mechanical Center Link (Cat. 3) Requires PFC Hydraulics (Code 3223). Requires Cat. 3 Draft Links (Code 4105).	Same Price
4220		Hydraulic Center Link with Ball End (Cat. 2) Requires PFC Hydraulics (Code 3223) Requires Cat 2. Telescoping Draft Links (Code 4110)	772.00
		STABILIZER	
4420		Left Hand and Right Hand Stabilizer Bar	In Base Price
		FRONT AXLE	
6040		MFWD (4-Wheel Drive) Limited Slip Differential Push Button, On-The-Go Engagement Engagement Indicator Light. Electrohydraulic MFWD Engagement via On/Auto/Brake Auto Engagement Mode.	In Base Price
		REAR WHEELS AND TIRES	
5121		16.9 - 30 in. 6PR R1 Bias (Goodyear)	Same Price

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		REAR WHEELS AND TIRESContinued Requires Code 6111.	
5914		19.5L - 24 in. 10PR R4 Bias (Goodyear) Requires Code 6133.	In Base Price
5303		21.5L - 16.1 in. R3 Bias (Button Tire) Requires Codes 6111 or 6303.	-883.00
5130		16.9-24 R1 Bias (Firestone) Requires Codes 6130	-589.00
5173		480/70R28 R1 Radial (Mitas) Requires Code 6155	1,351.00
		REAR TIRE BRAND PREFERENCE	
5999		No Rear Tire Brand Preference	In Base Price
		FRONT WHEELS AND TIRES	
		See Loader Section of the Sales Manual for Front Tire/Loader compatibility information.	
6111		11.2-24 6PR R1 (Goodyear) Bias	391.00
6133		12.5/80-18-in. 12PR I3 Bias (Goodyear)	In Base Price
6303		9.5 - 16 in. 6PR R3 Bias	-464.00
6130		10.5/80-18 R4 Bias (Goodyear)	-207.00
6155		380/70R20 R1 (Mitas)	606.00
		FRONT TIRE BRAND PREFERENCE	
6799		No Front Tire Brand Preference	In Base Price
		LIQUEINO	
8720		LIGHTING  ROPS Mounted Work Lights (LED)  Upgrades from halogen to LED	121.00
8725		Beacon Light (ROPS Mounted)	150.00
		HITCH CYLINDERS	
8458		70mm hitch lift cylinder	342.00
8463		80mm hitch lift cylinder Requires PFC Hydraulics (Code 3223).	384.00
		REAR FENDERS	
8022		Rear Fender Extensions Adds an additional 8.8 inches (224mm) extension per fender	241.00
8024		Rear Fender Extensions - Wide Adds an additional 15.2 inches (385mm) extension per fender	414.00

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		REAR FENDERSContinued	
8912		FRONT LOADER PREPARATION PACKAGES  Loader Preparation Package  Hydraulic hoses and hydraulic connections still need to be ordered with loader.  Loader Preparation Package only compatible with 540M and H310 loaders.  Includes loader mounting frames and hood guard.  Requires mid valve (Code 3420)	1,660.00
8330		GUARDS Skid Plate, Fuel Tank and Steering Line Guarding Package	832.00
		ATTACHMENTS FOR FIELD CONVERSION	
	BSJ10442	Backup Alarm Backup Alarm Kit	162.80
	AL80126	Cab Equipment Rear Mirror Mechanical For Open Station Tractors also order (1) RE244177 (Mounting Kit) per side.	180.40
	AL80127	Rear Mirror Mechanical For Open Station Tractors also order (1) RE244177 (Mounting Kit) per side.	180.40
	DZ102076	Cold Weather Packages Engine Block Heater (110V)	108.37
	BSJ10387	Front Hitch Front Hitch Attaching Parts - Augusta sourced - R4	4,398.90
	BLV10679	Front Power Take-off (Pto) Auxiliary Front Drive Coupler Kit	997.70
	BSJ10485	Fuel Tank Fuel Tank Shield Kit Compatible with cab tractors equipped with PowrReverser Transmissions	171.54
	BSJ10283	Hydraulics CASE DRAIN Supplies non-restricted flow of hydraulic fluid to reservoir. Must have Motor Control Kit (Power Beyond) BSJ10282 Installed. Compatible with models equipped with OC hydraulics and a PowrReverser Transmission.	190.30
	BSJ10428	Hydraulic Case Drain Plumbing (PFC and OC) Supplies non-restricted flow of hydraulic fluid to reservoir. Must have Motor Control Kit (Power Beyond) Installed.	190.30

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BSJ10309	ATTACHMENTS FOR FIELD CONVERSIONContinued Hydraulic Center Link - Ball Type	1,842.50
	BSJ10465	Oil Collection System Kit contains Dust Caps with Oil Collection Reservoir, Hoses and Brackets (Hardware included). For tractors equipped with a PowrReverser transmission and an Open Center Hydraulic System	113.30
	BSJ10282	POWER BEYOND Compatible with PowrReverser models only.	332.20
	BSJ10240	Power Beyond Kit (PFC System) Kit contains couplers only.	198.00
	RE244176	Lighting Beacon Light Kit	245.66
	BSJ10325	LED HEADLIGHTS	288.20
	BSJ10451	Machine Connectivity JDLink Mounting Kit, OOS models For FT4 5M, 5MH, 5ML tractors. JDLink kit to be ordered separately through whole goods (AMS base code 021RPC). Order less antenna (code 2009) then order PFA11136 through parts. (R4)	528.00
	BSJ10330	Mid Selective Control Valves  2 Mechanical Mid-SCV with Joystick lever Includes components and parts required to install Dual Mid Control Valve on Tractors not equipped with Mid Control Valve. Does not include loader side frames. Compatible with 5100ML and 5115ML with PowrReverser transmissions. Base Codes 198DLV, 256DLV For 5ML models, you must also order the following - (1) SJ26965, (1)SJ30284, (1) R251414, (1) SU41309, (10) R94361, (4) 19M9140, (6) 19M9134	1,417.90
	BLV10099	Miscellaneous 1000/540/540E-rpm power take-off (PTO) kit New gear box (assembly required) and reversible PTO stub shaft included. For tractors equipped with a PowrReverser transmission only.	1,487.20
	BSJ10101	3rd Mid SCV (upgrade from 2 Mid SCV) Stackable design adds 3rd Function to existing Dual valves on tractors equipped with a PowrReverser Transmission.	851.40
	LVB25785	Canopy - Deluxe Includes Amber lights front and rear, hard liner and wiring harness. Requires LVB25783 Canopy Mounting Bracket and Hardware Kit ordered separately.	828.30
	LVB25783	Canopy mounting kit Operator Stations Only. Canopy ordered separately.	74.80
	BRE10151	Front Utility Box Must also order Front Utility Box Bracket (BRE10153). Utility Box is intended for front tractor mounting only.	356.40

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BRE10153	ATTACHMENTS FOR FIELD CONVERSIONContinued Front Utility Box Bracket Compatible only with front suitcase weight R127764 -Region 4 style. You must have a minimum of 4 suitcase weights and a maximum of 22 suitcase weights.	123.20
	AL213203	Lockable Filler Cap Fuel Tank	34.06
	LVB25727	PowrReverser modulation control kit	156.20
	L154683	Rear Axle 1.2 in. Extension (30 mm)  Two required.  Requires (16) 19M9364 Cap Screws (8 per Extension), ordered separately.	184.69
	L154682	Rear Axle 1.6 in. Extension (40 mm)  Two required.  Requires (16) 19M8979 Cap Screws (8 per Extension), Ordered Separately.	216.57
	L154684	Rear Axle 4.4 in. Extension (111 mm) Two required. Requires (16) 19M9365 Cap Screws (8 per Extension), Ordered Separately.	305.70
	RE244177	Rear View Mirror Mounting Kit OOS Requires AL80127 and/or AL80126. Kit contains support plates and hardware for one rear view mirror. Mirror not included.	33.07
	RE19428	Safety Chain Support Kit	158.04
	AL203265	Service Horn Requires bolt and nut 19m7865 and 14m7298.	41.13
	R127764	Weight, front suitcase 43 kg (95 lb) quantity of one	136.40
	R213907	Weight, rear wheel - 43.09 kg (95 lb) Not compatible on wheels sized 24" or smaller. Maximum of 3 per wheel.	147.40
	TY27545	Three-point Hitch Quik-Coupler, Economy, Category 2 Interference may occur when raising the hitch if extended fenders are configured.	580.37

#### 5115ML Low-Profile Specialty Tractor

**Equipment for Base Machine** 

ENGINE: 115 Engine Horsepower @ 2200 rpm\* 100 PTO Horsepower @ 2100 rpm\* EPA Final Tier 4 Emissions Compliant Turbocharger with Intercooler PowerTech Diesel Engine 4 Valve HPCR Dry Type Air Cleaner with Safety Element Underhood Muffler with Cornerpost Exhaust Stack (Aftertreatment: DOC/SCR) Cold Start Aid - Air Intake Heater Hand and Foot Throttle Key Engine Shut-Off Water Separator Bowl TRANSMISSION: EH Differential Lock Hydraulic Oil Cooler Wet Traction Clutch Park Lock Neutral Start Safety Switch REAR AXLE: Flanged Rear Axle Planetary Final Drives 8-Position Standard Steel Rear Wheels FRONT AXLE: Mechanical Front Wheel Drive Front Axle Planetary Final Drives
Electrohydraulic MFWD Engagement via On/Auto/Brake STEERING AND BRAKES:
Hydrostatic Power Steering Hydraulic Wet Disk Brakes Self-Equalizing and Self-Adjusting HYDRAULIC: See code selection for Selective Control Valves (SCVs) and hydraulic system selection POWER TAKE-OFF SHAFT: SeeCode selection for PTO shaft Electrohydraulic PTO Engagement Wet PTO Clutch Operator Presence Safety Warning - PTO Safety Start Switch Flip Up PTO Shield ROCKSHAFT, HITCH AND DRAWBAR:

Heavy-duty Drawbar Adjustable Drawbar

See code selection for draft link sizing Lower Link Draft Sensing INSTRUMENTATION: Electric Fuel Gauge Flashing Warning Lamp High Beam Indicator Light Service Transmission Indicator PTO Speed Indicator/Roll Mode Neutral Indicator Tachometer/Hour Meter Engine Oil Pressure Hydraulic Temperature Indicator Coolant Temperature Gauge Diesel Exhaust Fluid Gauge with low DEF Warning Signal Alternator Indicator Light Air Restriction Indicator Light Exhaust Filter Cleaning Switch Roll Mode for Instrument Cluster PTO Engagement Light 4WD Engagement Light ELECTRICAL: 12-Volt Electrical System
One Battery - 950 CCA\*\* with 180 Minute Reserve Capacity 90 Amp Alternator 7-Pin ASAE Outlet Socket LIGHTS: Two Front Halogen Headlights Two Turn/Warning Lights Two Rear Work Lights
Dual Tail Lights MISCELLANEOUS: Slow-moving Vehicle (SMV) Emblem Front weight support \* Manufacturer's Rating \*\* Cold Cranking Amps

			List Price
	Attachment		Suggested
Code	Identifier	Description	USD (\$)

#### Select One Code From Each Required Category

#### **BASE MACHINE**

EX-WORKS Augusta, Georgia; Baltimore, Maryland; Benicia, California; Galveston, Texas; Brunswick, Georgia; Port Hueneme, California; Tacoma, Washington.

256DLV 5115ML Low-Profile Specialty Tractor 69,622.00

#### **DESTINATION**

North America

0202 United States In Base Price

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
0184		DESTINATIONContinued Canada	Same Price
		OPERATOR'S MANUAL	
0409		English Operator's Manual and Decal Kit	In Base Price
0413		French Operator's Manual and Decal Kit	Same Price
0437		Spanish Operator's Manual and Decal Kit	Same Price
		TRANSMISSION	
1380		16F/16R PowrReverser Transmission - 540/540E Electrohydraulic (EH) Directional Reverser Electrohydraulic Differential Lock Hydraulic Oil Cooler Wet Traction Clutch Wet PTO Clutch Park Lock Neutral Start Safety Switch B-C-D Range Synchronization 29.6 Gallon Fuel tank 65mm lift cylinders Requires Shiftable 540/540E Rear PTO (code 3820). Requires Open Center Hydraulics (code 3221).	In Base Price
1370		16F/16R PowrQuad Transmission Electrohydraulic (EH) Directional Reverser Electrohydraulic Differential Lock Hydraulic Oil Cooler Wet Traction Clutch Wet PTO Clutch Park Lock Neutral Start Safety Switch 38 Gallon Fuel Tank 75mm lift cylinders Requires Shiftable 540/540E/1000 Rear PTO (code 3830). Requires FFC Hydraulics (code 3223). Requires EH Hitch Controls (code 4030). Requires Fender Extensions (code 8022 or 8024).	4,523.00
1375		16F/16R PowrQuad Transmission with Creeper Electrohydraulic (EH) Directional Reverser Electrohydraulic Differential Lock Hydraulic Oil Cooler Wet Traction Clutch Wet PTO Clutch Park Lock Neutral Start Safety Switch 38 Gallon Fuel Tank 75mm lift cylinders Requires Shiftable 540/540E/1000 Rear PTO (code 3830). Requires PFC Hydraulics (code 3223). Requires EH Hitch Controls (code 4030). Requires Fender Extensions (code 8022 or 8024).	7,168.00
1385		32F/16R PowrQuad Transmisson Electrohydraulic (EH) Directional Reverser Electrohydraulic Differential Lock Hydraulic Oil Cooler Wet Traction Clutch Wet PTO Clutch	6,219.00

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
Code	identifie	TRANSMISSIONContinued	030 (\$)
		Park Lock	
		Neutral Start Safety Switch 38 Gallon Fuel Tank	
		75mm lift cylinders	
		Requires Shiftable 540/540E/1000 Rear PTO (code 3830). Requires PFC Hydraulics (code 3223).	
		Requires EH Hitch Controls (code 4030). Requires Fender Extensions (code 8022 or 8024).	
		OPERATOR'S STATION	_
2010		Isolated Open Operator Station  Low Profile Isolated Open Operator Station with Flat Floor	In Base Price
		Tilt and Telescopic Steering Column	
		Low Profile 2-Post Foldable Roll-Over Protection Structure (ROPS) Inboard mounted controls	
		Low Profile steering wheel	
		Speedometer Beverage Holder	
		Foldable flashing Warning Lights Dual Taillights	
		SEAT	
2110		Mechanical Suspension Seat	Same Price
2115		Low Profile Seat	In Base Price
		EXHAUST	
3010		Horizontal Side Exhaust	In Base Price
		HYDRAULICS	
3221		Open Center Hydraulic System	In Base Price
3223		PFC Hydraulic System	2,814.00
		REAR SELECTIVE CONTROL VALVES	
3330		Triple Stackable Rear Deluxe Valve with Lever Controls	In Base Price
		Features: Three Selectable Detent Positions on #1 Valve (Auto Kickout, Continuous Flow, or No Detent). Float Position on EACH Valve. Flow Priority to #1 Valve. Pressure	
		Compensated Flow Control for running Hydraulic Motors on #1 Valve.	
		MID SELECTIVE CONTROL VALVES	
3400		Less Mid Valve	In Base Price
		Does not include side frames.	
3410		Less Mid Valve, Add Engine Side Frames	247.50
3420		Dual Stackable Mid Valve with Joystick Control	1,289.00
		Includes side frames.	
		POWER TAKE-OFF (PTO)	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
3820		POWER TAKE-OFF (PTO)Continued Shiftable 540 / 540E Rear PTO	In Base Price
3830		Three Speed PTO - 540/540E/1000 Requires PFC Hydraulics (Code 3223)	794.00
		HITCH CONTROLS	
4010		Mechanical Hitch Control Requires Open Center Hydraulics (Code 3221)	In Base Price
4030		Electronic Hitch Control Requires PFC Hydraulics (code 3223) and Fender Extensions (Code 8022 or 8024).	475.00
		DRAFT LINK	
4110		Telescoping Draft Links (Cat. 2) Requires Cat. 2 Center Link (Code 4210) or Cat. 2 Hydraulic Center Link with Ball End (Code 4220)	In Base Price
4105		Telescoping Draft Links (Cat. 3) Requires PFC Hydraulics (Code 3223) Requires Cat. 3 Center Link (Code 4215)	Same Price
		LIFT LINK	
4160		Left Hand Only Adjustable Lift Links  Right side fixed	In Base Price
		CENTER LINK	
4210		Mechanical Center Link (Cat. 2) Requires Cat 2. Draft Links (Code 4110).	In Base Price
4215		Mechanical Center Link (Cat. 3) Requires PFC Hydraulics (Code 3223). Requires Cat. 3 Draft Links (Code 4105).	Same Price
4220		Hydraulic Center Link with Ball End (Cat. 2) Requires PFC Hydraulics (Code 3223) Requires Cat 2. Telescoping Draft Links (Code 4110)	772.00
		STABILIZER	
4420		Left Hand and Right Hand Stabilizer Bar	In Base Price
6040		FRONT AXLE  MFWD (4-Wheel Drive) Limited Slip Differential Push Button, On-The-Go Engagement Engagement Indicator Light. Electrohydraulic MFWD Engagement via On/Auto/Brake Auto Engagement Mode.	In Base Price

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		REAR WHEELS AND TIRES	
5121		16.9 - 30 in. 6PR R1 Bias (Goodyear) Requires Code 6111.	Same Price
5914		19.5L - 24 in. 10PR R4 Bias (Goodyear) Requires Code 6133.	In Base Price
5303		21.5L - 16.1 in. R3 Bias (Button Tire) Requires Codes 6111 or 6303.	-883.00
5130		16.9-24 R1 Bias (Firestone) Requires Codes 6130	-589.00
5173		480/70R28 R1 Radial (Mitas) Requires Code 6155	1,351.00
		REAR TIRE BRAND PREFERENCE	
5999		No Rear Tire Brand Preference	In Base Price
		FRONT WHEELS AND TIRES	
		See Loader Section of the Sales Manual for Front Tire/Loader compatibility information.	
6111		11.2-24 6PR R1 (Goodyear) Bias	391.00
6133		12.5/80-18-in. 12PR I3 Bias (Goodyear)	In Base Price
6303		9.5 - 16 in. 6PR R3 Bias	-464.00
6130		10.5/80-18 R4 Bias (Goodyear)	-207.00
6155		380/70R20 R1 (Mitas)	606.00
		FRONT TIRE BRAND PREFERENCE	
6799		No Front Tire Brand Preference	In Base Price
		LIGHTING	
8720		ROPS Mounted Work Lights (LED) Upgrades from halogen to LED	121.00
8725		Beacon Light (ROPS Mounted)	150.00
		HITCH CYLINDERS	
8458		70mm hitch lift cylinder	342.00
8463		80mm hitch lift cylinder Requires PFC Hydraulics (Code 3223).	384.00
		REAR FENDERS	
8022		Rear Fender Extensions Adds an additional 8.8 inches (224mm) extension per fender	241.00

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
8024		REAR FENDERSContinued Rear Fender Extensions - Wide Adds an additional 15.2 inches (385mm) extension per fender	414.00
8912		FRONT LOADER PREPARATION PACKAGES  Loader Preparation Package  Hydraulic hoses and hydraulic connections still need to be ordered with loader.  Loader Preparation Package only compatible with 540M and H310 loaders.  Includes loader mounting frames and hood guard.  Requires mid valve (Code 3420)	1,660.00
8330		GUARDS Skid Plate, Fuel Tank and Steering Line Guarding Package	832.00
		ATTACHMENTS FOR FIELD CONVERSION	
	BSJ10442	Backup Alarm Backup Alarm Kit	162.80
	AL80126	Cab Equipment Rear Mirror Mechanical For Open Station Tractors also order (1) RE244177 (Mounting Kit) per side.	180.40
	AL80127	Rear Mirror Mechanical For Open Station Tractors also order (1) RE244177 (Mounting Kit) per side.	180.40
	DZ102076	Cold Weather Packages Engine Block Heater (110V)	108.37
	BSJ10387	Front Hitch Front Hitch Attaching Parts - Augusta sourced - R4	4,398.90
	BLV10679	Front Power Take-off (Pto) Auxiliary Front Drive Coupler Kit	997.70
	BSJ10485	Fuel Tank Fuel Tank Shield Kit Compatible with cab tractors equipped with PowrReverser Transmissions	171.54
	BSJ10283	Hydraulics CASE DRAIN Supplies non-restricted flow of hydraulic fluid to reservoir. Must have Motor Control Kit (Power Beyond) BSJ10282 Installed. Compatible with models equipped with OC hydraulics and a PowrReverser Transmission.	190.30

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BSJ10428	ATTACHMENTS FOR FIELD CONVERSIONContinued Hydraulic Case Drain Plumbing (PFC and OC) Supplies non-restricted flow of hydraulic fluid to reservoir. Must have Motor Control Kit (Power Beyond) Installed.	190.30
	BSJ10309	Hydraulic Center Link - Ball Type	1,842.50
	BSJ10465	Oil Collection System Kit contains Dust Caps with Oil Collection Reservoir, Hoses and Brackets (Hardware included). For tractors equipped with a PowrReverser transmission and an Open Center Hydraulic System	113.30
	BSJ10282	POWER BEYOND Compatible with PowrReverser models only.	332.20
	BSJ10240	Power Beyond Kit (PFC System) Kit contains couplers only.	198.00
	RE244176	<b>Lighting</b> Beacon Light Kit	245.66
	BSJ10325	LED HEADLIGHTS	288.20
	BSJ10451	Machine Connectivity JDLink Mounting Kit, OOS models For FT4 5M, 5MH, 5ML tractors. JDLink kit to be ordered separately through whole goods (AMS base code 021RPC). Order less antenna (code 2009) then order PFA11136 through parts. (R4)	528.00
	BSJ10330	Mid Selective Control Valves  2 Mechanical Mid-SCV with Joystick lever Includes components and parts required to install Dual Mid Control Valve on Tractors not equipped with Mid Control Valve. Does not include loader side frames. Compatible with 5100ML and 5115ML with PowrReverser transmissions. Base Codes 198DLV, 256DLV For 5ML models, you must also order the following - (1) SJ26965, (1)SJ30284, (1) R251414, (1) SU41309, (10) R94361, (4) 19M9140, (6) 19M9134	1,417.90
	BLV10099	Miscellaneous 1000/540/540E-rpm power take-off (PTO) kit New gear box (assembly required) and reversible PTO stub shaft included. For tractors equipped with a PowrReverser transmission only.	1,487.20
	BSJ10101	3rd Mid SCV (upgrade from 2 Mid SCV) Stackable design adds 3rd Function to existing Dual valves on tractors equipped with a PowrReverser Transmission.	851.40
	LVB25785	Canopy - Deluxe Includes Amber lights front and rear, hard liner and wiring harness. Requires LVB25783 Canopy Mounting Bracket and Hardware Kit ordered separately.	828.30
	LVB25783	Canopy mounting kit Operator Stations Only. Canopy ordered separately.	74.80

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BRE10151	ATTACHMENTS FOR FIELD CONVERSIONContinued Front Utility Box Must also order Front Utility Box Bracket (BRE10153). Utility Box is intended for front tractor mounting only.	356.40
	BRE10153	Front Utility Box Bracket Compatible only with front suitcase weight R127764 -Region 4 style. You must have a minimum of 4 suitcase weights and a maximum of 22 suitcase weights.	123.20
	AL213203	Lockable Filler Cap Fuel Tank	34.06
	LVB25727	PowrReverser modulation control kit	156.20
	L154683	Rear Axle 1.2 in. Extension (30 mm)  Two required.  Requires (16) 19M9364 Cap Screws (8 per Extension), ordered separately.	184.69
	L154682	Rear Axle 1.6 in. Extension (40 mm) Two required. Requires (16) 19M8979 Cap Screws (8 per Extension), Ordered Separately.	216.57
	L154684	Rear Axle 4.4 in. Extension (111 mm) Two required. Requires (16) 19M9365 Cap Screws (8 per Extension), Ordered Separately.	305.70
	RE244177	Rear View Mirror Mounting Kit OOS Requires AL80127 and/or AL80126. Kit contains support plates and hardware for one rear view mirror. Mirror not included.	33.07
	RE19428	Safety Chain Support Kit	158.04
	AL203265	Service Horn Requires bolt and nut 19m7865 and 14m7298.	41.13
	R127764	Weight, front suitcase 43 kg (95 lb) quantity of one	136.40
	R213907	Weight, rear wheel - 43.09 kg (95 lb)  Not compatible on wheels sized 24" or smaller. Maximum of 3 per wheel.	147.40
	TY27545	Three-point Hitch Quik-Coupler, Economy, Category 2 Interference may occur when raising the hitch if extended fenders are configured.	580.37

#### 5125ML Low-Profile Specialty Tractor

**Equipment for Base Machine** 

125 Engine Horsepower @ 2200 rpm\* 115 PTO Horsepower @ 2100 rpm\* EPA Final Tier 4 Emissions Compliant Turbocharger with Intercooler 4.5L PowerTech Diesel Engine 4 Valve HPCR Dry Type Air Cleaner with Safety Element Underhood Muffler with Side Exhaust (Aftertreatment: DOC/SCR)
Cold Start Aid - Air IntakeHeater Hand and Foot Throttle Key Engine Shut-Off Water Separator Bowl TRANSMISSION: EH Differential Lock Hydraulic Oil Cooler Wet Traction Clutch Park Lock Neutral Start Safety Switch REAR AXLE: Flanged Rear Axle Planetary Final Drives 8-Position Standard Steel Rear Wheels FRONT AXLE: Mechanical Front Wheel Drive Front Axle Planetary Final Drives Electrohydraulic MFWD Engagement via On/Auto/Brake STEERING AND BRAKES: Hydrostatic Power Steering Hydraulic Wet Disk Brakes Self-Equalizing and Self-Adjusting HYDRAULIC: PFC Hydraulic System See code selection for Selective Control Valves (SCVs) POWER TAKE-OFF SHAFT: Independent "Live" 540 /1000 RPM Rear PTO Shaft @ 2100 Engine RPM Economy PTO Setting for 540 PTO RPM @ 1645 Engine Reversible 540/1000 PTO Shaft Electrohydraulic PTO Engagement Wet PTO Clutch

Operator Presence Safety Warning - PTO

Safety Start Switch Flip Up PTO Shield

ROCKSHAFT, HITCH AND DRAWBAR: Heavy-duty Drawbar Adjustable Drawbar See code selection for draft link sizing Lower Link Draft Sensing INSTRUMENTATION: Electric Fuel Gauge Flashing Warning Lamp High Beam Indicator Light Service Transmission Indicator PTO Speed Indicator/Roll Mode Neutral Indicator Tachometer/Hour Meter Engine Oil Pressure Hydraulic Temperature Indicator Coolant Temperature Gauge Diesel Exhaust Fluid Gauge with low DEF Warning Signal Alternator Indicator Light Air Restriction Indicator Light Exhaust Filter Cleaning Switch Roll Mode for Instrument Cluster PTO Engagement Light 4WD Engagement Light ELECTRICAL: 12-Volt Electrical System
One Battery - 950 CCA\*\* with 180 Minute Reserve Capacity
90 Amp Alternator 7-Pin ASAE Outlet Socket LIGHTS: Two Front Halogen Headlights Two Turn/Warning Lights Two ROPS Mounted Work Lights Dual Tail Lights MISCELLANEOUS: Slow-moving Vehicle (SMV) Emblem Front Weight Support \* Manufacturer's Rating \*\* Cold Cranking Amps

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
		EX-WORKS Augusta, Georgia; Baltimore, Maryland; Benicia, California; Galveston, Texas; Brunswick, Georgia; Port Hueneme, California; Tacoma, Washington.	
257CLV		5125ML Low-Profile Specialty Tractor	81,193.00

#### **DESTINATION**

North America

0202 United States In Base Price

# 5125ML Low-Profile Specialty Tractor Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
0184		DESTINATIONContinued Canada	Same Price
		OPERATOR'S MANUAL	
0409		English Operator's Manual and Decal Kit	In Base Price
0413		French Operator's Manual and Decal Kit	Same Price
0437		Spanish Operator's Manual and Decal Kit	Same Price
		TRANSMISSION	
1370		16F/16R PowrQuad Transmission Electrohydraulic (EH) Directional Reverser Electrohydraulic Differential Lock Hydraulic Oil Cooler Wet Traction Clutch Wet PTO Clutch Park Lock Neutral Start Safety Switch 38 Gallon Fuel Tank 75mm lift cylinders Requires Shiftable 540/540E/1000 Rear PTO (code 3830). Requires PFC Hydraulics (code 3223). Requires EH Hitch Controls (code 4030). Requires Fender Extensions (code 8022 or 8024).	In Base Prio
1375		16F/16R PowrQuad Transmission with Creeper Electrohydraulic (EH) Directional Reverser Electrohydraulic Differential Lock Hydraulic Oil Cooler Wet Traction Clutch Wet PTO Clutch Park Lock Neutral Start Safety Switch 38 Gallon Fuel Tank 75mm lift cylinders Requires Shiftable 540/540E/1000 Rear PTO (code 3830). Requires FFC Hydraulics (code 3223). Requires EH Hitch Controls (code 4030). Requires Fender Extensions (code 8022 or 8024).	2,645.0
1385		32F/16R PowrQuad Transmisson Electrohydraulic (EH) Directional Reverser Electrohydraulic Differential Lock Hydraulic Oil Cooler Wet Traction Clutch Wet PTO Clutch Park Lock Neutral Start Safety Switch 38 Gallon Fuel Tank 75mm lift cylinders Requires Shiftable 540/540E/1000 Rear PTO (code 3830). Requires FFC Hydraulics (code 3223). Requires EH Hitch Controls (code 4030). Requires Fender Extensions (code 8022 or 8024).	1,696.0

#### **OPERATOR'S STATION**

2010 Isolated Open Operator Station In Base Price

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		OPERATOR'S STATIONContinued  Low Profile Isolated Open Operator Station with Flat Floor Tilt and Telescopic Steering Column  Low Profile 2-Post Foldable Roll-Over Protection Structure (ROPS) Inboard mounted controls  Low Profile steering wheel Speedometer Beverage Holder Foldable flashing Warning Lights  Dual Taillights	
		SEAT	
2110		Mechanical Suspension Seat	Same Price
2115		Low Profile Seat	In Base Price
		EXHAUST	
3010		Horizontal Side Exhaust	In Base Price
		HYDRAULICS	
3223		PFC Hydraulic System	In Base Price
		REAR SELECTIVE CONTROL VALVES	
3330		Triple Stackable Rear Deluxe Valve with Lever Controls Features: Three Selectable Detent Positions on #1 Valve (Auto Kickout, Continuous Flow, or No Detent). Float Position on EACH Valve. Flow Priority to #1 Valve. Pressure Compensated Flow Control for running Hydraulic Motors on #1 Valve.	In Base Price
		MID SELECTIVE CONTROL VALVES	
3400		Less Mid Valve Does not include side frames.	In Base Price
3410		Less Mid Valve, Add Engine Side Frames	247.50
3420		Dual Stackable Mid Valve with Joystick Control <i>Includes side frames.</i>	1,289.00
		POWER TAKE-OFF (PTO)	
3830		Three Speed PTO - 540/540E/1000 Requires PFC Hydraulics (Code 3223)	In Base Price
		HITCH CONTROLS	
4030		Electronic Hitch Control Requires PFC Hydraulics (code 3223) and Fender Extensions (Code 8022 or 8024).	In Base Price
		DRAFT LINK	
4110		Telescoping Draft Links (Cat. 2) Requires Cat. 2 Center Link (Code 4210) or Cat. 2 Hydraulic Center Link with Ball End (Code	In Base Price

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		DRAFT LINKContinued 4220)	
4105		Telescoping Draft Links (Cat. 3) Requires PFC Hydraulics (Code 3223) Requires Cat. 3 Center Link (Code 4215)	Same Price
		LIFT LINK	
4160		Left Hand Only Adjustable Lift Links Right side fixed	In Base Price
		CENTER LINK	
4210		Mechanical Center Link (Cat. 2) Requires Cat 2. Draft Links (Code 4110).	In Base Price
4215		Mechanical Center Link (Cat. 3) Requires PFC Hydraulics (Code 3223). Requires Cat. 3 Draft Links (Code 4105).	Same Price
4220		Hydraulic Center Link with Ball End (Cat. 2) Requires PFC Hydraulics (Code 3223) Requires Cat 2. Telescoping Draft Links (Code 4110)	772.00
		STABILIZER	
4420		Left Hand and Right Hand Stabilizer Bar	In Base Price
6040		FRONT AXLE  MFWD (4-Wheel Drive) Limited Slip Differential Push Button, On-The-Go Engagement Engagement Indicator Light. Electrohydraulic MFWD Engagement via On/Auto/Brake Auto Engagement Mode.	In Base Price
		REAR WHEELS AND TIRES	
5121		16.9 - 30 in. 6PR R1 Bias (Goodyear) Requires Code 6111.	Same Price
5914		19.5L - 24 in. 10PR R4 Bias (Goodyear) Requires Code 6133.	In Base Price
5303		21.5L - 16.1 in. R3 Bias (Button Tire) Requires Codes 6111 or 6303.	-883.00
5130		16.9-24 R1 Bias (Firestone) Requires Codes 6130	-589.00
5173		480/70R28 R1 Radial (Mitas) Requires Code 6155	1,351.00

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		REAR TIRE BRAND PREFERENCE	
5999		No Rear Tire Brand Preference	In Base Price
		FRONT WHEELS AND TIRES	
		See Loader Section of the Sales Manual for Front Tire/Loader compatibility information.	
6111		11.2-24 6PR R1 (Goodyear) Bias	391.00
6133		12.5/80-18-in. 12PR I3 Bias (Goodyear)	In Base Price
6303		9.5 - 16 in. 6PR R3 Bias	-464.00
6130		10.5/80-18 R4 Bias (Goodyear)	-207.00
6155		380/70R20 R1 (Mitas)	606.00
		FRONT TIRE BRAND PREFERENCE	
6799		No Front Tire Brand Preference	In Base Price
8720		LIGHTING  ROPS Mounted Work Lights (LED)  Upgrades from halogen to LED	121.00
8725		Beacon Light (ROPS Mounted)	150.00
		HITCH CYLINDERS	
8463		80mm hitch lift cylinder Requires PFC Hydraulics (Code 3223).	384.00
		REAR FENDERS	
8022		Rear Fender Extensions Adds an additional 8.8 inches (224mm) extension per fender	241.00
8024		Rear Fender Extensions - Wide Adds an additional 15.2 inches (385mm) extension per fender	414.00
		FRONT LOADER PREPARATION PACKAGES	
8912		Loader Preparation Package Hydraulic hoses and hydraulic connections still need to be ordered with loader. Loader Preparation Package only compatible with 540M and H310 loaders. Includes loader mounting frames and hood guard. Requires mid valve (Code 3420)	1,660.00
		GUARDS	
8330		Skid Plate, Fuel Tank and Steering Line Guarding Package	832.00
		ATTACHMENTS FOR FIELD CONVERSION	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	BSJ10442	Backup Alarm Backup Alarm Kit	162.80
	AL80126	Cab Equipment Rear Mirror Mechanical For Open Station Tractors also order (1) RE244177 (Mounting Kit) per side.	180.40
	AL80127	Rear Mirror Mechanical For Open Station Tractors also order (1) RE244177 (Mounting Kit) per side.	180.40
	DZ102076	Cold Weather Packages Engine Block Heater (110V)	108.37
	BSJ10387	Front Hitch Front Hitch Attaching Parts - Augusta sourced - R4	4,398.90
	BLV10679	Front Power Take-off (Pto) Auxiliary Front Drive Coupler Kit	997.70
	BSJ10428	Hydraulics Hydraulic Case Drain Plumbing (PFC and OC) Supplies non-restricted flow of hydraulic fluid to reservoir. Must have Motor Control Kit (Power Beyond) Installed.	190.30
	BSJ10309	Hydraulic Center Link - Ball Type	1,842.50
	BSJ10240	Power Beyond Kit (PFC System) Kit contains couplers only.	198.00
	RE244176	Lighting Beacon Light Kit	245.66
	BSJ10325	LED HEADLIGHTS	288.20
	BSJ10451	Machine Connectivity JDLink Mounting Kit, OOS models For FT4 5M, 5MH, 5ML tractors. JDLink kit to be ordered separately through whole goods (AMS base code 021RPC). Order less antenna (code 2009) then order PFA11136 through parts. (R4)	528.00
	LVB25785	Miscellaneous Canopy - Deluxe Includes Amber lights front and rear, hard liner and wiring harness. Requires LVB25783 Canopy Mounting Bracket and Hardware Kit ordered separately.	828.30

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	LVB25783	ATTACHMENTS FOR FIELD CONVERSIONContinued Canopy mounting kit Operator Stations Only. Canopy ordered separately.	74.80
	BRE10151	Front Utility Box Must also order Front Utility Box Bracket (BRE10153). Utility Box is intended for front tractor mounting only.	356.40
	BRE10153	Front Utility Box Bracket Compatible only with front suitcase weight R127764 -Region 4 style. You must have a minimum of 4 suitcase weights and a maximum of 22 suitcase weights.	123.20
	AL213203	Lockable Filler Cap Fuel Tank	34.06
	L154683	Rear Axle 1.2 in. Extension (30 mm) Two required. Requires (16) 19M9364 Cap Screws (8 per Extension), ordered separately.	184.69
	L154682	Rear Axle 1.6 in. Extension (40 mm) Two required. Requires (16) 19M8979 Cap Screws (8 per Extension), Ordered Separately.	216.57
	L154684	Rear Axle 4.4 in. Extension (111 mm) Two required. Requires (16) 19M9365 Cap Screws (8 per Extension), Ordered Separately.	305.70
	RE244177	Rear View Mirror Mounting Kit OOS Requires AL80127 and/or AL80126. Kit contains support plates and hardware for one rear view mirror. Mirror not included.	33.07
	RE19428	Safety Chain Support Kit	158.04
	AL203265	Service Horn Requires bolt and nut 19m7865 and 14m7298.	41.13
	R127764	Weight, front suitcase 43 kg (95 lb) quantity of one	136.40
	R213907	Weight, rear wheel - 43.09 kg (95 lb)  Not compatible on wheels sized 24" or smaller. Maximum of 3 per wheel.	147.40
	TY27545	Three-point Hitch Quik-Coupler, Economy, Category 2 Interference may occur when raising the hitch if extended fenders are configured.	580.37

# THIS PAGE INTENTIONALLY LEFT BLANK