

Colormoon[®]

Customer Support:
colormoon@outlook.com



User Manual


LED Floor Lamp

Specifications:

Model	FL1-BK
Rated Power	20W
Input Voltage	100-240V AC 50Hz/60Hz
Output Voltage	DC 12V 1.5A
Type of Light	LED
CCT	3000K, 4500K, 6000K
CRI	>80Ra
Lumen	2200LM
Dimension of light	D282*H1800mm

Packaging list:

- ① Lamp Base
- ② Pole 1
- ③ Pole 2
- ④ Pole 3 with control panel
- ⑤ Pole 4 with lampA






1. Place the lamp base on flat surface.




2. Screw the pole 1 into the lamp base



3. Pull the power cable from the lamp base and then screw the pole 2 to pole 1



4. Pull the power cable from the lamp base again and screw the pole 3 to pole 2 (Careful not to remove the bar rubber grommet)



5. Screw the pole 4 to pole 3 (Any excessive cord slack has to be pulled towards the lamp.)



6. Finished and you are ready to use


Notice:

1. Please pull power cable from bottom lamp base rather than from the top.
2. Any top cord extra slack should to be pulled towards the lamp rather than into pole 3
3. The two tiny plug adapters should be firmly attached on the both ends of pole 3, please don't remove it
4. Wires twist may cause the bulb to cut off, please take care to not pinch or damage the wires
5. Make sure each section of the tubes are tightened

Operation Instructions

Manual Control

- 1 Increase the brightness
- 2 Decrease the brightness
- 3 Switch between the color temperatures
- 4 Power ON/OFF



Remote Control

See the chart as below

Note:

- ① Button “DIMMEST 5%” means you set the light to its lowest brightness for night light use.
- ② You must point the remote to the touch panel to control the light.

