



Circuit breaker, SLA, 250A, 3 pole, 480VAC, 35kA, 250VDC, unit mount, thermal magnetic, shunt trip

SLAL32501021

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Product or Component Type	Circuit breaker
Trip Unit Technology	Thermal-magnetic

Complementary

Line Rated Current	250 A	
Number of Poles	3P	
Breaking capacity code	LAL	
Mounting Mode	Unit mount	
Magnetic Hold Current	1250 A	
Magnetic Tripping Current	2500 A	
Electrical connection	Lugs, load Lugs, line	
Terminal identifier	AL400LA	
Tightening torque	115.06 lbf.in (13 N.m) 0.070.5 in² (42304 mm²) (AWG 1600 kcmil) 115.06 lbf.in (13 N.m) 0.070.2 in² (42127 mm²) (AWG 1250 kcmil)	
Height	12.6 in (320.04 mm)	
Width	12.5 in (317.5 mm)	
Depth	19.9 in (505.5 mm)	

Environment

Certifications	150	
Certifications	IEC	
	UL Listed	
	CCA	
	CSA	

Ordering and shipping details

Category	US10DE200922
Discount Schedule	0DE2
GTIN	785901770039
Returnability	No
Country of origin	MX

Packing Units

Unit Type of Package 1	PCE

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Number of Units in Package 1	1
Package 1 Height	8.44 in (21.433 cm)
Package 1 Width	11.13 in (28.258 cm)
Package 1 Length	17.13 in (43.498 cm)
Package 1 Weight	16.347 lb(US) (7.415 kg)

Contractual warranty

Warranty 18 months



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

☑ Environmental footprint

Environmental Disclosure

Product Environmental Profile

Use Better

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	Yes
EU RoHS Directive	Compliant with Exemptions
SCIP Number	45160aaa-1457-439f-bca7-7bd5246ac23e
REACh Regulation	REACh Declaration
California proposition 65	WARNING: This product can expose you to chemicals including: DINP, which is known to the State of California to cause cancer, and DIDP, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
Halogen content performance	Halogen free plastic parts product
PVC free	Yes

Use Again

○ Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No