

NEED HELP?

🔗 tms.fyi/helpcenter

✉ support@themeatstick.com

🛡 Covered by a 1-year limited warranty:
themeatstick.com/warranty



The MeatStick®

Wireless Meat Thermometer



tms.fyi/app

SCAN & DOWNLOAD
The MeatStick App
TO GET STARTED!



All instructions are provided in the App.

DE

SCANNEN UND LADEN

Sie die Meatstick-App

HERUNTER, UM LOSZULEGEN!

Alle Anweisungen werden in der App bereitgestellt.

FR

SCANNEZ ET TÉLÉCHARGEZ

L'Application The MeatStick

POUR COMMENCER !

Toutes les instructions sont fournies dans l'application.

中文

掃碼+下載

The MeatStick App

開始使用產品!

全部功能教學皆在App裡能找到

DA

SCAN OG DOWNLOAD


MeatStick-appen

FOR AT KOMME I GANG!

Alle instruktioner findes i appen.

⚠ CAUTION ⚠

Insert the Stick **completely** into the meat so it can withstand high temperatures. **Beware of flare-ups!** They can exceed 900 °F/500 °C and damage the Stick.



Ambient Temp Sensor
Max. 572 °F/300 °C

Ceramic Handle

Power Button

Charger Touchpoints

Internal Temp Sensor
Max. 212 °F/100 °C

Stick lasts 24+ hours on a full charge


DE

⚠ ACHTUNG ⚠

Setzen Sie den Stick **vollständig** in das Fleisch ein, damit er den hohen Temperaturen standhält.



Sie können 500 °C überschreiten und den Stick beschädigen.



Sensor für die Umgebungstemperatur
Max. 300 °C

Betriebsanzeige

Startknopf
Ladegepunkt des Ladegeräts

Sensor für die Kerntemperatur
Max. 100 °C

Der Stick reicht bei voller Ladung 24+ Stunden.

FR

⚠ ATTENTION ⚠

Insérer complètement le Stick afin qu'il puisse supporter des températures élevées.



Elles peuvent dépasser les 500 °C et endommager le Stick.



Capteur de température ambiante
Max. 300 °C

Voyant lumineux du chargeur

Manche en céramique
Bouton marche

Capteur de température interne
Max. 100 °C

Le Stick tient plus de 24 heures sur une charge complète

中文


外部感溫器
耐溫高達 300 °C

電源指示燈

陶瓷握把
充電按鈕

內部感溫器
耐溫高達 100 °C

滿電電量充電 能使用超過 24 小時



DA


Sensor til omgivelsistemperatur
Max. 300 °C

Indikator til strøm

Keramisk del
Startknop

Ladepunkter
Temperatursensor

Proben kan holde mindst 24 timer på en fuld opladning.



⚠ ADVARSEL ⚠

將溫度儀完全插入肉裡，才能耐高溫烹煮。



小心火燒！突發的火焰可能高達 500 °C，破壞溫度儀器。

Proben kan holde mindst 24 timer på en fuld opladning.



Sett proben **hel** ind i kødet, så det kan modstå de høje temperaturer.

DE

Déclaration IC

L'émetteur/récepteur exempt de licence contenu dans le présent appareil est conforme aux CNR d'Innovation, Sciences et Développement économique Canada applicables aux appareils radio exempts de licence.

L'exploitation est autorisée aux deux conditions suivantes :

1. L'appareil ne doit pas produire de brouillage;
2. L'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

MODEL# PM870
IC: 27999-PM87001

MODEL# PS880N
IC: 27999-PS88001

MODEL# PM890
IC: 27999-PM89001

MODEL# TC300EX
IC: 27999-TC30001

MODEL# PS860P
IC: 27999-PM87001

MODEL# TC600EX
IC: 27999-TC60001

MODEL# PS860N
IC: 27999-PS86001

MODEL# BR630
IC: 27999-BR63001

CAN ICES-003(B) /



IC Statement

This device contains licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s).

Operation is subject to the following two conditions:

1. This device may not cause interference.
2. This device must accept any interference, including interference that may cause undesired operation of the device.

Legal & Regulatory information can be found in the App's Setting Page.



tms.fyi/app

FCC Statement

This equipment has been tested and found to comply with the limits for a class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.



Soma Labs LLC, hereby declares that the product(s) comply with the essential requirements of relevant European Union directives. For the full version of the Declaration of Conformity, please visit the following link: tms.fyi/ce-declaration