

# Type-C to HDMI Cable

## User Manual



# Contents

1.0 INTRODUCTION.....	1
2.0 FEATURES.....	1
3.0 SPECIFICATIONS.....	1
4.0 PACKAGE CONTENTS.....	2
5.0 OPERATION.....	2

# Type-C to HDMI Cable

## DEAR CUSTOMER

Thank you for purchasing this product. For optimum performance and safety, please read these instructions carefully before connecting, operating or using this product. Please keep this manual for future reference.

## 1.0 INTRODUCTION

This is a USB-C male to HDMI cable which allows you to transmit signals from your new Macbook pro or Chromebook or other Type-C host PC to an HDMI monitor. Besides, there is no need for you to connect the source display to the sink display with an HDMI cable as it is equipped with 5m cable. With this product, you can watch videos or slideshows together on the big screen.

## 2.0 FEATURES

- Support USB-C Male input with 3ft fixed cable and HDMI Male output
- Support per lane data rates of 2.7Gbps (HBR) and 1.62Gbps (RBR)
- Support content protection of HDCP
- Support HDMI resolution max up to 4kx2k@60HZ,18G Bandwidth
- USB bus power (no external power supply)

## 3.0 SPECIFICATIONS

Input/Output Connector	
Input	USB-C Male x1
Output	HDMI Male x1
Resolutions(HDTV)	
Resolutions	Max up to 4kx2k@60HZ
Warranty	
Limited Warranty	1 Year
Environmental	
Operating Temperature	0 °C to +45°C
Operating Humidity	10% to 85 % RH (no condensation)
Storage Temperature	-10°C to +70°C
Storage Humidity	5% to 90 % RH (no condensation)

<b>Regulatory Approvals</b>	
Certifications	<b>CE, RoHS, UL62368-1</b>
<b>Accessories Adapter</b>	
User Manual	English Version

## 4.0 PACKAGE CONTENTS

Before attempting to use this unit, please check the packaging and make sure the following items are contained in the shipping carton:

- Main unit x1
- User Manual x1

## 5.0 OPERATION

- ① Connect USB-C Male port of this product to the Macbook pro or other Type-C host PC
- ② Connect HDMI Male port of this product to HDTV