

size: 340*85mm

Pantone 2728C

Pantone 331C



Install batteries


Remove the battery cover from the Phyn Water Sensor, then insert AA Batteries.



Download Phyn app

Follow our step-by-step installation instructions in the app.

For online support, visit phyn.com/help
2-year limited warranty, visit phyn.com/warranty



PHYN

Phyn Water Sensor

Détecteur d'eau intelligent Phyn

Let's dive in

Mise en route



Installer les piles

Retirez le couvercle du compartiment de piles du détecteur d'eau Phyn, puis insérez les piles AA.



Téléchargez l'application Phyn

Suivez nos instructions d'installation étape par étape dans l'appli.

Pour accéder au soutien en ligne, visitez phyn.com/help
Garantie limitée de deux (2) ans, visitez phyn.com/warranty

Touch Controls Commandes tactiles



Power
Alimentation

Sensor Extension Port
(Cable sold separately)

Port d'extension du détecteur
(Câble vendu séparément)

Phyn Water Sensor Regulatory Statements

FCC statement: This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

FCC Caution: Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment.

Radio Frequency 2.4GHz band operation of this product in the USA is firmware-limited to channels 1 through 11
FCC Radiation Exposure Statement: This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated within a minimum distance of 20 cm between the radiator and your body. This device and its antenna(s) must not be co-located or operating in conjunction with any other antenna or transmitter except in accordance with FCC multi-transmitter product procedures.

Innovation, Science and Economic Development Canada Statement: CAN ICES-003(B)/NMB-003 (B)
Operation is subject to the following two conditions: (1) This device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of the device. The device could automatically discontinue transmission in case of absence of information to transmit, or operational failure. Note that this is not intended to prohibit transmission of control or signaling information or the use of repetitive codes where required by the technology.

Innovation, Science and Economic Development Canada Radiation Exposure Statement:

This equipment complies with IC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20 cm between the radiator & your body. This device and its antenna(s) must not be co-located or operating in conjunction with any other antenna or transmitter except in accordance with IC multi-transmitter product procedures.

Communiqués relatifs à : Innovation, Sciences et Développement économique Canada CAN ICES-003(B)/NMB-003 (B)

Le fonctionnement est soumis aux deux conditions suivantes : (1) Cet appareil ne peut causer des interférences, et (2) il doit accepter toute interférence, notamment des interférences qui peuvent provoquer un fonctionnement non désiré de l'appareil. L'appareil peut interrompre automatiquement la transmission en cas d'absence d'informations à transmettre ou de panne de fonctionnement. Notez que cela n'a pas pour but d'interdire la transmission d'informations de commande ou de signalisation ou l'utilisation de codes répétitifs lorsque la technologie l'exige.

Communiqués relatifs à : Innovation, Sciences et Développement économique Canada concernant l'exposition aux rayonnements

Cet équipement est conforme aux limites de l'IC sur l'exposition aux rayonnements établies pour un environnement non contrôlé. Cet équipement doit être installé et utilisé à une distance minimale de 20 cm entre le radiateur et vous. Cet appareil et ses antennes ne doivent pas être installés au même endroit ou fonctionner en association avec une autre antenne ou un autre émetteur, sauf conformément aux procédures IC relatives aux multiémetteurs.