

Cordless Vacuum

804106594

IMPORTANT SAFETY INSTRUCTIONS

FOR HOUSEHOLD USE ONLY • PLEASE READ

ALL INSTRUCTIONS BEFORE USING THIS VACUUM.

If the charging cord plug does not fit fully into the outlet, reverse the plug. If it still does not fit, contact a qualified electrician. DO NOT force into outlet or try to modify to fit.

To reduce the risk of shock and unintended operation, turn off power and remove the battery before servicing.

WARNING

To reduce the risk of fire, electric shock, injury, or property damage:

THE FLOOR NOZZLE, WAND, AND HAND VACUUM CONTAIN ELECTRICAL CONNECTIONS: This vacuum consists of a motorized

- nozzle, wand, and hand vacuum. These components contain electrical connections, electrical wiring, and moving parts that potentially present risk
- Before each use, carefully inspect all parts for any damage. If a part is damaged, discontinue use.
- Use only identical replacement parts.
- This vacuum contains no serviceable parts.
- Use only as described in this manual. **DO NOT** use the vacuum for any purpose other than those described in this manual.
- With the exception of the filters and dust cup, **DO NOT** expose any parts of the vacuum to water or other liquids.
- Keep the appliance and its cord out of reach of children. Do not allow the appliance to be used by children. Do not allow to be used as a toy. Close supervision is necessary when used near children.

GENERAL USE

- This appliance can be used by persons with reduced physical, sensory or mental capabilities or lack of experience or knowledge if they have been given supervision or instruction concerning use of the appliance in a safe way and understand the hazards involved Cleaning and user maintenance shall not be done by children.
- Always turn off the vacuum before connecting or disconnecting any current carrying hoses, motorized nozzles, chargers, batteries, or other electrical or mechanical parts.
- 10. DO NOT handle plug or vacuum with wet hands.
- DO NOT use without dust cup, filters, and brushroll in place.
- 12. Only use Shark® branded filters and accessories.
- 13. DO NOT put any objects into nozzle or accessory openings. DO NOT use with any opening blocked; keep free of dust. lint, hair, and anything that may reduce airflow.
- **14. DO NOT** use if nozzle or accessory airflow is restricted. If the air paths or the motorized floor nozzle become blocked, turn the vacuum off. Remove all obstructions before you turn on the unit again.
- **15.** Keep nozzle and all vacuum openings away from hair, face, fingers, uncovered feet, or loose clothing.
- 16. DO NOT use if vacuum is not working as it should, or has been dropped. damaged, left outdoors, or dropped into water.
- 17. Use extra care when cleaning on stairs.
- DO NOT leave the vacuum unattended while powered on.
- When powered on, keep the vacuum moving over the carpet surface at all times to avoid damaging the carpet
- 20. DO NOT place vacuum on unstable surfaces such as chairs or tables
- 21. DO NOT use to pick up:
 - a) Liquids
 - b) Large objects c)Hard or sharp objects (glass, nails, screws or coins)
 - d) Large quantities of dust (including drywall, fireplace ash, or embers). DO NOT use as an attachment to power tools for dust collection.

- e) Smoking or burning objects (hot coals, cigarette butts, or matches)
- f) Flammable or combustible materials (lighter fluid, gasoline, or kerosene)
- g) Toxic materials (chlorine bleach, ammonia, or drain cleaner)
- 22. DO NOT use in the following areas:
 - a) Poorly lit areas
 - b) Wet or damp surfaces
 - c) Outdoor areas
 - d) Spaces that are enclosed and may contain explosive or toxic fumes or vapors (lighter fluid, gasoline, kerosene, paint, paint thinners, mothproofing substances, or flammable dust)
- 23. Turn off the vacuum before plugging in or unplugging the charger.
- Turn off the vacuum before any adjustment, cleaning, maintenance or troubleshooting.
- 25. During cleaning or routine maintenance, **DO NOT** cut anything other than hair, fibers, or string wrapped around the brushroll.
- 26. Allow all filters to air-dry completely before replacing in the vacuum to prevent liquid from being drawn into electric
- ${\bf 27.\ DO\ NOT}$ modify or attempt to repair the vacuum or the battery yourself, except as indicated in this manual
 - DO NOT use the battery or vacuum if it has been modified or damaged. Damaged or modified batteries may exhibit unpredictable behavior resulting in fire, explosion or risk of injury.
- Turn off all controls before unplugging.

BATTERY PACK

- 29. The battery is the power source for the vacuum. Carefully read and follow all charging instructions.
- **30.** To prevent unintentional starting, ensure the vacuum is powered off before pic up or carrying the vacuum. **DO NOT** carry the appliance with your finger on the power switch.
- Use only Shark® charger. Use of an incorrect charger may result in no charging, and/or unsafe conditions.
- 32. Use only with Shark battery pack.
- Keep the battery away from all metal objects such as paper clips, coins, keys, nails, or screws. Shorting the battery terminals increases the risk of fire or
- 34. Under abusive conditions, liquid may be ejected from the battery. Avoid contact with this liquid, as it may cause irritation or burns. If contact occurs, flush with water. If liquid contacts eyes, seek medical help.
- 35. Battery should not be stored at temperatures below 37.4°F (3°C) or above 104°F (40°C) to maintain longterm battery life.
- **36. DO NOT** charge battery at temperatures below 40°F (5°C) or above 104°F (40°C).
- **37.** Store the appliance indoors. **DO NOT** use or store it below 37.4°F (3°C). Ensure the appliance is at room temperature before operating.
- 38. DO NOT expose the battery to fire or temperatures above 265°F (130°C) as it may cause explosion.

SAVE THESE INSTRUCTIONS


TECHNICAL SPECIFICATIONS

Voltage: 11.1V ===

ASSEMBLY

- 1. Slide the Wand onto the neck of the PowerFins Floor Nozzle until it clicks into place
- 2. Align the Hand Vacuum nozzle opening with the top the wand and slide it on until it clicks into place.
- 3. Make sure the **Dock Plate** is facing upright. Slide the **Charging Post** into the slot on back of dock
- 4. Place the dock on the floor near a wall outlet Plug the **Wall Charger** into the outlet, then connect the cord to the port on the back of the charging post.
- 5. Store cleaning accessories on the mount on the dock plate

For proper operation, ensure all components are pletely connected and clicked into place



NOTE: Accessories may vary depending on the model. Refer to quick


guide, if available. The images shown here are for illustrative purposes only and may be subject to change.


NOTE: Once the charging post is installed, it can't be removed.

LI-ION BATTERY

Prior to first use, charge the battery completely

LED BATTERY POWER AND CHARGING INDICATORS





Charge Charge Charge NOTE: LEDs will shut off minutes after achieving full charge In Use

0 0 0 0 0 0 Mid Low Nearly No Boost Charge Charge Empty Charge

RECYCLING THE LI-ION BATTERY

When the Shark® Li-ion battery needs to be replaced, dispose of it or recycle it in accordance with local ordinances or regulations. In some areas, it is illegal to place spent lithium-ion batteries in the trash or in a municipal solid waste stream. Return spent batteries to an authorized recycling center or to the retailer for recycling. Contact your local recycling center for information on where to drop off the spent battery.

 $\textbf{NOTE:} \ \text{The Shark battery, like all lithium-ion batteries, will naturally decrease in capacity over time from the 100% capacity of a new battery.}$


CHARGING

CHARGING THE HAND VACUUM



To charge the hand vacuum, connect it directly to the port on the hand vacuum, near the nozzle opening. To detach the hand vacuum, press the release buttons on both sides of the handle and


REMOVING THE BATTERY




To remove the battery from the hand vacuum press the release tabs on the battery cap and slide out the battery. To reinstall, slide the battery into the compartment in the handle until it clicks

USING YOUR VACUUM

CONTROLS



Press the On/Off button on the handle to turn on power. To turn off power, press the button again



For an added boost of power, push and hold the Boost button on the underside of the handle. The Boost icon will blink white in this mode Release the button to return to standard power

CLEANING MODES



Use the PowerFins floor nozzle for powerful cleaning on both bare floors and carpets. The brushroll is activated when the hand vacuum is connected and powered on, and the handle is tilted back




To detach the floor nozzle from the wand, step on the nozzle while pressing the nozzle release button at the bottom of the wand. Lift the wand to remove it. To reattach the wand, align it over the neck of the floor nozzle, then slide it on until it clicks into


Detach the hand vacuum to clean above-floor areas Pull the release buttons on both sides of the handle, and lift the hand vacuum off the wand. To attach an accessory to the hand vacuum, slide it into the opening in the nozzle. To remove, press the release buttons on both sides of the handle and slide out the accessory.

NOTE: All accessories are compatible with both the wand and the hand vacuum.

EMPTYING THE DUST CUP




1. With the power off, slide the release button forward, and the dust cup will swing open. Tap the filter screen lightly to knock off dust and debris




2. Wipe the screen inside the dust cup lightly with a dry cloth to remove dust and dirt.

NOTE: Do not wash any parts or accessories in a dishwasher.

CLEANING THE DUST CUP AND FILTER




 With the dust cup open and the power off, press the filter release latch below the handle and pull out the filter housing



2. Press the tabs on both sides of the filter housing and pull out the filter. To clean the filter, handwash only with water and let air-dry for 24 hours before reinstalling. To reinstall, slide it back into the filter housing and press into place.




3. To deep clean the cup, first remove the $\mbox{avajr1}\mbox{ c}$ Dircp Lift it out by the handle on the frame Rinse the dust cup with water, and wipe it clean with a damp cloth. Allow it to air-dry for 24 hours.




4. When the dust cup is completely dry, slide the cyclone filter back into place. Tuck the wire handle away, then reinstall the dust cup.

NOZZLE MAINTENANCE



- 1. Turn off the vacuum
- 2. Press the nozzle release button to detach the
- **3.** Using a coin, turn the 3 locks counterclockwise to open, then lift off the cover and tilt back the neck of the nozzle.



- **4.** Clear any blockages and remove any debris from the brushroll and floor nozzle.
- $\textbf{5.} \ \ \text{With the cover removed, wipe the brushroll}$ clean with a dry towel.
- 6. Replace the cover by sliding the tabs into the slots. Press down firmly on all sides. Turn locks clockwise to close, until they click into place.

PLEASE READ CAREFULLY AND KEEP FOR FUTURE REFERENCE.

W)



SharkNinja Operating LLC Illustrations may differ from actual product. We are constantly striving to improve our products; therefore the specifications contained herein are subject to change without notice. For SharkNinja U.S. Patent information, visit sharkninja.com/uspatents

804106594



PRINTED IN MEXICO / SC: 19-10-2021 OBPN: WS630Series_IB_E_REV_Mv9_201214 SHNMDL:WS630_B / TAB/ Elbrd:J.E.

CHECKING FOR BLOCKAGES

If you run over a hard or sharp object or notice a noise change while vacuuming, check for blockages or objects caught in the brushroll.

Checking for Blockages in the Hand vacuum: 1. Turn off the vacuum. 2. Remove the hand vacuum from the wand.

3. Check all intake openings to the dust cup and remove any debris or blockages

Checking for Blockages in the Wand:

- 1. Turn off the vacuum.
- 2. Detach the hand vacuum and floor nozzle from
- 3. Check both ends of the wand for blockages and
- 4. Clear away any debris or blockages.

Checking for Blockages in the Floor Nozzle:

- 1. Turn off the vacuum.
- 2. Detach the wand.
- 3. Using a coin, turn the 3 locks on the bottom of the nozzle counterclockwise to open
- 4. Lift off the nozzle cover and tilt back the neck of the nozzle.
- 5. Check the opening and remove any debris.
- **6.** Replace the cover by sliding the tabs into the slots. Press down firmly on all sides. Turn the locks clockwise to close.

TROUBLESHOOTING



Vacuum is not picking up debris. No suction or light suction. Third indicator light on hand vacuum is solid yellow. (Refer to Checking for Blockages section for more information.)

- Dust cup may be full; empty dust cup.
- Check floor nozzle for blockages; clear blockages if required.
- Remove any string, carpet fibers, or hair that may be wrapped around the brushroll.
- Check connection between hand vacuum and wand for blockages; clear blockages if required.
- $Check\ filters\ to\ see\ if\ they\ need\ cleaning.\ Follow\ instructions\ for\ rinsing\ and\ completely\ air-drying\ the$ filters before reinstalling them.

Vacuum lifts area rugs.

- 1. Make sure you are not engaging Boost mode. Take care when vacuuming area rugs or rugs with delicately
- 2. Turn off the unit to disengage from the carpet, then restart.

My vacuum has a PowerFins nozzle but the brushroll doesn't spin.

- 1. Immediately turn off the vacuum. Remove any blockages before turning the vacuum back on. Make sure the hand vacuum is tilted back far enough for the brushroll to engage while in use.
- 2. If the floor nozzle has headlights and they are not illuminated, there is a connection issue between the hand vacuum, wand, and nozzle. Try detaching the parts, then reconnecting them.

Vacuum turns off on its own.

 $There \ are \ several \ possible \ reasons \ for \ the \ vacuum \ turning \ off \ on \ its \ own, \ including \ blockages, \ battery$ issues, and overheating. If vacuum turns off on its own, perform the following steps:


1. Turn on the vacuum and check the battery indicator lights on the hand vacuum. If recharging is needed, make sure vacuum power is off before plugging in the charger. $% \label{eq:charge_power}$

.....

- Empty dust cup and clean filters (See the Cleaning the Dust Cup and Filter section).
- Check wand, accessories, and inlet openings and remove any blockages. Allow unit and battery to cool for at least 45 minutes, until they return to room temperature.
- 5. Press the On/Off switch to restart the vacuum. Battery Indicator Lights on hand vacuum are flashing.

• Bottom LED is solid yellow (Fig. A): Nozzle clog.

- (See the Maintaining Your Vacuum section.)
- \bullet Top LED is flashing (Fig. B): Battery needs to be charged.
- Contact a Service Center. if you experience any of the indications listed below: · Top two LEDs are flashing (Fig. C): Overcurrent
- Top and bottom LEDs are flashing (Fig. D): Motor is
- overheating. • Middle LED is flashing (Fig. E): Overspeed.
- Bottom LED is flashing (Fig. F): Communication
- Bottom LED blinking yellow (Fig. G): There may be an electrical problem with the nozzle.



NOTE: If vacuum still does not operate properly, contact a service center.

Please make sure to read the enclosed Shark $^{\!\circ}$ Owner's Guide prior to using your vacuum.

Shark WANDVAC™ QUICK START GUIDE 804006594A

WHAT'S INSIDE:

- A Hand Vacuum
- **B** Wand
- PowerFins Floor Nozzle
- WANDVAC™ System Docking Station
- **B** Battery Pack
- Duster Crevice Tool
- G Pet Multi-Tool









- Slide the wand onto the neck of the floor nozzle until it clicks into place.
- Slide the hand vacuum nozzle over the wand until it clicks.
- Make sure the dock plate is facing upright. Slide the charging post into the slot on the back of the dock until it clicks into place.
- 4. Place the dock on the floor near a wall outlet. Plug the wall charger into the outlet, then connect the cord to the port on the back of the charging post.
- Store cleaning accessories on the mount on the dock plate.

For proper operation, ensure all components are completely connected and clicked into place.

Note: The images shown here are for illustrative purpose only and may vary.

