## **Product Introduction**

This is a vertical screen magnification, eye-protecting, Bluetooth remote control sliding screen mobile phone screen amplifier. It is suitable for all mobile phone models on the market and can magnify the mobile phone screen by 2 to 3 times, instantly turning the mobile phone into a large screen! Such as binge-watching TV series, browsing Douyin, and reading novels. The product is equipped with a standard multi-functional Bluetooth sliding screen remote control, which enables users to easily slide up and down, turn pages left and right, like and pause playback while watching. This product can also take photos, record videos, and remote control is more convenient. At the same time, the volume can be adjusted with just one click. Say goodbye to frequent screen touches, with more convenient operation and a smoother experience! Watching videos from a distance on a mobile phone can also reduce radiation and blue light stimulation, protecting eye health. Thus protecting your eyes. Watching TV series and videos with greater peace of mind!

This product is designed based on ergonomics. The front and back V-shaped design on the flat surface is convenient for adjusting the focal length according to the screen size and video effect. For small-sized mobile phones, the distance from the lens should be a bit farther; for large-sized mobile phones, the distance from the lens should be a bit closer. It can meet your needs to adjust the best viewing picture.

The product uses high-quality Fresnel lenses from Japan instead of ordinary lenses, making the picture clearer. Sharp, with true colors, far superior to ordinary lenses!

This product combines fashion and technological innovation to create a smooth and tech-savvy appearance. It meets the aesthetic demands of modern people. It is not only portable but also an upgrade in comfort and convenience, making every interaction with the screen full of vitality and surprises! Whether you are a fan of short dramas, a Douyin expert or a lover of novels, it is your perfect choice.



Remote control parameters

Material: ABS

Specification: 65 x35 x16mm

Bluetooth version: 5.0

Bluetooth name: MingChuang


Battery capacity: 70mAh rechargeable lithium battery

Battery voltage: 3.7 volts

The battery energy is 0.259wh

Transmission frequency: 24-24835 GHZ









## FCC Warnning:

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection againstharmful interference in a residential installation. This equipment generates, uses and can radiateradio frequency energy and, if not installed and used in accordance with the instructions, maycause harmful interference to radio communications. However, there is no guarantee thatinterference will not occur in a particular installation. If this equipment does cause harmfulinterference to radio or television reception, which can be determined by turning the equipmentoff and on, the user is encouraged to try to correct the interference by one or more of thefollowing measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Caution: Any changes or modifications to this device not explicitly approved by manufacturer could void your authority to operate this equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1)This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 0cm between the radiator and your body.