














TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

Tool ID	PICTURE	Tool Name	Description	Price	Avail
THIT010381		Infrared thermometer(N on-medical)	Human body mode:32°C~42.9°C (89.6°F~109.2°F) Accuracy:±0.3°C (ambient temperature 18~25°C). Response time : 1 second Color display screen	3000.00	in stock
TDLI12415		Cordless drill 12V	BATTERY : 12V Li – ion / 1.5Ah TORQUE max.- 20 Nm TORQUE SETTINGS – 15 + 1 NO LOAD SPEED – 0 – 600 rpm	3975.00	in stock
TIDLI1232		Lithium-Ion impact drill	Voltage:12V. No-load speed: 0-350/0-1350/min max.impactrate: 22500 min Max.torque: 20NM. Chuck capacity:0.8-10mmTorque settings:18+1+1 with 2pcs battery pack & 1pcs 2Hr charger.	7575.00	in stock
TDLI1211		Lithium-Ion cordless drill	Voltage:12V No-load speed:0-350/0-1350/min Max.torque:25NM Chuck capacity:0.8-10mm Torque settings:15+1, Mechanical 2-speed gear 12V Lithium-Ion 1.5Ah batteries With 1pcs battery pack & 1pc 2Hr charger With 1pcs Cr-V 65mm bits	5400.00	in stock
TDLI20024		Lithium-Ion cordless drill	With 2 pcs battery pack & 1 pc 2Hr charger Charge Volts:100V-240V~50/60Hz Voltage: 20V. No-load speed: 0-400/0-1500/min. Max.torque: 45NM. Chuck capacity:0.8-10mm. Torque settings: 15+1 . Mechanical 2-speed gear. 20V Lithium-Ion 2.0Ah batteries.	9450.00	in stock
TDLI1222		Lithium-Ion cordless drill	With 1pcs Cr-V 65mm bits 3pcs masonry drill bit Voltage:12V No-load speed:0-350/0-1350/min Max.torque:25NM, Chuck capacity:0.8-10mm Torquesettings:15+1 12V Lithium-Ion 1.5Ah batteries	9300.00	in stock
TDLI2002		Lithium-Ion cordless drill	With 1pcs battery pack, With 1pcs 2Hr charger Charge volts:220V-240V~50/60Hz Voltage:20V No-load speed:0-400/0-1500/min Max.torque:45NM, Chuck capacity:0.8-10mm Torque settings:15+1, Auto-lock keyless chuck 20V Lithium-Ion 2.0Ah batteries.	14700.00	in stock

TO ORDER ANY ITEMS FROM THIS LIST, PLEASE CONTACT US BY EMAIL OR TELEPHONE.

sales@tailwindafrica.co.ke - 0704260350 - 0721137221

TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

TDLI20012		Lithium-Ion cordless drill	Voltage: 20V No-load speed: 0-400/0-1500/min Max torque: 45NM Chuck capacity: 0.8-10mm Torque settings: 15+1 Mechanical 2-speed gear 20V Lithium-Ion 1.5Ah batteries. With 2pcs 1.5Ah battery pack. With 1pcs fast charger. Charge volts:220V-240V~50/60Hz. Integrated work light . LED battery power indicator. With 1pcs screwdriver bits. Packed by plastic box	9675.00	in stock
TDLI200215		Lithium-Ion cordless drill	Voltage:20V No-load speed:0-400/0-1500/min Max.torque:45NMC huck capacity:0.8-10mm Torque settings:15+1M echanical 2-speed gear 20V Lithium-Ion 2.0Ah batteries With 2pcs P20S 2.0Ah 1 pc fast intelligent charger	12675.00	in stock
TIDLI20012		Lithium-Ion impact drill	Voltage:20V No-load speed:0-400/0-1500/min Max.impact rate:22500/minM ax.torque:45NM Chuck capacity:0.8-10mmT orque settings:18+1+1 20V Lithium-Ion 2.0Ah batteries With 2pcs battery pack 1pcs fast intelligent	12600.00	in stock
TIDLI20031		Lithium-Ion impact drill	Voltage:20V No-load speed:0-450/0-1900/min Max.impact rate:22500/minTo rque settings:23+1+1 Max.torque:55NMC huck capacity:2.0-13mm Torque settings:23+1+1M echanical 2-speed gear 20V Lithium-Ion 2.0Ah batteries With 2pcs battery pack1 pcs fast charger Charge volts:220V-240V~50/60Hz	14475.00	in stock
TIDLI2002		Lithium-Ion impact drill	Voltage:20V No-load speed:0-400/0-1500/min Max.torque:45NM, Chuck capacity:0.8-10mm Torque settings:18+1+1, 20V Lithium-Ion 2.0Ah batteries With 2pcs battery pack, 1pc 1Hr charger	16200.00	out of stock
TCKLI2008		Lithium-Ion Cordless 2-Pc. Combo Kit	Voltage:20V With 1PCS Lithium-Ion cordless drill With 1PCS Lithium-Ion rotary hammer With 2pcs 2.0Ah battery pack ,1pc 1Hr fast Charger Lithium-Ion rotary hammeNr o-load speed:0-900/min Impact rate:0-5100bpmS ingle impact force:1.5J	20700.00	in stock







TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

TSDLI0801		Lithium-Ion cordless screwdriver	20V Lithium-Ion 2.0Ah batteries With 2pcs battery pack, 1pc 1Hr charger. Voltage:8V. Hex Shank: 1/4 No-load speed:0-220/min Max.torque:5.5 N.m.	4725.00	in stock
TES1203		Lithium-Ion Scale	Voltage : 12V or 220-240V 50/60Hz Max. weight:300kg(660LB) With 50g graduation Without lead battery and Lithium-ion battery Display:LED screenT able size:400*500mm Charging voltage:220-240V 50/60Hz Packed by carton box	9750.00	in stock
TSGLI2001		Lithium-Ion spray gun	Voltage;20V Spraying Pressure0.1-0.2 Max flow; 600ml/min, Max viscosity; 40DIN-s. Container capacity 800ml.	5925.00	in stock
TAGLI1151		Lithium-Ion angle grinder	Collet size:3.2mm . Voltage; 20v. No-load speed: 8500/min. Disc diameter: 115mm	8250.00	out of stock
TSLI1401		Lithium-Ion circular saw	Voltage 20V. No-load speed 3600/min Blade diameter: 140mm. Cutting capacity: 45 degree: 28mm, 90 degree: 40mm Battery Not included, compatible with 2.0Ah and 4.0Ah batteries. Charger Not included. Suitable with 2.0Ah Battery Pack, 4.0Ah Battery Pack.	8250.00	out of stock
TABLI2002		Lithium-Ion blower	Voltage:20V No-load speed :15000rpm Average air volume:8.5m3/min Maximum air speed:38m/s Packed by color box	7800.00	in stock
TVLI2005		Lithium-Ion vacuum cleaner	Voltage 20V . Capacity 20L . Max vacuuty ≥8.0 kPa. Suction hose diameter 32mm. Suction hose length 1.5m. Tank Stainless steel. Battery Not included, compatible with 2.0Ah and 4.0Ah batteries. Charger Not included. Suitable with 2.0Ah or 4.0AH Battery Pack.	13350.00	out of stock

TO ORDER ANY ITEMS FROM THIS LIST, PLEASE CONTACT US BY EMAIL OR TELEPHONE.

sales@tailwindafrica.co.ke - 0704260350 - 0721137221

TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

TGTLI2001	 Battery and charger NOT included	Lithium-Ion grass trimmer	Voltage:20V No-load speed:7800/min Cutting length:300mm Line dia:1.6mm twisted , Total line length:5m Battery and Charger not Included	8250.00	in stock
TBLI12152		Lithium-Ion battery pack	Volts:12V Lithium-Ion 1.5Ah battery One battery fits all S12 multiple tools Packed by color box.	2025.00	in stock
TCLI12071		Charger	Charge volts: 220V-240V~50/60Hz Charging time:2Hr charger Packed by color box.	675.00	in stock
TBLI12151		Lithium-Ion battery pack	Voltage: 12V Lithium-Ion 1.5Ah battery LED battery power indicator Suitable for TOTAL 12V multiple tools.	2100.00	in stock
TFBLI20011		Lithium-Ion battery pack	Volts:20V Lithium-Ion 2.0Ah battery LED battery power indicator One battery fits all P20S multiple tools Packed by color box.	2700.00	in stock
TFBLI2001		Lithium-Ion battery pack	Voltage: 20V Lithium-Ion 2.0Ah battery LED battery power indicator One battery fits all TOTAL 20V multiple tools.	3600.00	in stock

TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

TFBLI2002		Lithium-Ion battery pack	Voltage:20V Lithium-Ion 4.0Ah battery LED battery power indicator Suitable for 20V multiple toolsPacked by color box	5625.00	in stock
TFCLI2001		Fast intelligent charger	Voltage: 20V. Charge current: 2A Charges 20V 2.0Ah battery in 1Hr Packed by color box.	1950.00	in stock
TFCLI2003		Fast intelligent charger	Voltage:20V Charge current:4A Charges 20V 2.0Ah battery in 0.5Hr Charges 20V 4.0Ah battery in 1Hr Packed by color box	2775.00	in stock
TG10711526		Angle grinder	Input power:750W No-load speed:11000rpm Disc diameter:115mm.	4125.00	in stock
TG10912556		Angle grinder	Voltage:220-240V~50/60Hz Input power:900W No-load speed:12000rpm Disc diameter:125mm	4425.00	in stock
TG12223026		Angle grinder	Input power: 2200W No-load speed:6600rpm Disc diameter:230mm Spindle thread:M14 With 1pcs auxiliary handle	10800.00	in stock
TG1262306		Angle grinder	Input power: 2600W No-load speed:6200rpm Disc diameter:230mm	13500.00	in stock
TG1302306		Angle grinder	Input power: 3000W No-load speed: 6300rpm, Disc diameter: 230mm Spindle thread: M14 With 1set carbon brush.	15300.00	in stock








TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

TG501032		Mini grinder	Input power: 130W No-load speed: 10000-32000rpm Collet size: 3.2mm. With 1 pcs flexible shaft With 100pcs accessories.	4125.00	in stock
TACSD12501		250pcs Accessories of Mini Drill	250pcs Accessories of mini drill 76pcs Cutting disk 60pcs Sanding paper 1pcs Rubber grinding wheel 10pcs Grinding wheel with shank 4pcs Rubber polishing wheel.	3450.00	in stock
TG504062		Die grinder	Input power: 400W No-load speed:15000-26000rpm Collet size: 6mm. Variable speed Aluminum gear housing With 3pcs bistriques.	5925.00	in stock
TAKB0501		Accessories for die grinder	Accessories for die grinder TG504062 1PCS Cylindrical 16*25mm 1PCS Bullet type 20*21mm 1PCS Cone 20*32mm 1PCS T-Type 24*10mm 1PCS Round 20*20mm	525.00	in stock
TIW10101		Impact wrench	Voltage: 220-240V~50/60Hz Input power: 1050W No-load speed: 2300rpm. Max.torque: 550N.M Square drive: 1/2" . Aluminium gear box with rubber.	12975.00	in stock
TD2051026		Electric drill	Voltage:220-240V~50/60Hz Input power:500W No-load speed:0-3300rpm Chuck capacity:1.0-10mm Variable speed Froward/Reverse switch	3600.00	in stock

TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

TG1061356		Impact drill	Input power: 680W No-load speed: 0-3000rpm Max.drilling capacity: 13mm. Variable speed Forward and reverse switch Hammer function. Packed by carton box	3825.00	in stock
TG109136		Impact drill	Input power: 850W No-load speed: 0-2700rpm Max.drilling capacity:13mm Forward/Reverse switch	5925.00	in stock
TG111136		Impact drill	Input power: 1010W No-load speed:0-2800rpm Max.drilling capacity:13mm Forward/Reverse switch Hammer function Aluminum durable gear box.	7200.00	in stock
TAC451301.1		13mm Key chuck with adaptor	Chuck capacity:1.5-13mm Connection size:1/2"-20UNF Including 1pcs adaptor Packed by color box	600.00	in stock
TAC470131		Chuck key	Key for 13mm key chuck Length:80mm Packed in color box	120.00	in stock
TH308266		Rotary hammer	Input power: 800W No-load speed:0-1200rpm ax.drilling capacity Concrete:26mm Steel:13mm, wood : 30mm. SDS plus chuck system with 3 drills and 2 chisels	9000.00	in stock

TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

TH308268-2		Rotary hammer	Input power: 800W No-load speed: 0-1100rpm, Impact rate: 0-4000bpm Impact energy: 2.5J, Max.drilling capacity: Concrete: 26mm, Steel: 13mm Wood: 30mm. SDS plus chuck system with 3 drills and 2 chisels Packed by BMC.	10200.00	in stock
TH110286		Rotary hammer	Input power:1050W No-load speed:900rpm Impact rate:4000bpm Impact energy:5J Max.drilling capacity: Concrete:28mm Steel:13mm Wood:40mm SDS plus chuck system with 3 drills and 2 chisels	11100.00	in stock
TH1153216		Rotary hammer	Output power:1500W No-load speed:850rpm Impact rate:4400bpm Impact energy:5.5J Max.drilling capacity: Concrete:32mm Steel:13mm Wood:40mm SDS plus chuck system with 3 drills and 2 chisels	12375.00	in stock
TH116386		Rotary hammer(SDS-Max)	Input power: 1600W No-load speed: 550rpm Max.drilling capacity. Concrete:38mm, Core bit: 100mm with 2 drills and 2 chisels.	20250.00	in stock
TH213006		Demolition breaker	Input power: 1300W Anti-vibration system HEX chuck system 6Kgs demolition breaker With 2pcs chisels.	17250.00	in stock
TH215456		Demolition breaker	Input power: 1700W Impact rate: 1400bpm Impact force: 50J. HEX chuck system 16Kgs demolition breaker with 2pcs chisels.	36000.00	in stock
TH220502		Demolition breaker	Input power: 2200W Impact rate: 950bpm, Impact force: 75J Anti-vibration system, Auto-stop carbon brushes HEX chuck system, 30Kgs demolition breaker 4m rubber cables, With 2pcs chisels.	89250.00	in stock

TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

TS3141102		Marble cutter	Input power:1400W No-load speed:13000rpm Diameter of blade:110x20mm Max.cutting capacity:34mm Adjustable cutting depth	7425.00	out of stock
TS1141856		Circular saw	Input Power: 1400W No-load speed: 4800rpm. Blade diameter:185x20mm Cutting capacity: 45 degree:44mm, 90 degree : 65mm With 1pcs 185mm blade.	9000.00	in stock
TS1161856		Circular saw	VOLTAGE: 230V - 50Hz POWER: 1.600W NO LOAD INPUT: 5.000 rpm / min CUTTING DEPTH 90 degree: 65mm CUTTING DEPTH 45 degree: 44mm BLADE DIAMETER: 185mm X 20mm WEIGHT: 5 Kg	9900.00	in stock
TS1222356		Circular saw	Input power: 2200W No-load speed:3800rpm Cutting capacity: 45 degree:65mm, 90 degree : 80mm Blade diameter: 235x25.4mm Aluminum housing Adjustable cutting depth.	15750.00	in stock
TS204556		Jig saw	Input power:400W No-load speed:800-3000rpm Cutting capacity: Wood:55mm Steel:3mm With 3pcs saw blades Packed by color box	4050.00	in stock
TS206656		Jig saw	Input power: 570W No-load speed: 800-3000rpm Cutting capacity: W ood: 65mm, Steel: 8mm 4 step pendulum functionWith 3pcs saw blades With 1set carbon brushes.	5025.00	out of stock








TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

TS2081006		Jig saw	Input power: 800W No-load speed: 800-3000rpm Cutting capacity: Wood: 100mm, steel: 10mm 4 step pendulum function, 5pcs saw blades.	7800.00	in stock
TS2081356		Jig saw	Input power: 800W No-load speed: 800-3100rpm Cutting capacity: Wood: 135mm, steel: 10mm 4 step pendulum function Aluminum base	9750.00	in stock
TR111216		Electric router	Input power: 1600W Collet size: 6,8,12mm, 1/4", 1/2" Plunge capacity: 0-60mm. With 1pcs coping ring, With 1pcs aluminum guide fence, 1set parallel guide, With 1set carbon brushes. Packed by color box.	12300.00	in stock
TR111226		Electric router	Collet size: 6,8,12mm Plunge capacity: 0-60mm With 6,8,12mm collets, 1pcs coping ring, 1pcs aluminum guide fence, 1set parallel	14100.00	in stock
TACSR0121		12pcs Router bits set (6mm)	Shank diameter: 6mm 3pcs Straight bit: 6mm, 12mm, 16mm 1pcs 1/2" 90°V-groove bit 1pcs 1/2" Dovetail bit 1pcs 32mm 45° Chamfer bit 1pcs 1/2" flush trim bits 2pcs Round over bit: 1/4", 3/8" p cs 1/4" Core box bit 1pcs 1/4" Core bit cs R-4 Roman ogee bit Packed by plywood case	2775.00	in stock
TACSR2121		12pcs Router bits set (12mm)	Shank diameter: 12mm 3pcs Straight bit: 6mm, 12mm, 16mm 1pcs 1/2" 90°V-groove bit 1pcs 1/2" Dovetail bit 1pcs 32mm 45° Chamfer bit 1pcs 1/2" flush trim bits 2pcs Corner round bit: 1/4", 3/8" p cs 1/4" Core box bit 1pcs 1/4" Core bit cs R-4 Roman ogee bit Packed by plywood case	2775.00	in stock






TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

TL1108236		Electric planer	Input power: 1050W. No-load speed: 16000rpm. Planing width&depth: 82x3mm With 2pcs planing blades, 1pcs belt, 1set parallel guide , 1pcs depth guide.	9825.00	in stock
TAC618201		Planer blade	Size: 82X5.5X1.2mm,HSS Suitable for electric planer TL1108236 & UTL1108236 Packed by double blister.	375.00	in stock
THT9391		Planer	Length: 235mm Steel Q195 Planing width&depth:44x2mm Packed by hanger card	1125.00	in stock
THT9391BL		Planer blade	Length: 80x44 Matched with THT9391 Packed by bulk.	150.00	in stock
TS42142101		Mitre saw	Input power: 1400W. Blade size: 210mm(8-1/4")*25.4mm. Max.cutting capacity: 55x120mm Dust bag keep work area clean Mitre cuts 0-45°left and right Bevel cuts up to 45°to the left with 1 pcs TCT blade.	14250.00	out of stock
TS42163051		Mitre saw	Voltage: 220-240V~50Hz Input power: 1600W No load speed: 2800rpm Blade size: 305mm*30mm.Copper wire induction motor Aluminium base. Max. cutting capacity: 0x185mm . Dust bag keep work area clean.	42000.00	out of stock

TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

TS9204051		Cut off saw	Induction motor Voltage: 220-240V~50Hz Single Phase Input power: 3.0KW(4HP) Blade size:405x25.4x3mm No load speed: 2280rpm Max cutting capacity: Steel tube : ϕ 135*6mm	37200.00	in stock
TS92035526		Cut off saw	Voltage: 220V-240V~50-60Hz Input power: 2350W Blade size: 355x25.4x3mm No-load speed: 3800rpm Max cutting capacity: 100mm in round pipe 100X100mm in square steel 120X100mm in rectangel Max.cutting steel bar: 30mm; With 1pcs 355mm cutting disc. Packed by carton box	17250.00	in stock
TS92435526		Cut off saw	Input power: 2400W Blade size:355x25.4x3mm No-load speed: 3900rpm Max. cutting capacity: 100mm in round pipe, 100X100mm in square steel 120X100mm in rectangel, Max. cutting steel bar:50mm With 1pcs 355mm cutting disc	21000.00	in stock
TF2231106		Palm sander	Input power:240W No-load speed:14000rpm With 5pcs sand paper Bottom base: 110mmx100mm	5025.00	in stock
TF1301826		Finishing sander	Input power:320W No-load speed:14000rpm Bottom base:180mmx90mm Aluminum durable base	5025.00	in stock
TP1141806		Angle polisher	Input power:1400W No-load speed:900-3800rpm Polishing pad diameter:180mm Durable aluminum gear box With 1pcs polishing pad 1pcs polishing	9900.00	in stock
TS100806		RECIPROCATING SAW	VOLTAGE: 230V – 50Hz POWER: 750W NO LOAD SPEED: 900 – 3.300 rpm / min CUTTING DEPTH: 115mm (WWOD) / 8mm (STEEL) CUTTING DISTANCE: 20mm WEIGHT: 2.5 Kg	8250.00	in stock







TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

TG5451811		Gasoline chain saw 18"	ENGINE 2 - STROKE DISPLACEMENT 46cc POWER 2.2HP BAR LENGTH 45cm / 18" ENGINE SPEED 3.100 min OIL TANK 260ml FUEL TANK 550ml WEIGHT 6.5Kg	24000.00	in stock
TGTSC51801		Saw chain	Total TGTSC51801 Chain 18" For Chainsaw TG5451811	2100.00	in stock
TG962241		Gasoline chain saw 24"	Displacement: 62cc Rated Power: 3.2Kw Idling Speed: 3200rpm Max Cutting Diameter: 605mm (24") Fuel Tank Capacity: 670ml Oil Tank Capacity: 350ml Powerful 2-Stroke Motor Oregon Brand Chain Walbro Carburetor	48000.00	in stock
TG5602411		Gasoline chain saw 24"	Displacement: 62cc Rated power: 2.4Kw Engine idling speed : 3100rpm Max. cutting diameter: 605mm (24") Oregon brain chain 24" chain saw ,Fuel tank capacity : 550ml oil tank capacity: 260ml, powerful 2-stroke motor	33750.00	in stock
TGTSC185		Saw chain	18" Saw chain Suitable for TOTAL TG945185 gasoline chain saw	2100.00	in stock
TGTSC241		Saw chain	24" Oregon Saw chain Suitable for TOTAL TG962241 gasoline chain saw Packed by poly bag	4275.00	in stock
TGTSB51801		Chain saw bar	18" Chain Saw Bar Suitable for TG5451811 gasoline chain saw Packed by double blister	1800.00	in stock
TGTSB52401		Chain saw bar	24" Chain saw bar suitable for TOTAL TG962241 gasoline chain saw Packed by double blister	2925.00	in stock
TGC5001		Gasoline cultivator	Capacity: 4.8kW (6.5HP) Range of tillers: 900mm Depth depth :: 150-300mm Gear shift: -1,2,0,1 Driving type: belt Maximum torque: 11/2500 Nm / rpm Oil capacity: 0.95	74250.00	in stock

TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

TP445441		Gasoline grass trimmer and bush cutter	Displacement:45cc Rated power:1.5Kw(2HP) Max.speed:10000rpm Max.cutting path:440mm Spool liner:2.5mmx4m Blade diameter:230mm(3teeth) Fuel tank capacity:1200ml Powerful 2-stroke motor With 2 function:trimmer and cutter	16875.00	in stock
TGTL52541		Line spool	Line diameter:2.5mm Line length:4M Suitable for TOTAL TP445441 gasoline grass trimmer Packed by poly bag	1425.00	in stock
TGTL52545		Line spool	Line diameter:2.5mm Line length:4M Suitable for TP5434421/TP5434411/TP5524421/TP5524411/TP5624421/TP5624411/TP53144141/TMT55211	1425.00	in stock
TGTBCB91		Bush cutter blade	Blade diameter:230mm(9") Blade teeth:three Suitable for TOTAL TP445441 gasoline grass trimmer Packed by poly bag	900.00	in stock
TGTBCB95		Bush cutter blade	Blade diameter:255mm(10") Blade teeth:three Suitable for TP5434421/TP5434411/TP5524421/TP5524411/TP5624421/TP5624411/TP53144141/TMT55211 gasoline grass trimmer	900.00	in stock
TAC234615		Bush cutter blade	Diameter:230mm(9") Quantity of teeth :40T, Arbor:25.4mm With 1pcs 20mm reduce ring Only suitable for bush cutter Match with TP445441	1275.00	out of stock
TGT141181		Gasoline lawn mower	Displacement:141cc Rated power:3.0Kw(4HP) Rated speed: 2600rpm, 4 stroke engine Cutting height:25-75mm(7 positions) Cutting width:460mm(18") Catchervolume:60L , Wheel size:6"/8"	44250.00	in stock







TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

TGT196201		Gasoline lawn mower	Zongshen brand engine(The best one in China) Displacement:196ccRated power:3.5Kw(4.8HP) 4 stroke engineRated speed: 3600rpm 3 function:Catcher,side discharge, mulching,rear discharge Cutting height:28-80mm(7 positions)	51750.00	in stock
TGT11316		High pressure washer	Input power:1400W Carbon brush motorPure copper wire Max Pressure:130Bar (1900PSI) low rate:5.5L/min 1 set water spray gun(TGTSG026) 5m high pressure hose(TGTHPH526)	10425.00	in stock
TGT11356		High pressure washer	Input power:1800W Carbon brush motorPure copper wire Max Pressure:150Bar (2200PSI) Flow rate:6.0L/min1 pnc s soap bottle 1 set water spray gun(TGTSG026) 5m high pressure hose(TGTHPH526) Packed by color box	16200.00	in stock
TGT11266		High pressure washer	Input power: 2800W Copper pump Copper wire induction motor Max Pressure: 180Bar (2600PSI) Flow rate: 7.3L/min Auto stop system 1pcs soap bottle1 set metal spray gun 5m high pressure hose(steel wired) Packed by color box	41250.00	in stock
TGT250105		Gasoline pressure washer	Max Output:6.0HP,Max. Pressure:3100PSI Flow Rate:8.7L/min Displacement :208CC 1 Pcs metal lance,1 Pcs metal gun 7.6 m pressure hose Three nozzles Packed by carton box	44250.00	in stock
TGTSG026		Spray Gun	Material:Plastic body Suitable for TGT11316,TGT11356, TGT11226,TGT11246, UTGT11316,UTGT11356 and UTGT11226	2325.00	in stock







TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

TGTHPH526		High Pressure Hose	Material:PVC Match with the Machinery of TGT11316, TGT11356, TGT11226, UTGT11316 , UTGT11356	1800.00	in stock
TP130005-1		Gasoline generator	Max output(kW): 3.0 Rated output(kW): 2.8 Rated speed(rpm): 3000 Engine: 4 stroke, OHV starting system: Recoil Electric Displacement(ml): 210 Cooling system: Air-cooled Ignition system: T.C.I	40500.00	in stock
TP135006E		Gasoline generator	Max.output(kW):3.5, Rated output(kW):2.8 Rated speed(rpm):3000, Engine:4 stroke, OHV Displacement(ml):208 Starting system:Recoil+Electric Copper wire alternator Fuel tank(L):15 Dry weight(Kg):51	54750.00	out of stock
TP155001		Gasoline generator	Rated voltage(V):220-240 Rated frequency(Hz):50 Max.output(kW):5.5 Rated output(kW):5.0 Rated speed(rpm):3000 Engine:4 stroke,OHV Displacement(ml):389	80250.00	in stock
TP175006		Gasoline generator	Max .output(kW):6.5 , Rated output(kW):5.0 Rated speed(rpm):3000, Engine:4 stroke, OHV Displacement(ml):420 Starting system :Recoil+ Electric Copper wire alternator Fuel tank(L):25 Dry weight(Kg):80	93750.00	in stock
TLL306505		Self-Leveling Line Laser(Red laser beams)	Working Range: 0~30 m 1 Horizontal Line4 Vertical Lines Levelling accuracy:±1.0mm at 5 m Line accuracy ±1.5mm at 5 m Levelling time<3s Self-levelling range ≤3°	13725.00	in stock

TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

THT576004		Tile cutter	600mm Tile cutter 1.Max cutting length:600mm 2.Max cutting thickness : 12mm 3.Steel base size:815x195cm 4.Thickness of the base: 2mm 5.With 2 pcs Tungsten carbide blade Blade size : 16x6x3mm	5175.00	in stock
THT576004B	 Suitable for THT576004	Tile cutter blade	Tile cutter blade Material : Tungsten carbide Suitable for THT576004 Packed by blister card	525.00	in stock
THT578004		Tile cutter	800mm Tile cutter With 1 pcs bag, Easily to carry Max cutting length: 800mm Max cutting thickness: 14mm Steel base size: 993x165mm, With 2pcs steel support frame	13425.00	in stock
THT578004B	 Suitable for THT578004	Tile cutter blade	Tile cutter blade With ball bearing Material: Tungsten carbide Blade size: 22x10.5x2mm Suitable for THT578004 Packed by Blister card	1050.00	in stock
TP7100-2		Gasoline plate compactor	Petrol Engine Engine power: 4.8Kw(6.5HP) Weight: 90Kgs Frequency: 4200VPM Centrifugal Force: 15kN Compaction Depth: 30cm Travel Speed: 45cm/s Efficiency:660M2/Hr Plate size: 50x45cm Packed by carton box	74250.00	in stock
TP7125-2		Gasoline reversible plate compactor	Petrol Engine Engine power: 4.8Kw(6.5HP) Weight: 127Kgs Frequency: 4300VPM Centrifugal Force: 25kN Compaction Depth: 30cm Travel Speed: 25cm/s Efficiency: 500M2/ΩPA size: 63x40cm Packed by carton box	133500.00	in stock




TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

TWS10501		Drywall Sander	VOLTAGE 230V - 50Hz POWER 1.050W NO LOAD SPEED 600 - 2.300 rpm SANDING PAPER DIAMETER 215mm DUST HOSE DIAMETER 38mm WEIGHT 7 Kg	20250.00	in stock
TP1016-2	 Engine: TOTAL 13HP N.W.:120KGS	Gasoline floor saw	Petrol engine. Engine power: 9.6kw(13HP). Weight: 120kgs without blade. Max. cutting depth:14cm blade size:30-45cm(12"-18"). Depth adjustment: handle rotation. DRIVING: Manual push waters tack capacity: 35l. Fuel tank:2.8l . packed by a carton box	127500.00	in stock
TAC2144052		Diamond disc for concrete cutting laser welded rim	405MM(16)*25.4MM Special concrete cutting Laser welding cutting rim blade width: 10mm packed by color box	19800.00	in stock
TAC2164051		Diamond disc for asphalt cutting Laser welded rim	405mm(16")X25.4mm Special for asphalt cutting Laser welded cutting rim blade width:10mm Packed by color box	20400.00	in stock
TP9361-2	 Engine: Honda 5.5HP N.W.: 78KGS	Gasoline power trowel	Petrol engine Engine power:4.8kw(6.5HP) Weight:78kgs with iron pan Rotor diameter:91cm(36") blade number : four Finish blade: 35*15cm(6*14")	88500.00	in stock
TP880-2	 Engine: TOTAL 6.5HP N.W.:79KGS	Gasoline tamping rammer	Petrol Engine Engine power:4.8Kw(6.5HP) Weight:79Kgs Impact force:10kN Impact rate:450-660rpm Jumping stroke:65mm Shoe size:33X29cm	123000.00	in stock







TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

TP630-1	<p>Engine: Honda 5.5HP N.W.: 21KGS</p>  <p>Claw</p>	Gasoline concrete vibrator	<p>Engine: Honda GX160 Engine power: 4.0Kw(5.5HP) Claw type coupling, with vibrator poker</p>	72000.00	out of stock
TP630-2	 <p>Claw</p>	Gasoline concrete vibrator	<p>Engine power:40kw (5.5HP) Claw type coupling with 45mm vibrator poker shaft</p>	40500.00	in stock
TPVP1381	 <p>CLAW</p>	Vibraror poker shaft	<p>Diameter: 45mm Head length: 580mm Claw type fitting Flexible hose length:6m, Good Quality</p>	12000.00	out of stock
TPVP1451		Vibraror poker shaft	<p>Head length: 580mm Pin type fitting Vibrating amplitude:1.2mm Flexible hose length:6m, Good Quality</p>	13500.00	in stock
TS6112501		Tile cutter	<p>VOLTAGE 230V - 50Hz. POWER 1.100W. NO LOAD SPEED 2.950 rpm BLADE DIAMETER 250 X 25.4mm Max CUTTING WIDTH 920mm SAW BODY TILTING RANGE 0 - 45o Max CUTTING DEPTH 90o = 62mm / 45o = 48mm. TABLE SIZE 1060 X 510mm WEIGHT 69 Kg</p>	89250.00	in stock
TP3202	 <p>2"</p>	Gasoline water pump 2"	<p>Max.flow: 550L/min Max.head lift: 28m Max.suction head: 8m 7.0HP gasoline engine</p>	20250.00	in stock







TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

TP3302		Gasoline water pump 3"	Max.flow: 1000L/min, Max.head lift: 32m Max.suction head: 8m 7.0HP gasoline engine	22200.00	in stock
TWP13706		Booster pump	Peripheral Pump Voltage: 220-240V~50Hz Input power:370W(0.5HP) Max.head: 35M Max.flow: 35L/min	5175.00	in stock
TWP15506		Peripheral pump	Peripheral Pump Voltage:220-240V~50Hz. Input power:550W(0.75HP) Max.head:48M. Max.flow:50L/min Max.suction:8M. Pipe diameter:1"x1" Copper wire motor, brass impeller. 0.15m length cable. Packed by carton box	7425.00	in stock
TWP17506		Booster pump	Peripheral Pump Voltage:220-240V~50Hz Input power:750W(1HP) Max.head:52M Max.flow:50L/min	8100.00	in stock
TWP23706		Centrifugal pump	Voltage Single phase ~ 220-240V ~ 50Hz Input power: 370W (0.5HP) Max. flow: 80l/min. Protection rating: IPX4. Max. head: 18m. Max. suction: 8m Pipe diameter: 1" * 1"	7425.00	in stock
TWP27506		Centrifugal pump	Input power: 750(1HP) Voltage: 220-240v-50hz max head:30M, Max.flow:110l?min Max suction:8m,pipe diameter:1*1, copper wire motors stainless steel impeller 0.15 length cable	11175.00	in stock







TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

TWP215006		Centrifugal pump	Centrifugal pump Voltage:220-240V~50Hz Input power:1500W(2HP) Max.head:45M Max.flow:140L/min	18750.00	in stock
TWP215002		Centrifugal pump	Input voltage; 1500w(2HP) Voltage; 220-240V-50Hz, Max head ; 18m, Max flow ;450L/min, Max suction : 8M, pipe diameter; 2" *2",cooper wire motor brass impeller o.15m length	17250.00	in stock
TWP64001		Submersible pump	Voltage:220-240V~50Hz Input power: 400W Max.head:8M Max. flow:116.7L/min For clean water	6300.00	in stock
TWP87501		Submersible sewage pump	Voltage: 220-240V~50Hz Input Power: 750W(1.0hp) Max head: 8m Max.flow: 1300L/h Max Suction: 7M Pipe diameter: 1"	7425.00	in stock
TWP63706		Submersible clean water pump	VOLTAGE 230V - 50Hz POWER 370W (0.5HP) Max HEAD 17m Max FLOW 5m3 / h DEPTH 7m PIPE DIAMETER 1" LENGTH CABLE 9m WEIGHT 6.9 Kg	10800.00	out of stock
TWP65506		Submersible clean water pump	VOLTAGE 230V - 50Hz POWER 550W (0.75HP) Max HEAD 25m Max FLOW 6.5m3 / h DEPTH 7m PIPE DIAMETER 1" LENGTH CABLE 9m WEIGHT 9.7 Kg	14625.00	in stock

TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

TWP67506		Submersible clean water pump	voltage:220-240V~50Hz Input power: 750W(1.0HP) Max.head:32M Max.flow:7.5M3/H Stainless steel base Stainless steel screws Stainless steel shaft Pipe diameter:1"" Copper wire motor 9M length cable Thermal protection	16875.00	in stock
TWP715001		Submersible sewage water pump	Input powe:2.0HP, Voltage:220-240V~50Hz, max head :14.5m, max flow rate:20m3/h, for dirty water pipe diameter:2",cooper wire motor with 9m length cable	26250.00	in stock
TWP55501		Deep well pump with control Box TWP55501-SB	Output power: 550W(0.75HP) Max head: 64MM ax.flow:6.0M3/H Pipe diameter: 1-1/4" Well pump body: 4" Impeller: 8 stage Copper wire motor Pump body: Stainless steel length cables Not included control box	24000.00	in stock
TWP57501		Deep well pump with control box TWP57501-SB	Input power:750W(1.0HP) Max.head:80M, Max.flow:6.0M3/H Pipe diameter:1-1/4", W ell pump body:4" Impeller:10 stage, Copper wire motor Pump body:Stainless steel 20m length cables	25500.00	in stock
TWP511001		Deep well pump with control box TWP511001-SB	Max.head:112M Max.flow:6.0M3/H Pipe diameter:1-1/4" , W ell pump body:4" Impeller:14 stage, Copper wire motor Pump body:Stainless, 20m length cables Not included control box	27750.00	in stock
TWP515001		Deep well pump with control box TWP515001-SB	Output power: 1500W(2HP) Max head: 135M Max flow: 6.0M3/H Pipe diameter: 1 1/4 Well pump body: 4" Impeller: 17 stage copper wire motor Pump body: Stainless steel 20m length cables Not included control box	29250.00	in stock

TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

TWP522001		Deep well pump with control box TWP522001-SB	Input power: 2200W(3HP) Max head: 180M Max flow: 6.0M3/H Pipe diameter: 1 1/4 Well pump body: 4" Impeller: 23 stage copper wire motor Pump body: Stainless steel 20m length cables Not included control box	39750.00	in stock
TWPS101		Automatic pump control	Starting pressure:1.5bar , Max.current:10A Max.pressure:10bar Pipe diameter:1"x1" Protection degree:IP65	3825.00	in stock
TWPS102		Automatic pump control	Rated voltage:220-240V Frequency:50/60Hz Starting pressure:1.5bar Max.current:10A Max.pressure:10bar	3825.00	in stock
TW21602		IGBT Inverter MMA welding machine 160A	Output current(A): 15-160 No-load voltage(V): 75 Max output current(A): 160 Diameter of electrode(mm): 1.6-4.0 With 1pcs electrode holder with cable, 1 pcs earth clamp with cable, 1pcs wire brush and 1pcs helmet	14250.00	in stock
TW21806		IGBT Inverter MMA welding machine 180A	Output current(A):10-180 No-load voltage(V):85 Max.output current(A):180 Diameter of electrode(mm):1.6-4.0 With 1pcs electrode holder , cable , 1pcs earth clamp cable , 1pcs wire brush , 1 pcs helmet	17700.00	in stock
TW22005		IGBT Inverter MMA welding machine 200A	Output current(A):10-200 No-load voltage(V):70 Max.output current(A):200 Diameter of electrode(mm):1.6-5.0, With 1pcs electrode holder, cable , 1pcs earth clamp cable 1pcs wirebrush , 1 pcs helmet	23250.00	in stock







TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

TW22505		Inverter MMA welding machine 250A	Input voltage(V):1~220-240/380-400 Phase:Single Output current(A):20-250No-load voltage(V):70- 80 Max.output current(A):250 Diameter of electrode(mm):1.6-5.0 No accessories included	44250.00	in stock
TWAH5006		Electrode holder	TOTAL Style New design Rated current:500A Suitable for TOTAL MMA welding machine(below 500A)	720.00	in stock
TWAH8006		Electrode holder	TOTAL Style New design Rated current:800A Suitable for TOTAL MMA welder(below 630A)	825.00	in stock
TWAH10006		Electrode holder	TOTAL Style New design Rated current:1000A Suitable for TOTAL MMA welding machine(below 630A)	1080.00	in stock
TSP9102		Welding mask	Welding mask Material:100% PP With 1 pcs 108*50*3mm welding glass and 1 pcs Protection glass	450.00	in stock
TSP303		Welding goggles	Flexible PVC body, indirect ventilation design. Dark shade:5 Flip design with open-close locking positioning, easy to use. Inner lenses are clear, outer lenses adopt colored inorganic glass.	262.50	in stock







TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

TSP9401		Auto-Darkening Welding Glasses	Auto-darkening welding glasses Viewing area:95*31mm ON/OFF :Automatic. Cartridge size:108*50.8*5mm Sensors: 2 light state:3. Dark state:11UV/IR Protection :Up to DIN 16 Switch time(light to dark)<0.5ms	1470.00	in stock
TSP9306		Auto Darkening Welding Helmet	Cartridge Size:110×90×9mm Arc Sensor:2 Optical Class : 1/1/1/2	4125.00	in stock
TSP301		Safety goggles	Material: PC The length of temple can be adjusted in 4 different positions,	195.00	in stock
TSP304		Safety goggles	Conforms to ANSI Z87.1 and CE EN166 Full-view full-slice structure prevents UV and withstands impact Fit to wearing the corrective glasses,also can be used	255.00	in stock
TSP305		Safety goggles (Only for daily use)	Material: PC Dark shade: 8 Light weight,comfortable to wear,wide visual field	240.00	out of stock
TSP307		Safety goggles (only for welding)	Dark shade 8 Material Polycarbonate (PC) Range of application Suitable for Welding	240.00	in stock







TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

PBCA12001		Booster cable	Current: 200AMP Clamp size: 14x9cm Cable material : copper coated Cable outside diameter: 8mm	1125.00	in stock
PBCA16008		Booster cable	Cable length :2.5m Current: 600AMP Suitable for emission ≤4.5L car Cable outside diameter:10mm, Cable length :3m	2625.00	in stock
THT301251		Hand pallet truck	Capacity Q : 2500kg Min.fork height:85mmMax.fork height:200mm Steering wheel:φ200*50mm Steering wheel material : polyurethane Load roller tandem:φ80*70mm Fork size:550*1150mm	41250.00	in stock
THT109022		Hydraulic bottle jack	Distance between forks : 230mm 2Ton, With safety valve Min. height: 180mm ,Max. height: 333mm Travel:153mm, Net weight : 2.5kg	1875.00	in stock
THT109042		Hydraulic bottle jack	4Ton, With safety valve Min. height: 190mm, Max. height: 370mm Travel:180mm, Net weight : 3.2kg	2250.00	out of stock
THT109042		Hydraulic bottle jack	HYDRAULIC BOTTLE JACK 12T Min. HEIGHT 23cm Max. HEIGHT 46.5cm WEIGHT 7.4 Kg	4500.00	in stock







TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

THT109202		Hydraulic bottle jack	Min. height: 240mm Max. height: 460mm Travel:220mmNet weight : 8.7kg Packed by color box	6750.00	in stock
THT109302		Hydraulic bottle jack	Min. height: 260mm ,Max. height: 430mm 30Ton, With safety valve	13725.00	in stock
THT109502		Hydraulic bottle jack	50Ton, With safety valve Min. height: 280mm Max. 470mm	18750.00	in stock
THT10821		Hydraulic floor jack	2Ton Min. height: 140mm Max. height: 340mm Travel:200mm Net weight : 8.5kg	6450.00	in stock
THT10832		Hydraulic floor jack	3Ton Min. height: 135mm Max. height: 410mm Travel:275mmNet weight : 16kg Packed by color box	11625.00	in stock
THT10834		Hydraulic floor jack	3TON Fast lifting dual pump,Min. height; 85mm Max height;515mm, travel;430mm Net weight:32kg	26250.00	in stock







TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

THT1621		Chain block	Rating lift weight : 2Ton Lift height:3m, Number of load chain:2 Hook to hook distance:300 mm Chainpull to lift full load:322.5 N Rating lift weight:3Ton	12450.00	out of stock
THT1631		Chain block	Lift height:3mNumber of load chain:2 Hook to hook distance:300 mm Chainpull to lift full load:322.5 N Net weight:25.5kg	18000.00	out of stock
THT1651		Chain block	Rating lift weight: 5Ton Lift height:3m Number of load chain:2 Hook to hook distance:600 mm Chainpull to lift full load:476N	24750.00	in stock
TT328151		Plastic tube welding tool	Voltage:220V-240V~50/60Hz Input power:800W/1500W Suitable for heating sockets sockets 20、25、32、40、50、63mm Thermoregulator:0 - 300°C With 1pcs measuring tape; With 1pcs hex key With 1pcs screwdriver, With 1pcs pipe cutter	6675.00	in stock
THT53321		Pipe cutter	LENGTH 190mm CUTTING DIAMETER 3 - 32mm	675.00	in stock
TB200365		Heat gun	Voltage: 220V-240V~50/60Hz Input power: 2000W Temperature: 350°C/ 550°C Airflow: 300/ 500 L/min With 1pcs nozzles Packed by Color box	2625.00	in stock







TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

TB2006		Heat gun	Input power:2000W Temperature:50°C/380°C/570°C Airflow:500 /300/500 L/min With 1pcs scraper and 4pcs nozzles	3450.00	in stock
TT301116		Glue gun	Input power:220W Gluing capacity:20-30g/min Preheat time:3-5minutes Glue stick diameter:11.2mm With 8pcs 150mm glue sticks Packed by double blister	1875.00	in stock
TT101116		Glue gun	Input power:100W Gluing capacity:13-18g/min Glue stick diameter:11.2mm With 2pcs 11.2mm glue sticks Packed by double blister	975.00	in stock
TACGT2061		Glue gun stick	Material : petroleum resin Diameter:11.2mm Length : 20cm With 6pcs stick Packed by blister card	360.00	in stock
TET1406		Electric soldering iron	TET1406 Electric Soldering Iron 40W Voltage:220-240V~50/60Hz. Input power: 40W. Preheat.time:3~5 minutes. Straight,tip head. With a piece of support. Long life replaceable tip. Packed by sliding card.	780.00	in stock
TET1606		Electric soldering iron	Input power:60W Preheat.time:3~5minutes Straight,tip head	975.00	in stock







TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

TET10006		Electric soldering iron	Input power:100W Preheat.time:3~5minutes	1275.00	in stock
TB2046		Aspirator blower	Input power:400W No-load speed:14000rpm Max.blowing rate:3.0m3/min With 1pcs dust bag	2775.00	in stock
TB2066		Aspirator blower	Input power:600W No-load speed:0-16000rpm Max.blowing rate:0-3.5m3/min Variable speed With 1pcs dust bag	4800.00	in stock
TB2086		Aspirator blower	Input power:800W No-load speed:0-15000rpm Max blowing rate:0-4.5m3/min Variable speed, With 1pcs dust bag, 1pcs flexible tube, 2pcs suction nozzles	6675.00	in stock
TBG15015		Bench grinder	Input power:150W No-load speed:2950rpm Wheel size:150 mm(6") Heavy Duty Aluminum Base Including 1 set eye shield 1pcs tool storage box	4425.00	out of stock
TBG35020		Bench grinder	Input power:350W No-load speed:2950rpm Wheel size:200 mm(8") Heavy Duty Aluminum Base Including 1 set eye shield 1pcs tool storage box	8700.00	in stock







TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

TDP133501		Drill press	VOLTAGE: 230V - 50Hz POWER: 350W NO LOAD SPEED: 580 - 2.650 rpm / min CHOKE: 13mm SPINDLE SPEED SETTINGS: 5 SPINDLE TRAVEL: 50mm COLUMN DIAMETER: 46mm BASE SIZE: 291 X 183mm TABLE SIZE: 160 X 160mm TOTAL HEIGHT: 59cm WEIGHT: 19 Kg	15750.00	in stock
TDP207502		Drill press	Voltage: 220-240V~50Hz Input power: 750W Max. drilling capacity: 20mm No-load speed: 180-2770rpm Spindle speed settings: 16 Column diameter: 70mm	48750.00	in stock
THT118302		Air grease lubricator	Capacity: 30L Drum application: 330*430mm Pressure ratio: 50:1 Working pressure: 6-8bar, Max. free flowrate: 850g/min Max. fluid pressure: 400bar Cylinder dia: 70mm Air consumption: 250L/min @ 6.2bar 1/4" inlet, outlet air regulator with water filtering device, Grease hose: 5M	25800.00	in stock
THT118452		Air grease lubricator	CAPACITY: 45Lit WORKING PRESSURE: 6 - 8 bar Max FREE FLOWRATE: 850gr / min CYLINDER DIAMETER: 70mm AIR CONSUMPTION: 250Lit / min INLET & OUTLET AIR REGULATOR: 1/4" GREASE HOSE: 5m WEIGHT: 21 Kg	27750.00	in stock
TTAC1406		Auto air compressor	Power supply: DC12V Rated current: 10A Max. pressure: 140PSI (10Bar) Max. air flow: 35L/min With 1.5M PU hose with Japanese style brass quick-releasing adapter With 3M cord with cigarette lighter 1Pcs battery clips, 3pcs nozzle adapters	4312.50	in stock
TATK053		Air tools 5pcs set	Only with Europe type connector. Paint capacity: 600cc Pattern width: 180-250m Recoil hose Length: 4m, Diameter: 8mm Nozzle length: 16mm Air spray gun Operating pressure: 3-4bar	3375.00	in stock







TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

TATK051		Air tools 5pcs set	Air tools 5pcs set Recoil hose Length:5m,Diameter:8mm	3825.00	in stock
TAT11601		Air tire inflating gun	Air tire inflating gun Max pressure:12Bar(174PSI) With Europe type connector, USA type connector, Nitro type connector and Italy type connector.	1320.00	in stock
TT3506		Spray gun	Input power:450W Spraying Pressure:0.1-0.2Bar Max flow:380ml/min, Max. viscosity:50DIN-s Container capacity:800ml Accessories: 1x viscosity measuring cup 1x nozzle cleaning needle Packed by color box	4125.00	in stock
TT5006		HVLP floor based spray gun	Input power:500W Spraying Pressure:0.1-0.2Bar Max flow:850ml/min Max. viscosity:50DIN-s Container capacity:800ml, Power cord length:2.0m Accessories: 1x viscosity measuring cup 1x nozzle cleaning needle, 1x shoulder strap	5625.00	in stock
TAT10401		Spray gun	Standard nozzle:1.5mm Pattern width:180-250mm Paint capacity:400cc Suitable for base coat Optional nozzle:1.2-1.8mm Operating pressure:3- 4bar Air cons:4.2-7.1cfm(119-200l/min)	1920.00	in stock
TAT10601		HVLP Spray gun	Standard nozzle:1.4mm Pattern width:180-250mm Paint capacity:600cc Suitable for finishing coat Optional nozzle:1.3-2.5mm Operating pressure:2- 3.5bar Air cons:4.2-7.1cfm(119-200l/min)	2925.00	in stock







TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

TAT11001		Air spray gun	Standard nozzle:1.5mm Pattern width:140-180mm Paint capacity:1000cc Suitable for base coat With Europe type connector, USA type connector, Nitto type connector and Italy type connector. Optional nozzle:1.2-1.8mm Operating pressure:3-4bar	2100.00	in stock
TAT81501		2 IN 1 combo Air brad nailer	Load capacity:100Pcs Brad size:15-50mm , Ga18,1.25X1.0mm Staple size:16-40mm, Ga18,1.25X1.0mm Staple crown:5.7mm With Europe type connector, USA type connector, Nitto type connector and Italy type connector. Operation pressure:0.4-0.7Mpa(60-100Psi) With 1000pcs brad nails With 1000pcs staples Packed by color box	4875.00	in stock
THT11051		Air hose	Material:PU Length:5M Only with Europe type connector. Diameter:5/8mm Packed by shrink	825.00	in stock
THT31141		Staple gun	Iron staple gun Adjustable driving force size : 4-14mm Packed by double blister	975.00	in stock
THT3981		Staples	1000 pcs size:8mm width:0.7mm Packed by color box	105.00	in stock
THT39101		Staples	1000 pcs size:10mm width:0.7mm Packed by color box	120.00	in stock







TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

TSP01251		Sucker	MATERIAL: ABS Max. PULL 25Kg CUP DIAMETER 115mm	570.00	in stock
TSP02501		Sucker	Handle material: ABS Max. pull: 50KG Cup diameter: 115mm Packed by color sleeve	1080.00	in stock
THTGP336		Three Jaws Puller	Size:3", 3Jaws,Maxforce:3000KG material : Cr-v,heat treated surface treatment : chrome-plated range of application: A=75MM,L1=40MM,L2=47MM	975.00	in stock
THTGP266		Two Jaws Puller	Size:6", 2Jaws,Maxforce:5000KG material : Cr-v,heat treated surface treatment : chrome-plated range of application: A=160MM,A1=155MM,L1=50MM,L2=140MM,L3=50MM,L4=105MM Packed by carton box	2775.00	in stock
THT1320501		F clamp	Clamp size:50x150mm Max clamp force: 170KGS Thickness and width of iron ruler:5X15mm Diameter of screw thread:11mm Packed by paper card	480.00	in stock
THT1320503		F clamp	Clamp size:50x250mm Max clamp force: 170KGS Thickness and width of iron ruler:5X15mm Diameter of screw thread:11mm Packed by paper card	540.00	in stock







TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

THT13141		G clamp	Size:4" Body malleable cast iron T-shaped thread Packed by paper card	780.00	in stock
THT13151		G clamp	Size:5" Body malleable cast iron T-shaped thread Packed by paper card	1020.00	in stock
THT13161		G clamp	Size:6" Body malleable cast iron T-shaped thread. Packed by paper card.	1230.00	in stock
THT6146		Bench vice	Weight:6.7kg Max force:1300KGS With anvil Packed by carton box	5625.00	in stock
THT6166		Bench vice	Swivel base size : 6" Weight:11.2kg Max force:1600KGS With anvil	9300.00	in stock
THT6186		Bench vice	Size : 8" Weight:21kg Max clamping force:2500KGS With anvil	14700.00	in stock







TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

TAC270831		Magnetic Nut Set	8mm,3pcs/set Shank:1/4" Hex Length:65mm, Material : 50BV30 With strong magnet	360.00	in stock
TAC100303		HSS drill bit	HSS,diameter: 3.0mm Total length:61mm, Usable length:33mm 10pcs/poly bag	18.00	out of stock
TAC100403		HSS drill bit	HSS,diameter: 4.0mm Total length:75mm, Usable length:43mm 10pcs/poly bag	27.00	in stock
TAC100503		HSS drill bit	HSS,diameter: 5.0mm Total length:86mm, Usable length:52mm 10pcs/poly bag	36.00	out of stock
TAC100603		HSS drill bit	HSS,diameter: 6.0mm Total length:93mm, Usable length:57mm 10pcs/poly bag	51.00	in stock
TAC100803		HSS drill bit	HSS,diameter: 8.0mm Total length:117mm, Usable length:75mm 5pcs/poly bag	105.00	in stock

TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

TAC101003		HSS drill bit	HSS,diameter: 10mm Total length:133mm, Usable length:87mm 5pcs/Poly bag	165.00	in stock
TAC101203		HSS drill bit	HSS,diameter: 12mm Total length:151mm Usable length:101mm 5pcs/Poly bag	240.00	in stock
TAC310601		SDS plus hammer drill	6 X 110mm,SDS plus Packed by plastic hanger	150.00	in stock
TAC310801		SDS plus hammer drill	8 X 110mm,SDS plus Packed by plastic hanger	150.00	in stock
TAC310602		SDS plus hammer drill	6 X 160mm,SDS plus Packed by plastic hanger	150.00	in stock
TAC310802		SDS plus hammer drill	8 X 160mm,SDS plus Packed by plastic hanger	165.00	in stock

TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

TAC311002		SDS plus hammer drill	10 X 160mm,SDS plus Packed by plastic hanger	180.00	in stock
TAC311202		SDS plus hammer drill	12 X 160mm,SDS plus Packed by plastic hanger	210.00	in stock
TAC310603		SDS plus hammer drill	6 X 210mm,SDS plus Packed by plastic hanger	195.00	in stock
TAC310803		SDS plus hammer drill	8 X 210mm,SDS plus Packed by plastic hanger	210.00	in stock
TAC311003		SDS plus hammer drill	10 X 210mm,SDS plus Packed by plastic hanger	225.00	in stock
TAC210601		Masonry drill bit	6X100mm Packed by plastic bag	105.00	in stock







TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

TAC210801		Masonry drill bit	8X120mm Packed by plastic bag	135.00	in stock
TAC211001		Masonry drill bit	10X120mm Packed by plastic bag	210.00	in stock
TAC211201		Masonry drill bit	12X150mm Packed by plastic bag	240.00	in stock
TACSD5055		5PCS Masonry drill bits set	5pcs masonry drill bits set Size: 4X75mm,5X85mm,6X100mm,8X120mm, 10X120mm Page 13 of 29	360.00	in stock
TAC190501		SDS plus Hammer drill bit set	5 PCS SDS PLUS KIT 6X110mm,8X110mm,10X110mm,10X160mm, 12X160mm	990.00	in stock
TACSD0605		6PCS HSS twist drill bits set	6pcs HSS twist drill bits setSize:2mm,3mm,4mm,5mm,6mm,8mm acked by double blister	270.00	in stock







TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

TACSD0125		12PCS HSS twist drill bits set	12pcs HSS twist drill bits set Size:2,2.5,3,3.5,4,4.5,5,5.5,6,6.5,7,8mm acked by double blister	540.00	in stock
TACSD0195		19pcs hss drill bit set	SIZE; 1,1.5,2,2.5,3,3.5,4,4.5,5,5.5,6,6.5,7,7.5,8,8.5,9,9.5,10mm. 19pcs hss twist drill bits sets, packed by plastic bag	1275.00	in stock
TACSD3165		16 PCS Drill bits and screwdriver bits set	drill bits & setscrewdriver bits set 6pcs HSS twist drill bits :2,3,3.5,4,5,6mm 4pcs Masonry drill bits : 4,5,6,8mm 6PCS 25mm Screwdriver bits SL4.5,SL5.5,PH1,PH2,PZ1,PZ2	645.00	in stock
TACSD5051		5PCS Masonry drill bit set	5pcs masonry drill bit set Size:4X75mm,5X85mm,6X100mm,8X120mm, 10X120mm acked by plastic box	705.00	in stock
TACSD1945		4PCS hammer drill bit set	Type : Drill Mills 6x110 6*160 8*160 10*160	630.00	in stock
TACSD0065		6pcs Metal drill bits set	6pcs HSS drill bits set Size:2,3,4,5,6,8mm Packed by plastic box	375.00	in stock

TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

TAC16PH233		Screwdriver bit	PH2, 65mm,10pcs/set Double end bits S2 industrial steel Nickle plated magnetic	600.00	in stock
TAC16HL133		Screwdriver bit	PH2+SL6.0,65mm,10pcs/set Double end bit S2 industrial steel Nickle plated magnetic	600.00	in stock
TAC16PH223		Screwdriver bit	Diameter PH2 Total length 50mm (2")	300.00	in stock
TAC1521181		SDS max chisel	18X300mm, pointed Packed by plastic hanger	600.00	in stock
TAC15221811		SDS max chisel	18 X300X 25mm,flat Packed by plastic hanger	600.00	in stock
TAC1531301		Hex chisel	30X 410mm,point Suitable for TOTAL item TH215456,TH217506	2325.00	in stock

TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

TAC1532301		Hex chisel	30 X410X 40mm,flat Suitable for TOTAL item TH215456,TH217506	2325.00	in stock
TAC1511141		SDS plus chisel	14X250mm,pointed Packed by plastic hanger	450.00	in stock
TAC15121411		SDS plus chisel	14X250 X 20mm,flat Packed by plastic hanger	450.00	in stock
TAC153171		Hex chisel	17x280mm,pointed For item TH213006 Packed by plastic tube	720.00	in stock
TAC153172		Hex chisel	17x280x22mm,flat For item TH213006 Packed by plastic tube	720.00	in stock
TACSDL1201		12PCS flat wood drill bits set	12PCS flat wood drill bits set .Size(mm): 6, 8, 10, 12, 14, 16, 18, 20, 25, 28, 30, 32 Shank: 1/4" hex Length: 152mm Packed by double blister	2520.00	in stock







TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

TACSD70131		13pcs Flat wood drill bits set	Same as IRWIN quality 13PCS flat wood drill bits set Size:6,8,10,12,14,16,18,20,25,28,30,32,38 mm Shank:1/4" hex Length:152mm	2940.00	in stock
TAC31031		Cup wire brush with nut	75mm Wire diameter:0.3mm Thread:M14X2 Packed by double blister	315.00	in stock
TAC32031		Wire cup brush	75mm Wire diameter:0.5mm Thread:M14X2 Packed by double blister	360.00	in stock
TAC31041		Cup wire brush with nut	100mm Wire diameter:0.3mm Thread:M14X2 Packed by double blister	420.00	in stock
TAC31051		Cup wire brush with nut	125mm Wire diameter:0.35mm Thread:M14X2 Packed by double blister	600.00	in stock
TH92102		Wire brusher	Length:250mm Plastic handle Packed by double blister	195.00	in stock







TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

TAC7111801		Polishing pad with flange	Diameter:180mm Material:Rubber M14x2 nut For wool polishing bonnet Packed by color box	675.00	in stock
TAC721801		Wool polishing bonnet	Diameter:180mm Real wool bonnet Packed by color box	675.00	in stock
TAC2211005		Abrasive metal disc set	10PCS/SET 105MM (4") X 1.2MM (3/64") 16.0MM (5/8") FLAT CENTER CUTTING DISC FOR METAL	480.00	in stock
TAC2211155		Abrasive metal cutting disc set	10pcs/set , 10pcs/shrink 115MM(4/1/2")X1.2MM(3/64")X22.2MM(7/8") Flat centre cutting disc for metal	600.00	in stock
TAC22111550		Abrasive metal cutting disc set	50PCS/set, 50pcs/shrink 115mm(4/1/2"). *1.2mm(3/64)*22.2mm(7/8"). flat center, cutting disc for metal and inox, packed by plastic box.	2700.00	in stock
TAC2211802		Abrasive metal cutting disc	180(7")X1.6(1/16")X22.2mm(7/8") Flat centre cutting disc for metal	142.50	in stock





TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

TAC2211801		Abrasive metal cutting disc	180mm(7")X3.0mm(1/8")X22.2mm(7/8") Depressed centre cutting disc for metal	142.50	in stock
TAC2212301		Abrasive metal cutting disc	230mm(9")X3.0mm(1/8")X22.2mm(7/8") Depressed centre cutting disc for metal	225.00	in stock
TAC2213551		Abrasive metal cutting disc	355mm(14")X3.0mm(1/8")X25.4mm(1") Flat centre cutting disc for metal	450.00	in stock
TAC2231151		Abrasive metal grinding disc	115mm(4/ 1/2")X6.0mm(1/4")X22.2mm(7/8") Depressed centre grinding disc for metal	112.50	in stock
TAC2231801		Abrasive metal grinding disc	180mm(7")X6.0mm(1/4")X22.2mm(7/8") Depressed centre grinding disc for metal	240.00	in stock
TAC2232301		Abrasive metal grinding disc	230mm(9")X6.0mm(1/4")X22.2mm(7/8") Depressed centre grinding disc for metal	337.50	in stock







TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

TAC631151		Flap disc	Size : 115mm*22mm,P40 suitable for high steel, steel, cast iron and sheet steel	195.00	in stock
TAC631152		Flap disc	Size : 115mm*22mm,P60 suitable for high steel, steel, cast iron and sheet steel	195.00	in stock
TAC631153		Flap disc	Size : 115mm*22mm,P80 suitable for high steel, steel, cast iron and sheet steel Page 15 of 29	195.00	in stock
TAC749241-1		Sanding sheet set	Size:90X231mm 3pcs P80,2pcs P120 5pcs/set Suitable for TF1301826	90.00	in stock
TAC731501		Sanding sheet for random orbit sander	Size:150mm 3pcs P80, 2pcs P120 5pcs/set Suitable for item TF2041501 Packed by label	225.00	in stock
TAC25150361		Abrasive grinding wheel	DIMENSIONS 150 X 12.7 X16mm GRIT 36	675.00	in stock







TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

TAC25200361		Abrasive grinding wheel	Abrasive wheel size: 200x16x20mm Abrasive wheel grit:36 grit For TOTAL item TBG35020	1125.00	in stock
TAC24111151		Segmented Turbo Cup Grinding Wheel	Diameter:115mm Blade width:20mm Arbor:22.22mm Packed by color box	1575.00	in stock
TAC24111152		Double Row Cup Grinding Wheel	Diameter:115mm 18pcs blades Arbor:22.22mm Packed by color box	1350.00	out of stock
TAC21111153		Dry diamond disc	115(4-1/2")X22mm Blade width:7.5mm Packed by color box	330.00	in stock
TAC21111803		Dry diamond disc	180(7")X22mm Blade width:7.5mm Packed by color box	825.00	in stock
TAC2112303		Dry diamond disc	230(9")X22mm Blade width:7.5mm Packed by color box	1275.00	in stock




TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

		Wet diamond disc	180(7")X22mm Blade width:5mm Packed by color box	675.00	in stock
TAC2131151H T		Ultrathin diamond disc	115mm X 22.2mm Blade width:8mm , Metal base thickness:0.8mm With flange plate Universal purpose:ceramic,tile,marble,brick Forbidden to use for Vitrified brick (nano glass)	825.00	in stock
TAC2131801H T		Ultrathin diamond disc	180mm X 22.2mm Blade width:8mm, Metal base thickness:1.2mm With flange plate Universal purpose:ceramic,tile,marble,brick Forbidden to use for Vitrified brick (nano glass)	1800.00	in stock
TAC231255		TCT saw blade	115mm(4-1/2") 40T,arbor:22.2mm , Reduction ring:16mm Suitable for Angle Grinder, Wood Cutting	540.00	in stock
TAC232241		TCT saw blade	140mm(5-1/2") 24T,arbor:25.4mm, Reduction ring:16mm Suitable for Lithium-Ion circular saw TSLI1401 Packed by color box	600.00	in stock
TAC231415		TCT saw blade	DIMENSIONS: 185 X 20 - 16mm TEETHS: 40	1200.00	in stock

TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

TAC231413		TCT saw blade	185mm(7-1/4") 60T,arbor:20mm, Reduction ring:16mm Suitable for circular saw For TOTAL item TS1141856	1320.00	in stock
TAC231623		TCT saw blade	235mm(9-1/4") 60T,arbor:30mm, 16mm and 25.4 ring Suitable for circular saw item TS1222356	1470.00	in stock
TAC231725		TCT saw blade	254mm(10") 40T,arbor:30mm , 16mm and 25.4 ring	1620.00	in stock
TAC233523		TCT saw blade for Aluminum	210mm(8-1/4") 60T,arbor:30mm 16mm and 25.4mm ring Suitable for mitre saw For item TS42142101 Packed by color box	1575.00	in stock
TAC2337210		TCT saw blade for Aluminum	254mm(10") 100T,arbor:30mm 16mm and 25.4mm ring Suitable for mitre saw For item TS42182551 TS42182552	3075.00	in stock
TAC2339212		TCT saw blade for Aluminum	305mm(12") 120T,arbor:30mm 16mm and 25.4mm ring Suitable for mitre saw For TOAL item TS42163051	4425.00	in stock







TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

TAC51111C		Jig saw blade for wood	Basic for wood,74mm,8TPI HCS,milled,ideal for soft wood(4- 50mm),chipboards,wood core plywood,fibre boards,quick cut,5pcs/set	300.00	in stock
TAC51051		Jig saw blade set	2PCS JBT111C for wood 2PCS JBT118B for metal 1PCS JBT127D for Alu 5PCS/set	480.00	in stock
TAC430651		Hole core bit	Diameter:65mm 8pcs TCT blade,sW ith 1pcs 110mm adaptor With 1pcs 8X110mm masonry drill bit	1470.00	in stock
TAC430801		Hole core bit	Diameter:80mm 8pcs TCT blade,sW ith 1pcs 110mm adaptor With 1pcs 8X110mm masonry drill bit	2025.00	in stock
TAC431001		Hole core bit	Diameter:100mm 10pcs TCT blade,sW ith 1pcs 110mm adaptor With 1pcs 8X110mm masonry drill bit	2925.00	in stock
TACSH1121		Bi-metal Hole saw set	Hole saw 12pcs set Size:20mm,22mm,25mm,29mm,32mm,35mm,38mm,44mm,48mm,50mm,2pcs hole saw arbors Packed by Aluminum case	6750.00	out of stock






TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

TACSH3071		Hole saw set	7pcs hole saw set Size:26, 32, 38, 45, 50, 56, 63mm Height:50mm(2") Packed by double blister	540.00	in stock
THT713006		Machinist hammer	Weight:300g 45# carbon steel Drop-forged Heat treatment TOTAL Style Fiberglass handle	480.00	in stock
THT715006		Machinist hammer	Weight:500g 45# carbon steel Drop-forged Heat treatment TOTAL Style Fiberglass handle	570.00	in stock
THT7210006		Stoning hammer	Weight:1000g 45# carbon steel Drop-forged Heat treatment TOTAL Style Fiberglass handle	825.00	in stock
THT7220006		Stoning hammer	Weight:2000g 45# carbon steel Drop-forged Heat treatment TOTAL Style Fiberglass handle	1275.00	in stock
THT79046		Sledge hammer	Weight:4LB 45# carbon steel Drop-forged Heat treatment NEW Style Fiberglass handle Packed by label	1320.00	in stock






TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

THTM7386D		Claw hammer	Weight:8oz/220g 45# carbon steel Drop-forged Heat treatment TOTAL Style Fiberglass handle	420.00	in stock
THT73166		Claw hammer	Weight:16oz/450g 45# carbon steel Drop-forged Heat treatment TOTAL Style Fiberglass handle	630.00	in stock
THT74166		Ball pein hammer	Weight:16oz/450g 45# carbon steel Drop-forged Heat treatment TOTAL Style Fiberglass handle	600.00	out of stock
THT74246		Ball pein hammer	Weight:24oz/660g 45# carbon steel Drop-forged Heat treatment TOTAL Style Fiberglass handle	750.00	in stock
THT761616		Rubber hammer	Weight:16oz/450g TOTAL Style Fiberglass handle Packed by label	525.00	in stock
THTDC2146		Slotted Screwdriver	40Cr, Round shank Slotted : 5.0mm, Diameter : 5.0mm Length : 100mm	105.00	in stock







TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

THTDC2166		Slotted Screwdriver	Round shank Slotted : 6.0mm, Diameter : 6.0mm Length : 150mm	120.00	in stock
THTDC2246		Phillips screwdriver	40Cr,PH1, Round shank Diameter : 5.0mm, length : 100mm	105.00	in stock
THTDC2266		Phillips screwdriver	40Cr,PH2,Round shank diameter : 6.0mm, length : 150mm	120.00	in stock
THT291908		Test pencil	Test Voltage:AC 100-500V Slotted size:4x190mm Packed by plastic hanger	120.00	in stock
TACSD30136		13 IN 1 Ratchet screwdriver set	Include: 1 Pcs ratchet handle Folding handle, high quality ratchet 12 Pcs 6.35*25mm screwdriver bits Size : SL4, SL5, SL6, SL7, PH0, PH1, PH2, PH3, PZ0, PZ1, PZ2, PZ3 Material: CR-V	675.00	in stock
THT250206		2 IN 1 Screwdriver set	2 IN 1 Screwdriver set Shank size:6.35X160MM,PH2+SL6 With 1pcs interchangeable handle	240.00	in stock







TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

THT2506076		6 IN 1 Screwdriver set	6 IN 1 Screwdriver set 2 pcs two-way bit : 6.35*65mm,PH1+SL5 8.00*75mm,PH2+SL6, 2pcs socket : 6mm, 8mm With 1pcs interchangeable handle	390.00	in stock
TACSD30086		8 Pcs ratchet screwdriver set	8 pcs Ratchet Screwdriver Set Include: 1pcs High Quality Ratchet Handle(new design) 7pcs 25mm Screwdriver bitsSL5, SL6, PH1, PH2, PH3, T15, T20	480.00	in stock
THT250FL1206		12 Pcs Flexible shaft screwdriver set	12 Pcs Flexible shaft screwdriver set Include: 1Pcs Flexible shaft handle 1Pcs 4-6mm(25mm)bits adaptor 10Pcs 6.35X25mm screwdriver bits: SL5,SL6,SL7,PH1,PH2,PH3,T10,T15,T20,T25	525.00	in stock
THT250906		9 pcs Interchangeabl e screwdriver set	Interchangeable screwdriver set 3pcs SL3X65 SL5X65 SL6X65 3pcs PH0X65 PH1X65 PH2X65 1pcs 5X65 tack remover 1pcs 3X65 scratch awl Material : CR-V with 1pcs interchangeable handle	855.00	in stock
THT250PS060 1		6Pcs precision screwdriver set	6PCS precision screwdriver set New design handle,New plastic box SL2.0*50, SL2.5*50, SL3.0*50, PH000*50, PH0 0* 50, PH0*50 Material:CR-V Packed by plastic box	510.00	in stock
THTIS5125		Insulated Screwdriver	CR-V,SL5.5x125 New design handle Round shank 1000V,VDE Certification Packed by plastic hanger	247.50	in stock

TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

THTISPH2100		Insulated Screwdriver	CR-V, PH2×100 New design handle Round shank 1000V, VDE Certification Packed by plastic hanger	247.50	in stock
THTIS566		6 Pcs insulated screwdriver set	6 PCS Insulated Screwdriver Set SL3.0×75 , SL4.0×100 , SL6.5×150 , PH0×60 , PH1×80 , PH2×100 with 4pcs Screw and 4pcs Screw Plug Round shank 1000V,	1425.00	in stock
THPET1103		PVC Insulating tape	PVC Length: 9.15m (10 yards) Color: Black Width: 18mm Thickness: 0.13mm Packed by label	37.50	in stock
THTDC250601		6 pcs screwdriver set	6 pcs screwdriver set New design handle Material: 40Cr Round blade 1pcs SL5×75 mm 1pcs SL5×100 mm	540.00	in stock
THT250606		6 Pcs screwdriver set	6 pcs screwdriver set 1pcs SL5.5×5×75 , 1pcs SL5.5×5×100 1pcs SL6.5×6×150, 1pcs PH1×5×75 1pcs PH1×5×100, 1pcs PH2×6×150	780.00	in stock
THT250618		18 Pcs screwdriver and precision screwdriver set	18 Pcs screwdriver and precision screwdriver set 8 Pcs screwdriver: 1pcs SL5.5×5×75 1pcs SL6.5×6×100 1pcs SL8.0×8×150 1pcs SL6.5×6×38	1875.00	in stock







TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

THT106191		Hex key	9pcs hex key set Material : Cr-V, Size : 1.5-10mm Long arm	510.00	in stock
THT106392		Torx key	9pcs torx key set Material : Cr-V, Size : T10-T50	660.00	in stock
THT101083		Adjustable wrench	Length:200mm(8") Adjustable clamp size:0-24mm Packed by paper card	540.00	in stock
THT1010103		Adjustable wrench	Length:250mm(10") Adjustable clamp size:0-30mm Packed by paper card	750.00	in stock
THT1010123		Adjustable wrench	Length:300mm(12") Adjustable clamp size:0-35mm Packed by paper card	1080.00	in stock
THT101126		Adjustable wrench	Unique design Handle Length:300mm(12"),CrV Adjustable clamp size:0-41mm Two color rubber handle Packed by plastic hanger	1470.00	out of stock







TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

THT102286		8Pcs combination spanner set	8pcs combination spanner set Size:6-19mm 6mm,8mm,10mm,12mm,14mm,15mm,17mm,19mm Fine polished Packed by plastic hanger	1590.00	out of stock
THT102386		8Pcs double open end spanner set	8pcs double open end spanner set Size:6-22mm 6x7mm,8x9mm,10x11mm,12x13mm,14x15mm,16x17mm,18x19mm,20x22mm Fine polished Packed by plastic hanger	1590.00	in stock
THT102486		8Pcs offset ring spanner set	8pcs offset ring spanner set Size:6-22mm 6x7mm,8x9mm,10x11mm,12x13mm,14x15mm,16x17mm,18x19mm, 20x22mm Fine polished Packed by plastic hanger	2025.00	out of stock
THT102RK086		8Pcs ratchet spanner set	8pcs Ratchet Spanner Set High quality Cr-Mo Ratchet Size:8-19mm 8mm,10mm,12mm,13mm,14mm,15mm,17mm,19mm Fine polished ,CR-V	3975.00	in stock
THT1022121		12Pcs combination spanner set	12pcs combination spanner set Size:6-24mm 6mm,8mm,10mm,11mm, 12mm,13mm,14mm,15mm,17mm,19mm,22mm,24mm Fine polished Packed by canvas bag	3000.00	out of stock
THT1023121		12Pcs double open end spanner set	12pcs double open end spanner set Size:6-32mm 6x7mm,8x9mm,10x11mm,12x13mm,14x15mm,16x17mm,18x19mm,20x22mm,21X23mm,2 4X27mm,25X28mm,30X32mm Fine polished	4125.00	in stock







TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

THT1024121		12Pcs offset ring spanner set	12pcs offset ring spanner set Size:6-32mm 6x7mm,8x9mm,10x11mm,12x13mm, 14x15mm,16x17mm,18x19mm,20x22mm,21x23mm, 2 4x27mm,25x28mm,30x32mm Fine polished Packed by canvas bag	5175.00	out of stock
THKTV02H111		11 Pcs household tools set	11 Pcs Tools Set Include : 1 Pcs Mini Claw Hammer 1 Pcs 7" Combination Pliers 1 Pcs 6" Adjustable Wrench 1 Pcs Test Pencil (Test voltage : 100-500VAC) 1 Pcs 3M Steel measuring tape	2925.00	in stock
THKTHP90256		25pcs handtools set	25pcs handtools set Include: 1pcs 7" Combination plier 1pcs 6" Diagonal cutting pliers 1pcs 8" Adjustable wrench 1pcs 3mx16mm steel measuring tape 1pcs 100mm magnetic shank 20pcs screwdriver bits	3375.00	in stock
THKTHP1152		115 Pcs Tools set	115 Pcs Tools Set 1 Pcs 680W Impact Drill (TG1061356) 220-240V~50/60Hz,13mm Key Chuck Include : 1 Pcs 8Oz Claw Hammer 1 Pcs 7" Combination Pliers 1 Pcs 6" Adjustable Wrench 1 Pcs SL5.5x100 Screwdriver 1 Pcs PH1x100 Screwdriver	9300.00	in stock
THKTHP21176		117 Pcs tools set	117 Pcs Tools Set Include: 1 Pcs 8Oz Claw hammer 1 Pcs 6" Combination Pliers 1 Pcs 6" Long nose pliers 1 Pcs SL5.5*100 Screwdriver 1 Pcs PH1*100 Screwdriver 1 Pcs Screwdriver tester 1 Pcs 8" Adjustable Wrench	7050.00	in stock
THKTAC01120		120 Pcs accessories set	120 Pcs accessories set 6pcs masonry drill bits:3mm,4mm,5mm,6mm,8mm,10mm 19pcs HSS twist drill bits: 1mm,1.5mm,2mm,2.5mm,3mm,3.5mm,4mm,	9750.00	in stock







TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

THTRCW40231		Rapid Cross Wrench	<p>Size : 16"</p> <p>With 4 pcs 1/2" Socket:17mm 19mm 21mm 23mm</p> <p>Drop forged and chrome plate</p> <p>Cross save power design provides extra leverage and torque</p> <p>Packed by leather bag</p>	2625.00	in stock
THT141121		12Pcs 1/2" socket set	<p>12PCS 1/2" Socket set</p> <p>Include :</p> <p>10pcs socket:10,11,12,13,14,15,17,19,21,24mm</p> <p>1pcs 1/2" 45T quick release ratchet handle 1pcs 5" extension bar</p> <p>50BV30 High quality CrV steel</p>	3150.00	in stock
THT121251		25Pcs 1/2" socket set	<p>25Pcs 1/2" Socket set</p> <p>Include:</p> <p>1Pcs 1/2"Dr Ratchet wrench,45T</p> <p>18Pcs 1/2"Dr Socket:10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32mm</p> <p>1Pcs 1/2"Dr Universal Joint</p> <p>2Pcs 1/2"Dr Extension Bar:125mm & 250mm 2Pcs Spark Plug Socket:16mm & 21mm</p> <p>1Pcs 1/2"*250mm Sliding T bar</p>	8775.00	in stock
THT421441		44PCS 1/4"+1/2" Socket set	<p>44PCS 1/4"+1/2" Socket set</p> <p>Include :</p> <p>1Pcs 1/4"Dr Ratchet wrench,45T</p> <p>13Pcs 1/4"Dr Socket:4-4.5-5-5.5-6-7-8-9-10-11-12-13-14mm</p> <p>1Pcs 1/4"Dr Universal Joint</p> <p>2Pcs 1/4"Dr Extension Bar : 50mm &100mm 1Pcs 1/4"*114mm Sliding T bar</p> <p>1Pcs 1/4"*150mm Flexible Extension Bar 1Pcs 1/2"Dr Ratchet wrench,45T</p>	11250.00	in stock
THKTHP20776		77 Pcs tools set	<p>77 Pcs Tools Set</p> <p>Include :</p> <p>1 Pcs 1/2" ratchet wrench,45T</p> <p>18Pcs 1/2" Hexagonal Socket: 10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32MM</p> <p>1 Pcs 1/2" Extension bar:250mm(10") 1 Pcs 1/2" Dr. Universal joint</p> <p>2 Pcs Spark plug socket 1/2"Dr.16MM&21MM</p> <p>1 Pcs 1/2"*3/8" three way adaptor</p>	16125.00	in stock
THKTHP21426		142 Pcs combination tools set	<p>142 Pcs Combination Tools Set Include:</p> <p>1/2"DR.Part:</p> <p>19Pcs 1/2" Hexagonal Socket: 8-10-12-13-14-15-16-17-18-19-20-21-22-23-24-25-27-30-32MM</p>	29250.00	in stock







TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

THTCS12591		59 Pcs Tool Chest Set	59 Pcs Tool Chest Set Include : 12Pcs Combination spanner:8-10-11-12-13-14-15-16- 17-18-19-22MM 8Pcs Screwdriver :SL3X75MM,4x100MM,5x125MM,6x100MM,8x200MM ;PH1X80MM,PH2X100MM,PH3X200MM 18Pcs 1/2" Hexagonal Socket: 8-10-12-13-14-15-16- 17-18-19-20-21-22-23-24-27-30-32MM	25500.00	in stock
THT110806P		Combination pliers	Size:8"/200mm Polish and anti-rust oil Two color handle Packed by sliding card	592.50	in stock
THT110706P		Combination pliers	Size:7"/180mm Cr-V,black finish and polish TPR two color handle Packed by PP hanger	600.00	in stock
THT130606P		Diagonal cutting pliers	Size:6"/160mm Polish and anti-rust oil Two color handle Packed by sliding card	450.00	in stock
THT230606		Diagonal cutting pliers	Size:6"/160mm Cr-V,black finish and polish TPR two color handle Packed by PP hanger	570.00	in stock
THT220606		Long nose pliers	Size:6"/160mm Cr-V,black finish and polish TPR two color handle Packed by PP hanger	525.00	in stock






TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

THT120606P		Long nose pliers	Size : 6"/160mm Polish and anti-rust oil Two color handle Packed by sliding card	390.00	in stock
THT2K0301		3pcs Pliers set	Size: 8" Combination pliers 6" Long nose pliers 6" Diagonal cutting pliers Cr-V, black finish and polish	1725.00	out of stock
THT15851		Wire stripper	With sharp edge for cutting wire With push down wire function With wire stripping function Can strip seven kinds of Wire size	540.00	in stock
THTIP181		Insulated combination pliers	Size:8"/200mm Satin finish,insulated handle Stand high pressure 1000V Packed by sliding card Page 21 of 29	780.00	in stock
THTIP2181		Insulated combination pliers	Size:8"/200mm Black finish and polish, Insulated handle Stand high pressure:1000V	1020.00	in stock
THTIP2381		Insulated long nose pliers	Size:8"/200mm Black finish and polish, Insulated handle Stand high pressure:1000V	1020.00	in stock



TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

THTIP2661		Insulated wire stripping pliers	Size:6"/160mm Black finish and polish, Insulated handle Stand high pressure:1000V	1020.00	in stock
THT191001		Curved jaw lock plier	Cr-V, Size:10" HRC45-HRC60 Nickel plated With plastic handle Packed by half double blister	900.00	in stock
THT191005		Straight jaw plier	Cr-V, Size:10" HRC52-HRC60 Nickel plated With plastic handle Packed by half double blister	900.00	in stock
THT281006		Pump pliers	Size : 10"/250mm Max clamping open:40mm, Cr-V,black finish and polish, TPR two color handle Packed by PP hanger	750.00	in stock
THT28101		Rabbit pliers	Size : 10"/250mm Cr-V,black finish and polish With plastic handle Packed by PP hanger	675.00	in stock
THT290801		Carpenter pliers	Size : 8"/200mm Cr-V,black finish and polish \With plastic handle Packed by PP hanger	570.00	in stock






TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

THT53422		PVC Pipe cutter	Length:225mm Cutting diameter:3-42mm Material : Aluminum Packed by double blister	1275.00	in stock
THT788006		Axe	Weight: 800g 45# carbon steel Drop-forged Heat treatment	975.00	in stock
THT7812506		Axe	Weight: 1250g 45# carbon steel Drop-forged	1875.00	in stock
THT170806		Pipe wrench	SIZE : 8" (200MM). MAX CLAMPING DIAMETER : 27MM. MOBILE JAW DROP-FORGED WITH HIGH QUALITY CARBON STEEL INACTIVATE TREATMENT BODY MATERIAL : DUCTILE CAST IRON BLACK FINISH AND POLISH SOLID RIVET	675.00	in stock
THT171006		Pipe wrench	Size: 10" , Max clamping diameter:34mm Mobile jaw drop-forged with high quality carbon steel	870.00	in stock
TH		Pipe wrench	Size: 12" , Max clamping diameter: 42mm Mobile jaw drop-forged with high quality carbon steel	1080.00	in stock







TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

THT171146		Pipe wrench	Size: 14" , Max clamping diameter:50mm Mobile jaw drop-forged with high quality carbon steel	1290.00	in stock
THT171186		Pipe wrench	Size: 18" , Max clamping diameter:60mm Mobile jaw drop-forged with high quality carbon steel	2025.00	in stock
THT171246		Pipe wrench	Size: 24" , Max clamping diameter:76mm Mobile jaw drop-forged with high quality carbon steel	2925.00	in stock
THT171366		Pipe wrench	Size: 36" , Max clamping diameter:85mm Mobile jaw drop-forged high quality carbon steel	5100.00	in stock
THT171486		Pipe wrench	Size: 48" Max clamping diameter:110mm Mobile jaw drop-forged with high quality carbon steel Inactivate treatment	6750.00	in stock
THT561301		Glass cutter	Wooden handle Glass cutter with 6pcs wheels blade length: 130mm Packed by sliding card	225.00	in stock







TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

THSCRS81200 1		Scissors	Size: 215mm(8.5") Material: Stainless steel Blade thickness: 2.5mm Unique design handle Sand blast surface	270.00	in stock
THT11386		Mini bolt cutter	Size: 8" Cr-V blade Black finish and polish TPR two color handle A lock at the end of handle	600.00	in stock
THT113146		Bolt cutter	Size: 14" Cr-V blade Black finish and polish TPR two color handle	1470.00	in stock
THT113186		Bolt cutter	Size: 18" Cr-V blade Black finish and polish TPR two color handle	1980.00	in stock
THT113246		Bolt cutter	Size: 24" Cr-V blade Black finish and polish TPR two color handle	2700.00	out of stock
THT541036		Hacksaw frame	Size: 300mm/12" TOTAL Style Hacksaw frame Including 1pcs 65Mn saw blade Packed by paper card	480.00	out of stock







TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

THT54106		Hacksaw frame	TOTAL Style INDUSTRIAL Hacksaw frame Size: 300mm/12" Heavy duty steel frame	1200.00	in stock
THT54107		Bi-metal hacksaw blade (5pcs set)	Material: M42+D6A Number of teeth: 24T Size: 300mm (12")	637.50	in stock
THT59126		Mitre box and back saw set	Plastic mitre box with back saw set 1pcs plastic mitre box Size:300x140x80, thickness: 20mm 1pcs back saw , Size: 300mm/12", 11TPI	1320.00	in stock
THT55166		Hand saw	Size:16"/400mm 7TPI,heat treatment teeth	600.00	out of stock
THT55186		Hand saw	Length: 18" / 450mm 7TPI, Heat treatment	675.00	out of stock
THT55206		Hand saw	Size:20"/500mm 7TPI,heat treatment teeth	720.00	in stock







TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

THT59241		Bow saw	Handle hack saw frame Size: 610mm/24" Including 1pcs saw blade	825.00	in stock
THCS3006		Compass saw	Size: 12"/300mm Material: Taiwan SK5 7TPI, heat treatment teeth Precision ground teeth 2 edges	600.00	in stock
THWBSW66		Wall board saw	Size: 6"/150mm Material: Taiwan SK5 8TPI, heat treatment teeth Triple teeth(Precision ground teeth 3 edges)	600.00	in stock
THT511816		Snap-off blade knife	Blade Size: 18mmx100mm With 1 pcs SK5 blade (THT519181) Length: 173mm With flat push button Packed by sliding card	180.00	in stock
THT511836		Snap-off blade knife	Blade Size:18mmx100mm With 3 pcs SK5 blades (THT519181) Length:169mm With flat push button Packed by sliding card	300.00	in stock
THT519181		10pcs blades set	Size:18mmx100mm With 10pcs blade Suitable for : THT511816, THT511826, THT511836, TG5 121806	90.00	in stock







TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

THT5126128		Utility knife	Blade size: 61x19mm SK5 blade With 6PCS blades Pack by double blister	540.00	in stock
THT522106		Aviation snip	Aviation snip(Straight) Length:250mm (10") Max.cutting thickness: Carbon steel ≤ 1.2mm Stainless steel ≤ 0.7mm	750.00	in stock
THT0109		Pruning Shear	Size: 8"/205mm Aluminum body pruning shear blade Handle non slip treatment Max cutting diameter 12mm Pack by paper card	525.00	in stock
THT15308		Pruning Shear	Size: 8"/205mm With high quality blade With heat treatment aluminum handle with soft TPR grip	1125.00	in stock
THT1516301		Hedge shear	Length:22-7/8"(580mm) Material:55# carbon steel Heat treatment blade Blade painted teflon Packed by paper card	1470.00	in stock
THT1527401		Lopper	Length: 740mm/29" Material: 55# carbon steel Heat treatment blade Blade painted teflon Stress function on blade	1770.00	in stock







TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

THFSW1806		Folding Saw	Size: 7"/180mm Material: Taiwan SK5 7TPI, heat treatment teeth Triple teeth (Precision ground teeth 3 edges) With hand protection function	780.00	in stock
THT5113006		Pruning saw	Size: 12"/300mm Material: SK5 7TPI, heat treatment teeth Triple teeth (Precision ground teeth 3 edges)	975.00	in stock
THT4211026		Cold chisel	Head size: 22mm, Handle size: 16mm Length: 250mm Material : 45# Carbon steel	375.00	in stock
THT4211226		Cold chisel	Head size: 24mm Handle size: 18mm, Length: 300mm Material : 45# Carbon steel	450.00	in stock
THT4221026		Concrete chisel	Head size: 4mm Handle size: 16mm, Length: 250mm Material : 45# Carbon steel	375.00	in stock
THT4221226		Concrete chisel	Head size: 4mm Handle size: 18mm Length: 300mm Material : 45# Carbon steel	450.00	in stock







TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

THT41126		Wood chisel	Wood Chisel, CRV Width:12mm, Length: 140mm Packed by double blister	450.00	in stock
THT41166		Wood chisel	Wood Chisel, CRV Width: 16mm, Length: 140mm Packed by double blister	525.00	in stock
THT41196		Wood chisel	Wood Chisel, CRV Width: 19mm, Length: 140mm Packed by double blister	525.00	in stock
THT41256		Wood chisel	Wood Chisel, CRV Width: 25mm, Length: 140mm Packed by double blister	525.00	in stock
THT41K0401		4 Pcs wood chisel set	Wood Chisel Material:CR-V Width:6mm,12mm,19mm,25mm Length: 140mm	1800.00	in stock
THT91186		Flat steel file	Flat steel file Length: 200mm , T12 Steel Packed by poly bag	375.00	in stock







TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

THT918516		5pcs steel file set/8"	Length: 200mm, T12 Steel Flat steel file 1pcs, Half round steel file 1pcs Round steel file 1pcs, Triangle steel file 1pcs Square steel file 1pcs	1980.00	in stock
THT91462		6pcs file set	6pcs File set Length : 140mm, Diameter : 3mm Flat, Round, Half round, Square, Triangle, Knife With two color handle	450.00	in stock
THT111051		Grease Gun	Heavy-Duty Grease Gun Capacity : 400CC / 14oz Working Pressure : 4500psi Burst Pressure : 10000psi	1425.00	out of stock
THT32104		Hand riveter	Size:10.5" Applicable rivet size:2.4mm, 3.2mm,4mm,4.8mm Packed by sliding card	555.00	in stock
THT32105		Hand riveter	Size: 10.5" Aluminium alloy body Applicable rivet size: 2.4mm, 3.2mm, 4mm, 4.8mm Packed by double blister	930.00	out of stock
THT32321		Folding hand riveter	Size: 815mm,32" Applicable rivet size: 3.2mm, 4mm, 4.8mm, 6mm, 6.4mm Packed by color box	2970.00	in stock







TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

WJRT3200811		Rivet	3.2x8mm 300 pcs in a bottle	570.00	in stock
WJRT3201011		Rivet	3.2x10mm 300 pcs in a bottle	600.00	in stock
WJRT4001011		Rivet	4x10mm 200 pcs in a bottle	570.00	in stock
WJRT4001211		Rivet	4x12mm 180 pcs in a bottle	600.00	in stock
WJRT4801211		Rivet	4.8x12mm 100 pcs in a bottle	450.00	in stock
WJRT4801611		Rivet	4.8x16mm 100 pcs in a bottle	510.00	in stock







TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

THT20209		Caulking gun	9" caulking gun Thickness : 0.8mm Iron shank with teeth Length:235mm Diameter:55mm	360.00	in stock
THT3521		Super Glue(12pcs/set)	12Pcs/set net weight: 3g one year guarantee material: 100% purity glue	315.00	in stock
THT3511		White Acetic Silicone Sealant	White Capacity: 300ml Acetic Silicone Sealant Single-component, acid curing, fast curing Skin formation: 5-10min(23°C and 50%R.H) Curing time:20H(23°C and 50%R.H) Packed by plastic bottle	315.00	in stock
THT3512		Transparent Acetic Silicone Sealant	Single-component, acid curing, fast curing Capacity: 300ml Skin formation: 5-10min (23°C and 50%R.H) Curing time: 20H (23°C and 50%R.H) Packed by plastic bottle	315.00	out of stock
THT3513		Black Acetic Silicone Sealant	Single-component, acid curing, fast curing Capacity: 300ml Skin formation: 5-10min (23°C and 50%R.H) Curing time: 20H (23°C and 50%R.H) Packed by plastic bottle	315.00	in stock
THT82816		Bricklaying trowel(plastic handle)	Size: 8"/200mm Diameter of shank: 9.5mm TOTAL unique design handle	420.00	in stock







TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

THT81286		Plastering trowel(plastic handle)	SIZE: 280 X 130mm MATERIAL HANDLE ABS & TPR WEIGHT: 0.400 Kg	720.00	in stock
THT81286		Plastering trowel with teeth(plastic handle)	SIZE : 80 X 130mm TEETH: 10 X 10mm MATERIAL HANDLE ABS & TPR WEIGHT: 0.400 Kg	780.00	in stock
THT836316		Putty trowel	Size: 63(2.5") mm Carbon steel Heat treatment Fine polished Packed by label	105.00	in stock
THT83606		Putty trowel	Size: 60mm Stainless steel Heat treatment Fine polished Packed by label	225.00	in stock
THT831256		Putty trowel	Size: 125mm Stainless steel Heat treatment Fine polished Packed by label	330.00	in stock
THT8592T		Telescoping Cylinder brush	Material: Micro fibre Size: 230mm/9" Fibre height: 12mm Suitable for inner wall Mini length: 440mm Max length: 870mm	1050.00	in stock







TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

THT8541		Mini roller cylinder brush (Inner wall)	Material: Acrylic Size:100mm/4" Fibre height:12mm Suitable for inner wall 6mm central shank With 1pcs roller cover	180.00	in stock
THT8592		Cylinder brush (Inner wall)	Material: Acrylic Size:230mm/9" Fibre height:12mm Suitable for inner wall 6mm central shank with 1pcs roller cover ; With 4pcs assistant shank	375.00	out of stock
THT8593		Cylinder brush (Outer wall)	Material: Acrylic Size:230mm/9" Fibre height:18mm Suitable for outer wall 8mm central shank With 1pcs roller cover With 4pcs assistant shank	480.00	out of stock
THT81121001		Cylinder brush 12 in 1 set	Material: Acrylic + polyester foam Size: 100mm/4" . Suitable for inner wall and smooth surface. 6mm central shank With 5pcs 12mm acrylic mini rollers with 5pcs polyester foam rollers	870.00	out of stock
THT81122308 1		Cylinder brush 8 in 1 set (Inner wall and outer wall)	Suitable for inner wall and outer wall 1pcs 230mm(9") 7mm roller cover 3pcs 230mm(9") 12mm roller cover 1pcs 230mm(9") 18mm roller cover 1pcs 230mm(9") cylinder brush bracket 1pcs 25mm(1")TOTAL unique design paint brush, 1pcs TOTAL unique design paint tray Paint tray size:435*300*75mm	1800.00	in stock
THT846016		Paint brush	Width:1" For Oil-Based paint Bristle length: 45mm, Thickness: 10mm	67.50	in stock







TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

THT846156		Paint brush	Width: 1.5" For Oil-Based paint Bristle length: 45mm, Thickness: 11mm	120.00	in stock
THT846026		Paint brush	Width: 2" For Oil-Based paint Bristle length: 51mm, Thickness: 11mm	150.00	in stock
THT846036		Paint brush	Width: 3" For Oil-Based paint Bristle length: 57mm, Thickness: 12mm	270.00	in stock
THT84041		Paint brush	Size : 4"(100mm) Length: 57mm, Thickness:17.5mm	360.00	in stock
TMT46001		Digital Multimeter	1999 counts LCD display Backlight DC Voltage 200mV/ 2V/ 20V/ 200V/ 600V AC Voltage 200V/600V DC Current 200μ A/2mA/20mA/200mA/10A Resistance 200Ω/ 2kΩ/ 20kΩ/ 200kΩ/ 2MΩ/ 20MΩ	1875.00	in stock
TMT42002		Digital AC clamp meter	2000 Counts Data Hold AC Current: 2A/20A/200A/±(2.5% +8) AC Voltage: 0.1~600V±(1.0% +5) DC Voltage: 0.1~600V±(0.5% +5) Resistance: 2kΩ/20kΩ ±(1.0% +3). Packed by color box	2175.00	in stock







TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

TMT2235		Mini Spirit level	Length: 225mm With magnetic , With 3 vials	262.50	in stock
TMT23016		Spirit level	Length : 30cm Aluminum thickness:1mm	390.00	out of stock
TMT24016		Spirit level	Length : 40cm Aluminum thickness:1mm	450.00	out of stock
TMT2406		Spirit level	Length: 40cm V-shape slot for measuring cylinder objects Double side milled 0.5mm/m accurate vials	825.00	out of stock
TMT2606		Spirit level	Length: 60cm V-shape slot for measuring cylinder objects Double side milled 0.5mm/m accurate vials	1200.00	in stock
TMT2806		Spirit level	Length: 80cm V-shape slot for measuring cylinder objects Double side milled 0.5mm/m accurate vials	1425.00	in stock







TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

TMT21006		Spirit level	Length: 100cm V-shape slot for measuring cylinder objects Double side milled, 0.5mm/m accurate vials	1650.00	in stock
TMT20605M		Spirit level (With powerful magnets)	Length: 60cm 3 Pcs powerful magnets Double side milled, 0.5mm/m accurate vials	1560.00	in stock
TMT20805M		Spirit level (With powerful magnets)	Length: 80cm 4 Pcs powerful magnets Double side milled, 0.5mm/m accurate vials	1860.00	in stock
TMT21005M		Spirit level (With powerful magnets)	Length: 100cm 4 Pcs powerful magnets Double side milled, 0.5mm/m accurate vials	2100.00	in stock
TMT221606		Heavy-Duty Mason's Level	Length: 60cm Net weight: 790g Accuracy: 0.5mm/m Shock-absorbing rubber strike pads & end caps Horizontal & vertical spirit bubble Measuring Range: 0.05-60m	1725.00	in stock
TMT56016		Laser Distance Detector	Measuring Accuracy: ±2.0mm Laser Type: 635nm, <1mW, Class 2 Operating temp: -10°C ~ +50°C Function: Distance, area, volume, height with power off function. Unique design	6375.00	in stock

TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

TMT126081		Steel measuring tape	Length & width: 8mx25mm With metric and inch With 3 stop button function	525.00	in stock
TMT126331		Steel measuring tape	Length & width: 3mx16mm With metric and inch Double button	150.00	in stock
TMT126351		Steel measuring tape	Length & width: 5mx19mm Double buttonWith metric and inch TOTAL unique design Pure ABS material cover Packed by label	240.00	in stock
TMT11206		Steel measuring tape	Scaling Length & width: 20mx12.5mm Material Family Plastic Color Multi color Product Weight 0.2 kg	900.00	in stock
TMT11306		Steel measuring tape	Length 30m Width 12.5mm	1200.00	in stock
TMTF12206		fibreglass measuring tape	3:1 Gear ratio for fast rewind Length & width: 20mx12.5mm With metric and inch. Pure material retracting gear with all rubber cover Integrated handle good for using and convenient storing	780.00	in stock

TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

TMTF12306		Fibreglass measuring tape	3:1 Gear ratio for fast rewind Length & width: 30mx12.5mm With metric and inch. Pure material retracting gear With all rubber cover Integrated handle good for using and convenient storing	930.00	in stock
TMTF12506		Fibreglass measuring tape	3:1 Gear Ratio For Fast Rewind Length & Width: 50mx12.5mm With Metric & Inch. Pure Material Retracting Gear with All Rubber Cover. Integrated Handle ergonomic Handle.	1500.00	in stock
TMT312001		Vernier caliper	Range:0-200mm Reading:0.05mm Material: Carbon steel With metric and inch. Packed in plastic box.	2175.00	in stock
TMT321501		Digital caliper	Range: 0-150mm Reading: 0.01mm,metric/inch system conversion at any position,plastic housing. Packed in plastic box	3225.00	in stock
TMT61126		Angle Square	Length: 300mm(12"). Blade Width: 40mm Blade Thickness: 1.5mm. Stainless steel blade with unique support ledge. High-impact polymer handle	780.00	in stock
TH661301		Chalk line reel	Length: 30m With 1 bottle chalk & 1 pcs spirit bubble	525.00	in stock







TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

TSP11102		Knitted & PVC	Size: 10 (XL). Use for transporting and cargo handling worker. Recycling worker, repairer etc.	90.00	in stock
TSP12101		Nitrile gloves	Size : XL Use for oil environment (less oil)worker etc.	135.00	in stock
TSP1701-XL		Cut-resistance gloves	Size: XL Use for timber and glass cutting worker, heavy sharp objects carriers etc.	480.00	in stock
TSP14101		Leather gloves	Size: 10.5" Use for carriers, machining operators, garden work etc.	525.00	in stock
TSP15161		Welding leather gloves	Length: 16" Use for professional welding worker etc. Cow split leather welder gloves, one piece back, full lining full palm with double palm	1125.00	in stock
TSP610		Face shield	Impact resistant visor Brim protects forehead from outside injure headgear with adjustable knobs, with antibacterial sweatband	810.00	in stock







TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

TSP202SB.40		Safety boots	Sizes assortment: 40 Category of protective footwear SB: steel toe cap Split leather upper dual density pu sole Packed by color box	3675.00	in stock
TSP202SB.42		Safety boots	Sizes assortment: 42 Category of protective footwear SB: steel toe cap Split leather upper dual density pu sole Packed by color box	3675.00	in stock
TSP202SB.43		Safety boots	Sizes assortment: 43 Category of protective footwear SB: steel toe cap Split leather upper dual density pu sole Packed by color box	3675.00	in stock
TSP202SB.44		Safety boots	Sizes assortment: 44 Category of protective footwear SB: steel toe cap Split leather upper dual density pu sole Packed by color box	3675.00	in stock
TSP202SB.45		Safety boots	Sizes assortment: 45 Category of protective footwear SB: steel toe cap Split leather upper dual density pu sole Packed by color box	3675.00	in stock
TSP2608		Safety helmet	PE shell with vents Lining material: Plastic Chin strap included. Color: Blue. Weight : 330g. 8 point suspension. Adjust head size by buckle	420.00	in stock







TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

TSP2611		Safety helmet	PE shell with vents Lining material: Plastic Chin strap included. Color: Red. Weight : 330g 8 point suspension Adjust head size by buckle	420.00	in stock
TSP2612		Safety helmet	PE shell with vents Lining material: Plastic Chin strap included Color: Yellow . Weight : 330g. 8 point suspension. Adjust head size by buckle	420.00	in stock
TSP302L.40		Rain boots	Size: 40 Virgin PVC/Nitril material Height:39cm Acid, Alkali resistance	1425.00	in stock
TSP302L.40		Rain boots	Size: 41 Virgin PVC/Nitril material Height:39cm , Acid, Alkali resistance	1425.00	in stock
TSP302L.42		Rain boots	Size: 42 , Virgin PVC/Nitril material Height:39cm Acid, Alkali resistance	1425.00	in stock
TSP302L.43		Rain boots	Size: 43, Virgin PVC/Nitril material Height:39cm Acid, Alkali resistance	1425.00	in stock







TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

TSP302L.44		Rain boots	Size: 44, Virgin PVC/Nitril material Height:39cm, Acid, Alkali resistance	1425.00	out of stock
TSP302L.45		Rain boots	Size: 45 Virgin PVC/Nitril material Height:39cm, Acid, Alkali resistance	1425.00	out of stock
TSP502		Reflection vest	Conforms to EN471 Class 2. common reflective strip+ polyester tricot. waistcoat color: Fluorescent yellow, packed in a poly bag	480.00	in stock
THTRS031.M		Rain Suit	Size: M Material: PVC + Polyester Thickness: 0.33mm	2025.00	in stock
THTRS031.L		Rain Suit	Size : L Material : PVC+Polyester, Thickness : 0.33m	2025.00	out of stock
TLK32302		Heavy duty brass padlock	Size : 30mm Material:brass, With 3 pcs brass keys	570.00	in stock







TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

TLK32502		Heavy duty brass padlock	Size : 50mm Material:brass, With 3 pcs brass keys	1275.00	in stock
TLK32602		Heavy duty brass padlock	Size : 60mm Material:brass with 3 pcs brass keys	1575.00	in stock
TLK32702		Heavy duty brass padlock	Size: 70mm Material: brass with 3pcs brass keys	2025.00	out of stock
TLK32803		Heavy duty brass block padlock	SIZE:80MM. Material: brass, Weight: 568g with 3 pcs brass keys. packed by double blister	2400.00	in stock
TLK32903		Heavy duty brass block padlock	SIZE:90MM Material: brass, Weight: 609g with 3pcs brass keys. Packed by double blister	2775.00	in stock
TG1252306		Angle Grinder	Voltage: 220-240V~50/60Hz Input power: 2400W No-load speed:6300rpm Disc diameter: 230mm.	11500.00	in stock







TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

TDLI1221		Lithium-Ion cordless drill	D:S=12:1Auto power off Voltage:12V No-load speed:0-350/0-1350/min Max.torque:25NM Chuck capacity:0.8-10mm Torque settings:15+1, mechanical 2-speed gear 12V Lithium-Ion 1.5Ah batteries with 1pcs battery pack & 1pc 2Hr charger With 1pcs Cr-V 65mm bits	5995.00	in stock
TG1091156		Angle grinder	Input power: 950W No-load speed:11000rpm Disc diameter:115mm.	5500.00	in stock
TR11122		Electric router	Collet size: 6,8,12mm . Plunge capacity: 0-60mm. With 6,8,12mm collets, 1pcs coping ring, 1pcs aluminum guide fence,1set parallel.	16200.00	in stock
TG945185		Gasoline chain saw 18"	Displacement:45.8cc Rated power:1.8Kw Idling speed:3200rpm Max.cutting diameter:445mm(18") Fuel tank capacity:550ml . Oil tank capacity: 260ml. Powerful 2-stroke motor.	24000.00	in stock
TWP67501		Submersible clean water pump	Input power:750W(1.0HP) Max.head:32M, Rated flow:1.5M3/H Pipe diameter:1", Copper wire motor 9M length cable, Thermal protection With float switch	18750.00	in stock
THKTHP1012		101 Pcs Tools Set	101 Pcs Tools Set 1 Pcs 650W Impact Drill Voltage:220-240V~50/60Hz,13mm key chuck 1 Pcs 80z Claw Hammer1 Pcs SL5.5*100 Screwdriver1 Pcs PH1*100 Screwdriver 1 Pcs 6" Combination Pliers, 1 Pcs 6" Adjustable Wrench,1 Pcs Mini Spirit level 1 Pcs 3M Steel measuring tape 1 Pcs Snap-off blade knife	9375.00	in stock

TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

THT210706		Combination pliers	Size: 7"/180mm Cr-V, black finish and polish TPR two color handle Packed by PP hanger	530.00	in stock
THT54166		hacksaw frame	Size: 300mm/12" handle hack saw frame, adjustable With Soft grip Including 1pcs 65Mn saw blade	480.00	in stock
THT571246		Bi-Metal Hacksaw Blade	Material : M42+D6A Number of teeth : 24T Size : 300mm (12") 100Pcs/Box	135.00	in stock
THT55166D		Hand saw	Size: 16"/400mm 7TPI, heat treatment teeth	675.00	in stock
THT55206D		Hand saw	Size: 20"/500mm 7TPI, heat treatment teeth	720.00	in stock
TG5121806		Snap-off blade knife	Blade Size: 18mmx100mm Length: 185mm With 6 pcs SK5 blades, blade locking bolt With flat push button, Aluminum body	690.00	in stock

TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

TG5126101		Utility knife	Blade size: 61mmx19mm Length: 175mm With 6pcs SK5 blade Zinc alloy body	895.00	in stock
THT1516001		Hedge shear	Length: 557mm/22" Material: 55# carbon steel Heat treatment blade Blade painted teflon	1350.00	in stock
TMT126031		Steel measuring tape	Length & width: 3mx16mm With metric and inch With 3 stop button function	250.00	in stock
TMT126051		Steel measuring tape	Length & width: 5mx19mm With metric and inch With 3 stop button function	270.00	in stock
TMT126052		Steel measuring tape	Length & width: 5mx25mm With metric and inch With 3 stop button function	345.00	in stock
TF2041501		Rotary sander	Input power:450W No-load speed : 4000-13000rpm Dia of sanding pad:150mm Velcrops base,Variable speed With 150mm base PU base	8250.00	in stock

TAILWIND SOLUTIONS LIMITED
P.O.BOX 45472-00100, NAIROBI, KENYA

TD614001		Mixer	Input power:1400W No-load speed:180-460rpm/300-700rpm Mixing pad thread:M14 Aluminum gear box With 1pcs mixing pad	14250.00	in stock
TP165006		Gasoline generator	Max output(kW): 6.5, Rated output(kW): 5.0 Rated speed(rpm): 3000, Engine: 4 stroke, OHV Displacement(ml): 420 Starting system: Recoil +Electric Copper wire alternator Fuel tank(L): 25 Dry weight(Kg): 80	89995.00	in stock
TWP65501		Submersible clean water pump	Input power:550W(0.75HP) Max.head:25M, Rated flow:1.5M3/H Pipe diameter:1", Copper wire motor 9M length cable, Thermal protection With float switch	16350.00	in stock
TAC25150801		Abrasive grinding wheel	Abrasive wheel size: 150x12.7x16mm Abrasive wheel grit: 80 grit For TOTAL item TBG15015	1000.00	in stock