

83cm Series 9 4 Zone Induction Cooktop with Integrated Ventilation

Series 9 | Minimal



A true two-in-one appliance, this cooktop combines the precision of induction cooking with powerful extraction in one seamless, stylish cooktop.

- Seamless kitchen integration, without the need for overhead ventilation
- Four cooking zones, including simple pairing of two zones to create a SmartZone
- With nine fan speeds plus boost, select the perfect extraction rate for your cooking

- Minimal style, sleek black glass finish to suit any kitchen design

DIMENSIONS

Height	218 mm
Width	830 mm
Depth	515 mm

FEATURES & BENEFITS

Seamless Integration

Offering true design freedom, this cooktop can be placed anywhere – eliminating the need for bulky overhead ventilation and helping to create a seamless flow between kitchen and living spaces. Installed raised or flush, it’s perfect for islands, or homes with high ceilings.

Elegant Design

The subtle black glass and durable matte black detailing blend elegance with durability. With premium styling, these cooktops seamlessly blend with other appliances for a cohesive, considered kitchen design.

Precise Control

Fisher & Paykel induction cooktops offer extremely accurate temperature control from very high to very low heats, so you can sear, sauté and temper like a pro. Touch&Slide controls react immediately when you adjust the temperature, so you can go from a boil to a simmer in seconds.

Effective Extraction

Designed for busy homes, the integrated ventilation works effectively and unobtrusively in the background. Featuring nine fan speeds, plus a boost function, for quickly removing odours and steam.

Safety Of Induction

Induction cooktops only start heating your pot or pan once you’ve placed it on the surface and stop as soon as you remove it – so they are safer for everyone.

Ease Of Use

Designed for simple removal, the grease filter tray effectively captures spills, while the single glass cooking surface can be easily wiped clean. A flush ventilation grille allows pots to effortlessly slide across the cooktop surface.

Superior Efficiency

Less heat is wasted during induction cooking because only the cookware is heated, not the cooktop surface. This makes induction cooking more energy-efficient than electric or gas cooktops.

SPECIFICATIONS

Accessories (sold separately)

Recirculation kit	82236 KRCID834 (optional)
Replacement recirculation filter	50182 FRO-DD (optional)
Square grille & butterfly valve for wall exhaust	82393 DO-G-SS (optional)

Cleaning

- Dishwasher safe grease filter



Flat easy clean glass surface		Elbow 90° vertical 222x89	82391 E90-V-222-89	Zone ratings	
Flush grille				Left front	2100W
				Left front zone (PowerBoost set)	3000W
				Left rear	2100W
				Left rear zone (PowerBoost set)	3000W
				Right front	2100W
				Right front zone (PowerBoost set)	3000W
				Right rear	2100W
				Right rear zone (PowerBoost set)	3000W
				SmartZone	3700 W
Controls		Performance			
Auto cut-off timer for each zone		Gentle heat			
Minute timer		Heat settings	9		
Soft-touch electronic controls		Induction cooking technology			
Touch and slide controls		Pause function			
		PowerBoost			
		SmartZone			
Downdraft performance		Power requirements		Zones	
Air outlet size	220mm W x 90 mm H	Electrical connection	Terminal block	Number of zones	4
Air speeds	9 + boost	Maximum power	7.4 kW		
Brushless motor		Supply frequency	50 Hz		
Ducted externally		Supply voltage	220 - 240 V	SKU	82228
Ducting direction	Side, Rear				
Maximum air flow (Boost)	660 m³/hr	Product dimensions			
Maximum air flow (Level 9)	623 m³/hr	Depth	515 mm		
Maximum noise level (Boost)	70 dBA	Height	218 mm		
Maximum noise level (Level 9)	69 dBA	Width	830 mm		
Minimum air flow	192 m³/hr				
Minimum noise level	38 dBA				
Ducting Accessories (optional)		Safety		Other product downloads available at fisherpaykel.com	
Duct 1m Connector 222x89	82389 D1-C-222-89	Keylock		↓	2D DWG Induction Cooktop with Integrated Ventilation
Ducting adaptor	82392 DA-219-98-150	Pan detection system		↓	2D DXF Induction Cooktop with Integrated Ventilation
		Safety time out		↓	Archicad-23
Elbow 90° horizontal 222x89	82390 E90-H-222-89	Surface hot indicators		↓	Data Sheet Induction Hob
				↓	Installation Guide

- [↓](#) Planning Guide Induction Cooktop with Integrated Ventilation
- [↓](#) Revit 18
- [↓](#) Rhino-5
- [↓](#) Sketchup-8
- [↓](#) User Guide

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support
T 0800 372 273 W www.fisherpaykel.com