90 cm induction top, electric double oven

Professional Series

\$11.999



PRO95I2EXT

The double-oven range cooker give great versatility and style to your kitchen. The main oven electric oven has 11 functions, from convection, baking and grilling to warming and features a digital programmer that allows a perfect control of cooking: it displays the oven functions selected, manages time during cooking and gives feedback onreal-time temperature. The useful auxiliary oven has six modes. Triple-glass doors minimise heat loss.

The hob has an induction top with five heating zones, including booster feature, pot detection, residual heat indicator for each zone and two flex zones.

Matching range hood available.

Colours shown will vary depending on your screen settings and resolution. Contact your dealer for further advice.

Guarda online

Specifications

Worktop	
Cooking zones	5
Number of induction zones	5 induction zones double bridge
Worktop type	induction
Worktop design	squared
Worktop controls	knobs
Knobs	metal finish with ergonomic shape
Upstand	yes
Cooking zones	
Induction front left	(200 x 210 mm) 1600 W
Induction back left	(200 x 210 mm) 2100 W
Induction center	(ø 265 mm) 2300 W
Induction front right	(200 x 210 mm) 1600 W
Induction back right	(200 x 210 mm) 2100 W
Oven cavity	
Oven configuration	double
Oven fuel	electric
Oven levels	4
Main oven type	electric multifunction
Main oven grill type	electric
Main oven functions	bake / bottom bake / convection / convection bake / defrosting / fast preheat / grill / pizza with turbo function / proofing / turbo / upper bake
Main oven volume	71
Main oven convection system	single with heating element
Auxiliary oven type	electric conventional
Auxiliary oven grill type	electric
Auxiliary oven functions	bake / bottom bake / grill / proofing / upper bake
Auxiliary oven volume	40 I

Secondary oven net volume	40
Oven controls	knobs / touch digital programmer
Inner oven door	squared 3 glasses
Removable inner glass	yes
Cooling fan	yes
Timer	touch digital programmer
Food probe	yes
Oven door closing	anti-slam system
Wire-shelves	2 heavy duty
Tray	1 deep enameled + 1 grid tray
Grill trivet for tray	yes
Oven lights	single
Bottom	
Storage compartment	drawer
Legs	stainless steel ø 6 cm
Technical specifications	
Voltage and frequency	220/240 V - 50/60 Hz
Absorbed power (W)	11500 W (induction 7400 W)

Dimensions

