

BOOST YOUR PRODUCTIVITY

Enjoy the versatility within one machine



**Japanese
Excellence**
For Over 100 Years

GO FURTHER WITH A BUSINESS PARTNER YOU CAN RELY ON

Enjoy top-class print speeds, enhanced mobile connectivity and cost-saving innovations with Brother's range of monochrome laser printers and Multi-Function Centres.



Productivity that keeps going



High print speed

Get your work out efficiently with up to 34ppm, fast warm-up and first page-out of less than 8.5s

*Some features available on selected models only.



Tailored to what you need

Choose from our range of printers that caters to your business needs. Plus, streamline your workflows with convenient features such as Mobile Printing, Wi-Fi Direct and NFC.

RELIABLE & SUSTAINABLE WORKFLOW

Take your green practices a step further with Brother's Monochrome Laser Range.



Double the print, half the paper

Automatic duplex printing uses up to 50% less paper.



Quiet as a whisper

Reduce noise and energy consumption with Quiet Mode.



Less reloads reduced waste

Lower your usage by optimising the resolution for less toner reloads — thus cutting down the amount of plastics used.



A more efficient use of resources

Maximise every sheet of paper with N-in-1 printing giving you up to 4 pages per side.

Streamlined connectivity

Streamline your workflows with the Brother Mobile Connect app. Print, scan and copy even on the go*, through added integration with apps on Android and Apple devices.

Plus, enjoy cross-platform compatibility to various cloud services including OneDrive, Google Drive, SharePoint and OneNote.



Brother Mobile Connect App

Print, scan and monitor toner levels anywhere* via your mobile device.



AirPrint®

Wirelessly print from AirPrint-enabled devices* connected to the same network segment as your printer. Compatible with Mac, iPhone and iPad.



Mopria® Print

Wirelessly print directly from any supported Android™ device that's connected to the same network segment as the printer.



*While connected to the same network



	DCP-L2600D	DCP-L2625DW	DCP-L2640DW	MFC-L2805DW	MFC-L2885DW
Key Function	Print, Scan and Copy	Print, Scan and Copy	Print, Scan and Copy	Print, Scan, Copy and Fax	Print, Scan, Copy and Fax
Print Speed (A4/Letter)	Up to 34/36 ppm	Up to 34/36 ppm	Up to 34/36 ppm	Up to 34/36 ppm	Up to 34/36 ppm
Print Resolution	Up to 1,200 x 1,200 dpi	Up to 1,200 x 1,200 dpi	Up to 1,200 x 1,200 dpi	Up to 1,200 x 1,200 dpi	Up to 1,200 x 1,200 dpi
First Print Out Time (Ready)	Less than 8.5 secs	Less than 8.5 secs	Less than 8.5 secs	Less than 8.5 secs	Less than 8.5 secs
2-sided Feature	Yes	Yes	Yes	Yes	Yes
Copy Functions					
Copy Speed (A4/Letter)	Up to 34/36 cpm	Up to 34/36 cpm	Up to 34/36 cpm	Up to 34/36 cpm	Up to 34/36 cpm
Copy Resolution	600 x 600 dpi	600 x 600 dpi	600 x 600 dpi	600 x 600 dpi	600 x 600 dpi
Reduction/Enlargement Ratio	25% - 400% in 1% increments	25% - 400% in 1% increments	25% - 400% in 1% increments	25% - 400% in 1% increments	25% - 400% in 1% increments
Copy Features	Multi Copy: Sort/Stack, N in 1	Multi Copy: Sort/Stack, N in 1	Multi Copy: Sort/Stack, N in 1	Multi Copy: Sort/Stack, N in 1	Multi Copy: Sort/Stack, N in 1
Scan Functions					
Scan Speed (Mono/Colour) ¹	NA	NA	22.5/7.5 ipm	22.5/7.5 ipm	22.5/7.5 ipm
Scanner (Method)	CIS	CIS	CIS	CIS	Dual CIS
Resolution (Optical/Interpolated)	Max 1,200 x 1,200 dpi/ Max. 19,200 x 19,200 dpi	Max 1,200 x 1,200 dpi/ Max. 19,200 x 19,200 dpi	Max 1,200 x 1,200 dpi/ Max. 19,200 x 19,200 dpi	Max 1,200 x 1,200 dpi/ Max. 19,200 x 19,200 dpi	Max 1,200 x 1,200 dpi/ Max. 19,200 x 19,200 dpi
Scan To Functions	Sharepoint (Windows only), E-mail, Image, OCR, File,	Sharepoint (Windows only), E-mail, Image, OCR, File	Sharepoint (Windows only), E-mail, Image, OCR, File, FTP, FTPS	Sharepoint (Windows only), E-mail, E-mail Server, Image, OCR, File, FTP, FTPS	Sharepoint (Windows only), E-mail, E-mail Server, Network, Image, OCR, File, FTP, FTPS, Https
Fax Functions					
Modem Speed	NA	NA	NA	33,600bps (Fax)	33,600bps (Fax)
Transmission Speed	NA	NA	NA	Approx. 2.5sec. (ITU-T Test Chart, Std resolution, JBIG)	Approx. 2.5sec. (ITU-T Test Chart, Std resolution, JBIG)
Memory Transmission/ Out-of-paper Reception	NA	NA	NA	Up to 400 pages (ITU-T Test Chart, Standard Resolution, JBIG)	Up to 500 pages (ITU-T Test Chart, Standard Resolution, JBIG)
Speed Dial	NA	NA	NA	200 locations	200 locations
Group Dial	NA	NA	NA	20 groups	20 groups
Broadcasting	NA	NA	NA	260 locations	250 locations
PC Faxing	NA	NA	NA	Receiving (Windows only) Sending (Windows, Linux) (LPR/CUPS PC-FAX Send Driver)	Receiving (Windows only) Sending (Windows, Linux) (LPR/CUPS PC-FAX Send Driver)
Connectivity/Networking					
Interface	Hi-Speed 2.0	Hi-Speed 2.0, Ethernet (10 Base-T/100 Base-TX), Wi-Fi Direct, Wireless Lan (2.4GHz)	Hi-Speed 2.0, Ethernet (10 Base-T/100 Base-TX), Wi-Fi Direct, Wireless Lan (2.4GHz)	Hi-Speed 2.0, Ethernet (10 Base-T/100 Base-TX), Wi-Fi Direct, Wireless Lan (2.4GHz)	Hi-Speed 2.0, Ethernet (10 Base-T/100 Base-TX), Wi-Fi Direct, Wireless Lan (2.4GHz)
Near-Field Connectivity (NFC)	NA	NA	NA	NA	Yes (Card Reader/NFC Shortcut)
Mobile Solutions , Brother's Cloud Apps, WebConnect	NA	AirPrint, Mopria, Mobile Connect	AirPrint, Mopria, Mobile Connect	AirPrint, Mopria, Mobile Connect	AirPrint, Mopria, Mobile Connect
Paper Handling					
Input Tray (Standard)	250 sheets	250 sheets	250 sheets	250 sheets	250 sheets
Manual Slot	1 Sheet	1 Sheet	1 Sheet	1 Sheet	1 Sheet
Output Tray (Face Down)	120 Sheets	120 Sheets	120 Sheets	120 Sheets	120 Sheets
Automatic Document Feeder (ADF)	NA	NA	50 sheets	50 sheets	50 sheets
Media Weights (Standard Tray)	60 to 163g/m ² (16 to 43lb)	60 to 163g/m ² (16 to 43lb)	60 to 163g/m ² (16 to 43lb)	60 to 163g/m ² (16 to 43lb)	60 to 163g/m ² (16 to 43lb)
Media Size (Standard Tray)	A4, Letter, B5 (JIS), B5 (ISO), A5, A5 (Long Edge), B6 (JIS), A6, Executive, Legal*, A4 Short, Folio*, Mexico Legal*, India Legal*	A4, Letter, B5 (JIS), B5 (ISO), A5, A5 (Long Edge), B6 (JIS), A6, Executive, Legal*, A4 Short, Folio*, Mexico Legal*, India Legal*	A4, Letter, B5 (JIS), B5 (ISO), A5, A5 (Long Edge), B6 (JIS), A6, Executive, Legal*, A4 Short, Folio*, Mexico Legal*, India Legal*	A4, Letter, B5 (JIS), B5 (ISO), A5, A5 (Long Edge), B6 (JIS), A6, Executive, Legal*, A4 Short, Folio*, Mexico Legal*, India Legal*	A4, Letter, B5 (JIS), B5 (ISO), A5, A5 (Long Edge), B6 (JIS), A6, Executive, Legal*, A4 Short, Folio*, Mexico Legal*, India Legal*
Others					
Processor Speed	600MHz	600MHz	600MHz	600MHz	600MHz
Memory	128MB	256MB	256MB	256MB	256MB
Emulation	NA	PCL6, BR-Script3, PDF Version 1.7	PCL6, BR-Script3, PDF Version 1.7	PCL6, BR-Script3, PDF Version 1.7	PCL6, BR-Script3, PDF Version 1.7
Display	2 Lines LCD (20 characters)	2 Lines LCD (16 characters)	2 Lines LCD (20 characters)	2 Lines LCD (20 characters)	2.7" TFT ColorLCD
OS Compatibility	Windows 10, 11 Linux: CUPS, LPD/LPRng (x86/x64 environment)	Windows 10, 11, Server 2012 (Network only), Server 2012 R2 (Network only), Server 2016 (Network only), Server 2019 (Network only), Server 2022 (Network only) Linux: CUPS, LPD/LPRng (x86/x64 environment)	Windows 10, 11, Server 2012 (Network only), Server 2012 R2 (Network only), Server 2016 (Network only), Server 2019 (Network only), Server 2022 (Network only) Linux: CUPS, LPD/LPRng (x86/x64 environment)	Windows 10, 11, Server 2012 (Network only), Server 2012 R2 (Network only), Server 2016 (Network only), Server 2019 (Network only), Server 2022 (Network only) Linux: CUPS, LPD/LPRng (x86/x64 environment)	Windows 10, 11, Server 2012 (Network only), Server 2012 R2 (Network only), Server 2016 (Network only), Server 2019 (Network only), Server 2022 (Network only) Linux: CUPS, LPD/LPRng (x86/x64 environment)
Utilities & Solutions	BRAAdmin Pro4: Windows (by Download)	BRAAdmin Light: Windows (by Download); BRAAdmin Pro4: Windows (by Download)	BRAAdmin Light: Windows (by Download); BRAAdmin Pro4: Windows (by Download)	BRAAdmin Light: Windows (by Download); BRAAdmin Pro4: Windows (by Download)	BRAAdmin Light: Windows (by Download); BRAAdmin Pro4: Windows (by Download)
Security Features	NA	Network Security	Network Security	Setting Lock, Network Security	Setting Lock, Secure Function Lock, Network Security
Power Consumption (Printing/Printing with Quiet mode)	Approx. 470W/270W	Approx. 440/270W	Approx. 470W/270W	Approx. 470W/270W	Approx. 470W/270W
Power Source	220-240V AC 50/60Hz	220-240V AC 50/60Hz	220-240V AC 50/60Hz	220-240V AC 50/60Hz	220-240V AC 50/60Hz
Noise Level (Printing/ Printing with Quiet mode) ²	LpAm = 49 dB(A)/44 dB(A)	LpAm = 49 dB(A)/44 dB(A)	LpAm = 49 dB(A)/44 dB(A)	LpAm = 49 dB(A)/44 dB(A)	LpAm = 49 dB(A)/44 dB(A)
Supplies					
Standard-Yield Toner ³	TN2500 1,200 pages	TN2500 1,200 pages	TN2500 1,200 pages	TN2500 1,200 pages	TN2500 1,200 pages
High-Yield Toner ³	TN2500XL 3,000 pages	TN2500XL 3,000 pages	TN2500XL 3,000 pages	TN2500XL 3,000 pages	TN2500XL 3,000 pages
Super High-Yield Toner	TN2500XXL 5,000 pages	TN2500XXL 5,000 pages	TN2500XXL 5,000 pages	TN2500XXL 5,000 pages	TN2500XXL 5,000 pages
Drum	DR2500 15,000 pages	DR2500 15,000 pages	DR2500 15,000 pages	DR2500 15,000 pages	DR2500 15,000 pages
Dimension and Weight					
Dimension (W X D x H)	410 x399 x272 mm	410 x399 x272 mm	410 x399 x319 mm	410 x399 x319 mm	410 x399 x319 mm
Weight	10,1kg	10,1kg	11,4kg	11,6kg	11,8kg

¹ In accordance with ISO/IEC17991

² In accordance with ISO7779

³ In accordance with ISO/IEC 19752

⁴ Information correct as at the time of publication and may change without prior notice.

			
	HL-L2400D	HL-L2461DW	HL-L2460DN
Key Function	Print only	Print only	Print only
Print Speed (A4/Letter)	Up to 30/32 ppm	Up to 34/36 ppm	Up to 34/36 ppm
Print Resolution	Up to 1,200 x 1,200 dpi	Up to 1,200 x 1,200 dpi	Up to 1,200 x 1,200 dpi
First Print Out Time (Ready)	Less than 8.5 secs	Less than 8.5 secs	Less than 8.5 secs
2-sided Feature	Yes	Yes	Yes
Connectivity/Networking			
Interface	Hi-Speed 2.0	Hi-Speed 2.0, Wi-Fi Direct, Wireless Lan (2.4GHz)	Hi-Speed 2.0, Ethernet (10 Base-T/100 Base-TX)
Mobile Solutions	NA	AirPrint, Mopria, Mobile Connect	AirPrint, Mopria, Mobile Connect
Paper Handling			
Input Tray (Standard)	250 sheets	250 sheets	250 sheets
Manual Feed Slot	1 Sheet	1 Sheet	1 Sheet
Output Tray (Face Down)	150 Sheets	150 Sheets	150 Sheets
Media Weights (Standard Tray)	60 to 163g/m ² (16 to 43lb)	60 to 163g/m ² (16 to 43lb)	60 to 163g/m ² (16 to 43lb)
Media Size (Standard Tray)	A4, Letter, B5 (JIS), B5 (ISO), A5, A5 (Long Edge), B6 (JIS), A6, Executive, Legal*, A4 Short, Folio*, Mexico Legal*, India Legal*	A4, Letter, B5 (JIS), B5 (ISO), A5, A5 (Long Edge), B6 (JIS), A6, Executive, Legal*, A4 Short, Folio*, Mexico Legal*, India Legal*	A4, Letter, B5 (JIS), B5 (ISO), A5, A5 (Long Edge), B6 (JIS), A6, Executive, Legal*, A4 Short, Folio*, Mexico Legal*, India Legal*
Others			
Processor Speed	600MHz	600MHz	600MHz
Memory	64MB	64MB	128MB
Emulation	NA	NA	PCL6
Display	LED	1 Line LCD (16 characters)	1 Line LCD (16 characters)
OS Compatibility	Window 10, 11 Linux: CUPS, LPD/LPRng (x86/x64 environment)	Windows 10, 11, Server 2012, Server 2012 R2, Server 2016, Server 2019, Server2022 Linux: CUPS, LPD/LPRng (x86/x64 environment)	Windows 10, 11, Server 2012, Server 2012 R2, Server 2016, Server 2019, Server2022 Linux: CUPS, LPD/LPRng (x86/x64 environment)
Utilities & Solutions	BRAdmin Pro4: Windows (by Download)	BRAdmin Light: Windows (by Download); BRAdmin Pro4: Windows (by Download)	BRAdmin Light: Windows (by Download); BRAdmin Pro4: Windows (by Download)
Security Features	NA	Setting Lock, Network Security	Setting Lock, Network Security
Power Consumption (Printing/Printing with Quiet mode)	Approx. 440W/270W	Approx. 470W/270W	Approx. 470W/270W
Power Source	220-240V AC 50/60Hz	220-240V AC 50/60Hz	220-240V AC 50/60Hz
Noise Level (Printing/Printing with Quiet mode) ⁱ	LpAm = 48 dB(A)/44 dB(A)	LpAm = 49 dB(A)/44 dB(A)	LpAm = 49 dB(A)/44 dB(A)
Supplies			
Standard-Yield Toner ⁱⁱ	TN2500 1,200 pages	TN2500 1,200 pages	TN2500 1,200 pages
High-Yield Toner ⁱⁱ	TN2500XL 3,000 pages	TN2500XL 3,000 pages	TN2500XL 3,000 pages
Super High-Yield Toner	TN2500XXL 5,000 pages	TN2500XXL 5,000 pages	TN2500XXL 5,000 pages
Drum	DR2500 15,000 pages	DR2500 15,000 pages	DR2500 15,000 pages
Dimension and Weight			
Dimension (W X D x H)	356 x360 x183 mm	356 x360 x183 mm	356 x360 x183 mm
Weight	7.1kg	7.1kg	7.1kg

ⁱ In accordance with ISO/IEC17991

ⁱⁱ In accordance with ISO7779

ⁱⁱⁱ In accordance with ISO/IEC 19752

^{iv} Information correct as at the time of publication and may change without prior notice.



Brother strongly recommends the use of genuine Brother consumable products only. Benefits include better quality print, greater yields per consumable, protection of your machine from damages and achievement of optimum performance. As a precaution, please note that your machine warranty may not cover any damages arising from the use of non-genuine consumables.